

PYRIDIUM MERCURY DISPOSAL SITE NO. 1 START FOUR ADMINISTRATIVE RECORD FILE INDEX OF DOCUMENTS

1.0 FACTUAL INFORMATION/DATA

1.6 Sampling Plan

P. 100001100026 Letter to Ms. Irmee Huhn, Removal Action Branch, U.S. EPA, Region II,
from Mr. Gene P. Fowler, Project Manager, Roy F. Weston, Inc., re:
Work and Sampling Plan - Pyridium Mercury Disposal Site, November 17,
1997. (Attached plan: Sampling QA/QC Work Plan, Pyridium Mercury
Disposal Site # 1, Harriman, Orange County, New York, prepared by
Superfund Technical Assessment and Response Team, Roy F. Weston,
Inc., prepared for U.S. Environmental Protection Agency, Region II,
Removal Action Branch, December 10, 1997.)

1.7 Sampling Data/Data Summary Sheets/Chain of Custody Forms

- P. 100027Report: Sampling Trip Report, Pyridium Mercury Disposal Site, prepared by Mr. Gene P. Fowler, Region II, Superfund Technical Assessment and Response Team, Roy F. Weston, Inc., prepared for U.S. EPA, Region II, December 26, 1997.
- P. 100055Report: Pyridium Mercury Site, Harriman, New York, prepared by Ms.

 Jennifer Leahy, Inorganic Data Reviewer, Superfund Technical
 Assessment and Response Team, Region II, Roy F. Weston, Inc., prepared for Ms. Irmgard Huhn, Removal Action Branch, U.S. EPA, Region II,
 February 3, 1998.
- P. 100102100119 Letter to Ms. Irmee Huhn, Removal Action Branch, U.S. EPA, Region II,
 from Mr. Michael Mahnkopf, Project Manager, Superfund Technical
 Assessment and Response Team, Roy F. Weston, Inc., re: Sampling Trip
 Report, Pyridium Mercury Disposal Site No. 1, Harriman, New York,
 April 7, 1998. (Attached report: Sampling Trip Report, Pyridium Mercury
 Disposal Site No. 1, prepared by Mr. Michael Mahnkopf, Region II,
 Superfund Technical Assessment and Response Team, Roy F. Weston,
 Inc., prepared for U.S. EPA, Region II, April 7, 1998.

2.0 DECISION DOCUMENTS

2.2 Action Memoranda & Amendments

P. 200001Request for a Removal Action Restart and Ceiling Increase for the
Pyridium Mercury Disposal Site No. 1, Village of Harriman, Orange
County, New York, Action Memorandum, to Ms. Jeanne M. Fox, Regional
Administrator, U.S. EPA, Region II, from Ms. Irmgard P. Huhn, On-Scene
Coordinator, Removal Action Branch, U.S. EPA, Region II, through Mr.
Richard L. Caspe, Director, Emergency and Remedial Response Division,
U.S. EPA, Region II, March 5, 1998.

5.0 OTHER AGENCY DOCUMENTATION

5.4 ATSDR Health Assessments/Other Health Studies

P. 500001- Report: ATSDR Regional Information System 2.4, Record of Activity, prepared by Mr. Steven Jones, prepared for Mr. Eric Wilson, On-Scene Coordinator, Removal Action Branch, U.S. EPA, Region II, July 13, 1995.

6.0 POLICY AND GUIDANCE

6.2 Guidance Documents

P. 600001- Memorandum to the file, from Ms. Irmgard Huhn, U.S. EPA, Region II, 600001 re: Incorporation by Reference of Prior Administrative Records into the Current Administrative Record, April 21, 1998.



Roy F. Weston, Inc.
Federal Programs Division
Suite 201
1090 King Georges Post Road
Edison, New Jersey 08837-3703
908-225-6116 • Fax 908-225-7037

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM EPA CONTRACT 68-W5-0019

17 November 1997

Ms. Irmee Huhn U.S. Environmental Protection Agency Removal Action Branch 2890 Woodbridge Avenue Edison, NJ 08837

EPA CONTRACT NO: 68-W5-0019

TDD NO: 02-97-11-0004

DOCUMENT CONTROL NO: START-02-F-01479

SUBJECT: WORK AND SAMPLING PLAN- Pyridium Mercury Disposal Site

Dear Ms. Huhn:

Enclosed please find the Work and Sampling Plan for the Pyridium Mercury Disposal Site located at Harriman, Orange County, New York.

If you have any questions, please do not hesitate to call me at (732) 225-6116.

Very truly yours,

ROY F. WESTON, INC.

Gene P. Fowler Project Manager

Enclosure

cc:

TDD File

Joseph M. Soroka (START)

100001

SAMPLING QA/QC WORK PLAN

PYRIDIUM MERCURY DISPOSAL SITE *\(\frac{1}{2}\) Harriman, Orange County, New York

Prepared by

Superfund Technical Assessment and Response Team Roy F. Weston, Inc. Federal Programs Division Edison, New Jersey 08837

Prepared for

U.S. Environmental Protection AgencŷRegion II - Removal Action BranchEdison, New Jersey 08837

DCN #: START-02-F-01479 TDD #: 02-97-11-0004 EPA Contract No.: 68-W5-0019

Approved by:

START

genfour

Gene P. Fowler

START Project Manager

Date: 1/-17-97

START

Joseph M. Soroka

Quality Assurance Officer

Date: $\frac{1}{V}$

EPA

Irmee Huhn

On-Scene Coordinator

Date: 12 / 10 / 97



TABLE OF CONTENTS

1.0	BACKGROUND
2.0	DATA USE OBJECTIVES
3.0	QUALITY ASSURANCE OBJECTIVES
4.0	APPROACH AND SAMPLING METHODOLOGIES
	4.1 Sampling Equipment 4.2 Sampling Design 4.3 Standard Operating Procedures (SOPs) 4.3.1 Sample Documentation 4.3.2 Sampling SOPs 4.3.3 Sample Handling and Shipment 4.3.4 Sample Containers 4.4 Analytical Methods 4.5 Schedule of Activities 4.6 Disposal of PPE and Contaminated Sampling Materials
5.0	PROJECT ORGANIZATION AND RESPONSIBILITIES
6.0	QA REQUIREMENTS
7.0	DELIVERABLES 7
8.0	DATA VALIDATION 8
9.0	SYSTEM AUDIT9
10.0	CORRECTIVE ACTION9



LIST OF ATTACHMENTS

ATTACHME	ENT A:	Site Map	
АТТАСНМЕ	ENT B:	Sampling Equipment Decontamination, EPA/ERT SOP # 2006	
АТТАСНМЕ	ENT C:	Soil Sampling, EPA/ERT SOP # 2012	
		LIST OF TABLES	
TABLE 1:	Quality Assur	ance Objectives	. 2
TABLE 2:	Field Sampling	g Summary	. 2
TABLE 3:	QA/QC Analy	sis And Objective Summary	2



1.0 BACKGROUND

The Pyridium Mercury Disposal Site was a mobile home park located in Harriman, Orange County, New York (Attachment A). Mercury contamination at the site is suspected to be the result of the use of mercury-contaminated industrial waste to fill a wetland area on which the mobile home park was built.

In October 1994, the Roy F. Weston Technical Assistance Team (TAT) conducted a study to determine the nature and horizontal extent of contamination in surface soils at the site. Surface soils (0-6") were screened in-situ using an X-Ray Fluorescence Analyzer (XRF). Samples of the waste material were collected and analyzed to determine toxicity using the Toxicity Characteristic Leaching Procedure (TCLP). The waste was determined to be a chemical substrate contaminated with a mercuric or mercurous salt. Results of TCLP analysis were below the regulatory limits for all analytes. Based on this analysis, the waste was determined not to exhibit the characteristic of toxicity as defined in the Resource Conservation and Recovery Act (RCRA).

2.0 DATA USE OBJECTIVES

The objective of this sampling event is to determine the presence or absence of mercury contamination at the surface and subsurface of the property boundary.

The soil sampling will consist of 40 surface soil samples and 5 subsurface soil samples collected along the perimeter of the site.

3.0 QUALITY ASSURANCE OBJECTIVES

The overall Quality Assurance (QA) objective for chemical measurement data associated with this sampling event is to provide analytical results for screening. The QA program will incorporate Quality Control (QC) procedures for field sampling, chain of custody, laboratory analyses, and reporting to assure generation of sound analytical results.

The EPA On-Scene Coordinator (OSC) has specified a Level 1 QA objective (QA-1). Details of this QA level are provided in Section 6.0.

The objective of this project/event applies to the following parameters:



TABLE 1

QUALITY ASSURANCE OBJECTIVES

QA Parameters	Matrix	Intended Use of Data	QA Objective
Total Mercury	Soil	Determine the presence/absence of hazardous substances	QA-1

A Field Sampling Summary is attached in Table 2 and a QA/QC Analysis and Objectives Summary is attached in Table 3. Section 4.2, Sampling Design, provides information on analyses to be performed on the individual soil samples.

FIELD SAMPLING SUMMARY

TABLE 2

Analytical Parameters	Matrix	Container Size	Preservative	Holding ¹ Time	Subtotal Samples	Rinsate Blanks	Trip Blanks	Duplicate Samples	MS/MSD Samples	Total Field Samples
Total Mercury	Soil	4 oz. glass jars	Cool to 4° C	28 days	45	NR	-	-	_	45

NR - Not Required, dedicated sampling equipment to be used.

1 - Holding times from date of sampling

TABLE 3

QA/QC ANALYSIS AND OBJECTIVES SUMMARY

Analytical Parameters	Matrix	Analytical Method Reference	QA/QC Quantitation Limits	
Total Mercury	Soil	CLP SOW ILMO 4.0	As per contract	QA-1

Note: CLP-format deliverables required for all data packages.



4.0 APPROACH AND SAMPLING METHODOLOGIES

4.1 Sampling Equipment

In order to avoid cross-contamination, surface soil samples will be collected with dedicated plastic scoops and spatulas. Subsurface soil samples will be collected with non-dedicated stainless steel augers that will be decontaminated between boreholes. The samples will be homogenized in stainless steel bowls.

Sampling equipment decontamination will follow the procedures outlined in the Sampling Equipment Decontamination EPA/ERT SOP #2006 (Attachment B). For example, the stainless steel equipment will be decontaminated using the following process: alconox potable water wash, potable water rinse, ten percent nitric acid rinse, deionized water rinse, and air dry.

4.2 Sampling Design

Forty surface (0-6 inches) and five subsurface (18-24 inches) soil samples will be collected and analyzed for total mercury. The soil samples will be collected at 40 foot intervals along the property boundary. The five subsurface soil samples will be collected beneath stone at the northwest location along the edge of the pavement (Attachment A). A pick will be required to access the soil. No QA/QC samples will be taken.

This sampling design is based on information currently available and may be modified on site in light of field screening results and other acquired information. All deviations from the sampling plan will be noted in the Sampling Trip Report.

Analysis of the samples will be scheduled with a 48 hour verbal turnaround time to allow scheduling of sampling the following week and to secure the site and possibly excavate soil prior to the ground freezing.

4.3 Standard Operating Procedures (SOPs)

4.3.1 Sample Documentation

All sample documents will be completed legibly, in ink. Any corrections or revisions will be made by lining through the incorrect entry and by initialing the error.

FIELD LOGBOOK

The field logbook is essentially a descriptive notebook detailing site activities and observations so



that an accurate account of field procedures can be reconstructed in the writer's absence. All entries will be dated and signed by the individuals making the entries, and should include (at a minimum) the following:

- 1. Site name and project number.
- 2. Name(s) of personnel on site.
- 3. Dates and times of all entries (military time preferred).
- 4. Descriptions of all site activities, site entry and exit times.
- 5. Noteworthy events and discussions.
- 6. Weather conditions.
- 7. Site observations.
- 8. Sample and sample location identification and description.
- 9. Subcontractor information and names of on-site personnel.
- 10. Date and time of sample collections, along with chain of custody information.
- 11. Record of photographs.
- 12. Site sketches.
- * The description of the sample location will be noted in such a manner as to allow the reader to reproduce the location in the field at a later date.

SAMPLE LABELS

Sample labels will clearly identify the particular sample, and should include the following:

- 1. Site/project number.
- 2. Sample identification number.
- 3. Sample collection date and time.
- 4. Designation of sample (grab or composite).
- 5. Sample preservation.
- 6. Analytical parameters.
- 7. Name of sampler.

Sample labels will be written in indelible ink and securely affixed to the sample container. Labels will be covered with clear waterproof tape to protect the label from water and solvent. Tie-on labels can be used if properly secured.

CHAIN OF CUSTODY RECORD

A chain of custody record will be maintained from the time the sample is taken to its final deposition. Every transfer of custody must be noted and signed for, and a copy of this record kept by each individual who has signed. When samples (or groups of samples) are not under direct control of the individual responsible for them, they must be stored in a locked container sealed with a custody seal.



The chain of custody record should include (at minimum) the following:

- 1. Sample identification number.
- 2. Sample information.
- 3. Sample location.
- 4. Sample date.
- 5. Name(s) and signature(s) of sampler(s).
- 6. Signature(s) of any individual(s) with control over samples.

CUSTODY SEALS

Custody seals demonstrate that a sample container has not been tampered with, or opened. The individual in possession of the sample(s) will sign and date the seal, affixing it in such a manner that the container cannot be opened without breaking the seal. The name of this individual, along with a description of the sample packaging, will be noted in the field logbook.

4.3.2 Sampling SOPs

Soil Sampling

Soil sampling activities will be conducted in accordance with the guidelines outlined in EPA/ERT Soil Sampling SOP #2012 (Attachment C).

Decontamination

Decontamination procedures will be conducted in accordance with the guidelines outlined in the EPA/ERT SOP #2006 (Attachment B). A ten percent nitric acid rinse will be used for the sampling equipment.

4.3.3 Sample Handling and Shipment

Each of the sample bottles will be sealed and labeled according to the following protocol. Caps will be secured with custody seals. Bottle labels will contain all required information including site/project code and sample number, time and date of collection, analyses requested, and preservative used. Sealed bottles will be placed in large metal or plastic coolers, and padded with an absorbent material such as vermiculite. All packaging will conform to IATA Transportation regulations for overnight carriers.

All sample documents will be affixed to the underside of each cooler lid in a plastic bag. The lid will be sealed and affixed on at least two sides with custody seals so that any sign of tampering is easily visible.



4.3.4 Sample Containers

All sample containers will meet the QA/QC specifications in OSWER Directive 9240.0-05A, "Specifications and Guidance for the Contaminant Free Sample Containers".

4.4 Analytical Methods

Analytical methods to be utilized in the analyses of samples collected during this sampling event are detailed in Table 3.

4.5 Schedule of Activities

Event	Duration	Scheduled Date
Surface and subsurface soil sampling	One day	November 13, 1997

4.6 Disposal of PPE and Contaminated Materials

All used sampling scoops and used protective equipment will be bagged and stored on site in a secure area until arrangement for off-site disposal can be made.

5.0 PROJECT ORGANIZATION AND RESPONSIBILITIES

The EPA OSC, Irmee Huhn, will provide overall direction to the staff concerning project sampling needs, objectives, and schedule. The Project Manager (PM), Gene P. Fowler, will be the primary point of contact with the OSC. The PM is responsible for the development and completion of the Sampling QA/QC Plan, project team organization, and supervision of all project tasks, including reporting and deliverables. The Site QC Coordinator will be responsible for ensuring field adherence to the Sampling QA/QC Plan and recording of any deviations. The START Analytical Services Coordinator, Smita Sumbaly, will be the primary project team site contact with the subcontracted laboratory, if necessary.

The following sampling personnel will work on this project:

Personnel	Responsibility
Gene P. Fowler Ilene Presworksky Mike Mahnkopf Irmee Huhn	START; Project Manager and sampler; START; Sampler; and sample documentation; START; Sampler and QA/QC; and EPA; On-Scene Coordinator.



Lab Name/Location

Sample Type

Parameters

NY Test Environmental 60 Seaview Boulevard Port Washington, NY 11050 (516) 625-5500 Soil

Total Mercury

6.0 QA REQUIREMENTS

The following requirements apply to the respective QA Objectives and parameters identified in Section 3.0. The QA Protocols for a Level 1 QA objective sampling event are applicable to all sample matrices and include:

- 1. Sample documentation in the form of field logbooks, appropriate field data sheets, and chain of custody records (chain of custody records are optional for field screening locations).
- 2. Narrative statement regarding the analytical method followed and ability to comply with the method, in addition to any problems encountered and corrective actions taken.
- 3. Tabulated sample data results and corresponding detection level.
- 4. Analytical holding times as determined from the time of sample collection through analysis. These will be documented in the field logbook or by the laboratory in the final data deliverable package.
- 5. Initial and continuous instrument calibration data.
- 6. Corresponding method and instrument blank analyses data.

7.0 DELIVERABLES

The START PM, Gene P. Fowler, will maintain contact with the EPA OSC, Irmee Huhn, to keep her informed about the technical and financial progress of this project. This communication will commence with the issuance of the work assignment and project scoping meeting.



Activities under this project will be reported in status and trip reports and other deliverables (e.g., analytical reports, final reports) described herein. Activities will also be summarized in appropriate format for inclusion in monthly and annual reports.

The following deliverables will be provided under this project:

TRIP REPORT

A trip report will be prepared to provide a detailed accounting of what occurred during each sampling mobilization. The trip report will be prepared within one week of the last day of each sampling mobilization. Information will be provided on time of major events, dates, and personnel on site (including affiliations).

MAPS/FIGURES

Maps depicting site layout, contaminant source areas, and sample locations will be included in the trip report, as appropriate.

ANALYTICAL REPORT

An analytical report will be prepared for samples analyzed under this plan. Information regarding the analytical methods or procedures employed, sample results, QA/QC results, chain of custody documentation, laboratory correspondence, and raw data will be provided within this deliverable.

DATA REVIEW

A review of the data generated for samples analyzed under this plan will be undertaken. The assessment of data acceptability will be provided separately or as part of the analytical report.

8.0 DATA VALIDATION

Data generated under this QA/QC Sampling Plan will be evaluated according to criteria contained in the Removal Program Data Validation Procedures that accompany OSWER Directive number 9360.4-1 and in accordance with Region II guidelines.

Laboratory analytical results will be assessed by the data reviewer for compliance with required precision, accuracy, completeness, representativeness, and sensitivity.




9.0 SYSTEM AUDIT

The field QA/QC Officer will observe sampling operations and ensure compliance with the QA/QC requirements of the project/sampling event.

10.0 CORRECTIVE ACTION

All provisions will be taken in the field and laboratory to ensure that any problems that may develop will be dealt with as quickly as possible to ensure the continuity of the project sampling event. Any deviations from this sampling plan will be noted in the final report.

ATTACHMENT A
SITE MAP



ATTACHMENT B

SAMPLING EQUIPMENT DECONTAMINATION EPA/ERT SOP #2006

1.1 SCOPE AND APPLICATION

This Standard Operating Procedure (SOP) describes methods used for preventing or reducing cross-contamination, and provides general guidelines for sampling equipment decontamination procedures at a hazardous waste site. Preventing or minimizing cross-contamination in sampled media and in samples is important for preventing the introduction of error into sampling results and for protecting the health and safety of site personnel.

Removing or neutralizing contaminants that have accumulated on sampling equipment ensures protection of personnel from permeating substances, reduces or eliminates transfer of contaminants to clean areas, prevents the mixing of incompatible substances, and minimizes the likelihood of sample cross-contamination.

1.2 METHOD SUMMARY

Contaminants can be physically removed from equipment, or deactivated by sterilization or disinfection. Gross contamination of equipment requires physical decontamination, including abrasive and non-abrasive methods. These include the use of brushes, air and wet blasting, and high-pressure water cleaning, followed by a wash/rinse process using appropriate cleaning solutions. Use of a solvent rinse is required when organic contamination is present.

1.3 SAMPLE PRESERVATION, CONTAINERS, HANDLING, AND STORAGE

This section is not applicable to this SOP.

1.4 INTERFERENCES AND POTENTIAL PROBLEMS

 The use of distilled/deionized water commonly available from commercial vendors may be acceptable for decontamination of sampling equipment provided that it has been verified by laboratory analysis to be analyte free.

- An untreated potable water supply is not an acceptable substitute for tap water. Tap water may be used from any municipal water treatment system for mixing of decontamination solutions.
- Acids and solvents utilized in the decontamination sequence pose the health and safety risks of inhalation or skin contact, and raise shipping concerns of permeation or degradation.
- The site work plan must address disposal of the spent decontamination solutions.
- Several procedures can be established to minimize contact with waste and the potential for contamination. For example:
 - Stress work practices that minimize contact with hazardous substances.
 - Use remote sampling, handling, and container-opening techniques when appropriate.
 - Cover monitoring and sampling equipment with protective material to minimize contamination.
 - Use disposable outer garments and disposable sampling equipment when appropriate.

1.5 EQUIPMENT/APPARATUS

- appropriate personal protective clothing
- non-phosphate detergent
- selected solvents
- long-handled brushes
- drop cloths/plastic sheeting
- trash container
- paper towels
- galvanized tubs or buckets
- tap water

100017

- distilled/deionized water
- metal/plastic containers for storage and disposal of contaminated wash solutions
- pressurized sprayers for tap and deionized/distilled water
- sprayers for solvents
- trash bags
- aluminum foil
- · safety glasses or splash shield
- · emergency eyewash bottle

1.6 REAGENTS

There are no reagents used in this procedure aside from the actual decontamination solutions and solvents. In general, the following solvents are utilized for decontamination purposes:

- 10% nitric acid(1)
- acetone (pesticide grade)(2)
- hexane (pesticide grade)⁽²⁾
- methanol

(1) Only if sample is to be analyzed for trace metals.

(2) Only if sample is to be analyzed for organics.

1.7 PROCEDURES

As part of the health and safety plan, develop and set up a decontamination plan before any personnel or equipment enter the areas of potential exposure. The equipment decontamination plan should include:

- the number, location, and layout of decontamination stations
- which decontamination apparatus is needed
- the appropriate decontamination methods
- methods for disposal of contaminated clothing, apparatus, and solutions

1.7.1 Decontamination Methods

All personnel, samples, and equipment leaving the contaminated area of a site must be decontaminated. Various decontamination methods will either physically remove contaminants, inactivate contaminants by disinfection or sterilization, or do both.

In many cases, gross contamination can be removed by physical means. The physical decontamination techniques appropriate for equipment decontamination can be grouped into two categories: abrasive methods and non-abrasive methods.

Abrasive Cleaning Methods

Abrasive cleaning methods work by rubbing and wearing away the top layer of the surface containing the contaminant. The following abrasive methods are available:

- Mechanical: Mechanical cleaning methods use brushes of metal or nylon. The amount and type of contaminants removed will vary with the hardness of bristles, length of brushing time, and degree of brush contact.
- Air Blasting: Air blasting is used for cleaning large equipment, such as bulldozers, drilling rigs or auger bits. The equipment used in air blast cleaning employs compressed air to force abrasive material through a nozzle at high velocities. The distance between the nozzle and the surface cleaned, as well as the pressure of air, the time of application, and the angle at which the abrasive strikes the surface, determines cleaning efficiency. Air blasting has several disadvantages: it is unable to control the amount of material removed, it can aerate contaminants, and it generates large amounts of waste.
- Wet Blasting: Wet blast cleaning, also used to clean large equipment, involves use of a suspended fine abrasive delivered by compressed air to the contaminated area. The amount of materials removed can be carefully controlled by using very fine abrasives. This method generates a large amount of waste.

Non-Abrasive Cleaning Methods

Non-abrasive cleaning methods work by forcing the contaminant off of a surface with pressure. In general, less of the equipment surface is removed using non-abrasive methods. The following non-abrasive methods are available:

- .• High-Pressure Water: This method consists of a high-pressure pump, an operator-controlled directional nozzle, and a high pressure hose. Operating pressure usually ranges from 340 to 680 atmospheres (atm) which relates to flow rates of 20 to 140 liters per minute.
- Pressure Water: This system produces a pressurized water jet (from 1,000 to 4,000 atm). The ultra-high-pressure spray removes tightly-adhered surface film. The water velocity ranges from 500 m/sec (1,000 atm) to 900 m/sec (4,000 atm). Additives can enhance the method. This method is not applicable for hand-held sampling equipment.

Disinfection/Rinse Methods

- Disinfection: Disinfectants are a practical means of inactivating infectious agents.
- Sterilization: Standard sterilization methods involve heating the equipment.
 Sterilization is impractical for large equipment.
- Rinsing: Rinsing removes contaminants through dilution, physical attraction, and solubilization.

1.7.2 Field Sampling Equipment Cleaning Procedures

Solvent rinses are not necessarily required when organics are not a contaminant of concern and may be eliminated from the sequence specified below. Similarly, an acid rinse is not required if analysis does not include inorganics.

- 1. Where applicable, follow physical removal procedures specified in section 1.7.1.
- 2. Wash equipment with a non-phosphate deterzent solution.
- 3. Rinse with tap water.
- 4. Rinse with distilled/deionized water.
- 5. Rinse with 10% nitric acid if the sample will be analyzed for trace breamies. Granics

 Thoryanics

- 6. Rinse with distilled/deionized water.
- 7. Use a solvent rinse (pesticide grade) if the sample will be analyzed for organics.
- -8. Air dry the equipment completely.
- 9. Rinse again with distilled/deionized water.

Selection of the solvent for use in the decontamination process is based on the contaminants present at the site. Use of a solvent is required when organic contamination is present on-site. Typical solvents used for removal of organic contaminants include acetone, hexane, or water. An acid rinse step is required if metals are present on-site. If a particular contaminant fraction is not present at the site, the nine-step decontamination procedure listed above may be modified for site specificity. The decontamination solvent used should not be among the contaminants of concern at the site.

Table 1 lists solvent rinses which may be required for elimination of particular chemicals. After each solvent rinse, the equipment should be air dried and rinsed with distilled/deionized water.

Sampling equipment that requires the use of plastic tubing should be disassembled and the tubing replaced with clean tubing, before commencement of sampling and between sampling locations.

1.8 CALCULATIONS

This section is not applicable to this SOP.

1.9 QUALITY ASSURANCE/ QUALITY CONTROL

One type of quality control sample specific to the field decontamination process is the rinsate blank. The rinsate blank provides information on the effectiveness of the decontamination process employed in the field. When used in conjunction with field blanks and trip blanks, a rinsate blank can detect contamination during sample handling, storage and sample transportation to the laboratory.

Table 1: Recommended Solvent Rinse for Soluble Contaminants

SOLVENT	SOLUBLE CONTAMINANTS				
Water	 Low-chain hydrocarbons Inorganic compounds Salts Some organic acids and other polar compounds 				
Dilute Acids	Basic (caustic) compounds Amines Hydrazines				
Dilute Bases for example, detergent and soap	 Metals Acidic compounds Phenol Thiols Some nitro and sulfonic compounds 				
Organic Solvents ⁽¹⁾ - for example, alcohols, ethers, ketones, aromatics, straight-chain alkanes (e.g., hexane), and common petroleum products (e.g., fuel, oil, kerosene)	Nonpolar compounds (e.g., some organic compounds)				

⁽i) - WARNING: Some organic solvents can permeate and/or degrade protective clothing.

A rinsate blank consists of a sample of analyte-free (i.e., deionized) water which is passed over and through a field decontaminated sampling device and placed in a clean sample container.

Rinsate blanks should be run for all parameters of interest at a rate of 1 per 20 for each parameter, even if samples are not shipped that day. Rinsate blanks are not required if dedicated sampling equipment is used.

1.10 DATA VALIDATION

This section is not applicable to this SOP.

1.11 HEALTH AND SAFETY

When working with potentially hazardous materials, follow U.S. EPA, OSHA and specific health and safety procedures.

Decontamination can pose hazards under certain circumstances even though performed to protect

health and safety. Hazardous substances may be incompatible with decontamination methods. For example, the decontamination solution or solvent may react with contaminants to produce heat, explosion, or toxic products. Decontamination methods may be incompatible with clothing or equipment; some solvents can permeate or degrade protective clothing. Also, decontamination solutions and solvents may pose a direct health hazard to workers through inhalation or skin contact, or if they combust.

The decontamination solutions and solvents must be determined to be compatible before use. Any method that permeates, degrades, or damages personal protective equipment should not be used. If decontamination methods pose a direct health hazard, measures should be taken to protect personnel or the methods should be medified to eliminate the hazard.

ATTACHMENT C SOIL SAMPLING EPA/ERT SOP #2012

2.1 SCOPE AND APPLICATION

resulting in variable, non-representative results.

The purpose of this Standard Operating Procedure (SOP) is to describe the procedures for collecting representative soil samples. Analysis of soil samples may determine whether concentrations of specific soil pollutants exceed established action levels, or if the concentrations of soil pollutants present a risk to public health, welfare, or the environment.

2.2 METHOD SUMMARY

Soil samples may be collected using a variety of methods and equipment. The methods and equipment used are dependent on the depth of the desired sample, the type of sample required (disturbed versus undisturbed), and the type of soil. Near-surface soils may be easily sampled using a spade, trowel, and scoop. Sampling at greater depths may be performed using a hand auger, a trier, a split-spoon, or, if required, a backhoe.

2.3 SAMPLE PRESERVATION, CONTAINERS, HANDLING, AND STORAGE

Chemical preservation of solids is not generally recommended. Refrigeration to 4°C, supplemented by a minimal holding time, is usually the best approach.

2.4 INTERFERENCES AND POTENTIAL PROBLEMS

There are two primary interferences or potential problems associated with soil sampling. These include cross-contamination of samples and improper sample collection. Cross-contamination problems can be eliminated or minimized through the use of dedicated sampling equipment. If this is not possible or practical, then decontamination of sampling equipment is necessary. Improper sample collection can involve using contaminated equipment, disturbance of the matrix resulting in compaction of the sample, or inadequate homogenization of the samples where required,

2.5 EQUIPMENT/APPARATUS

- sampling plan
- maps/plot plan
- safety equipment, as specified in the health and safety plan
- compass
- tape measure
- survey stakes or flags
- · camera and film
- stainless steel, plastic, or other appropriate homogenization bucket or bowl
- 1-quart mason jars w/Teflon liners
- Ziploc plastic bags
- logbook
- labels
- · chain of custody forms and seals
- field data sheets
- cooler(s)
- ice
- · decontamination supplies/equipment
- canvas or plastic sheet
- spade or shovel
- spatula
- scoop
- plastic or stainless steel spoons
- trowel
- continuous flight (screw) auger
- bucket auger
- post hole auger
- extension rods
- T-handle
- sampling trier
- thin-wall tube sampler
- Vehimeyer soil sampler outfit
 - tubes
 - points
 - drive head
 - drop hammer
 - puller jack and grip
- backhoe

2.6 REAGENTS

Reagents are not used for the preservation of soil samples. Decontamination solutions are specified in

ERT SOP #2006, Sampling Equipment Decontamination.

-2.7 - PROCEDURES

2.7.1 Preparation

- 1. Determine the extent of the sampling effort, the sampling methods to be employed, and which equipment and supplies are required.
- 2. Obtain necessary sampling and monitoring equipment.
- 3. Decontaminate or preclean equipment, and ensure that it is in working order.
- 4. Prepare schedules, and coordinate with staff, client, and regulatory agencies, if appropriate.
- 5. Perform a general site survey prior to site entry in accordance with the site-specific health and safety plan.
- 6. Use stakes, buoys, or flagging to identify and mark all sampling locations. Consider specific site factors, including extent and nature of contaminant, when selecting sample location. If required, the proposed locations may be adjusted based on site access, property boundaries, and surface obstructions. All staked locations will be utility-cleared by the property owner prior to soil sampling.

2.7.2 Sample Collection

Surface Soil Samples

Collect samples from near-surface soil with tools such as spades, shovels, and scoops. Surface material can be removed to the required depth with this equipment, then a stainless steel or plastic scoop can be used to collect the sample.

This method can be used in most soil types but is limited to sampling near surface areas. Accurate, representative samples can be collected with this procedure depending on the care and precision demonstrated by the sampling team member. The use of a flat, pointed mason trowel to cut a block of the desired soil can be helpful when undisturbed profiles are required. A stainless steel scoop, lab spoon, or plastic spoon will suffice in most other

applications. Avoid the use of devices plated with chrome or other materials. Plating is particularly common with garden implements such as potting trowels

Follow these procedures to collect surface soil samples.

- Carefully remove the top layer of soil or debris
 to the desired sample depth with a pre-cleaned
 spade.
- 2. Using a pre-cleaned, stainless steel scoop, plastic spoon, or trowel, remove and discard a thin layer of soil from the area which came in contact with the spade.
- 3. If volatile organic analysis is to be performed, transfer a portion of the sample directly into an appropriate, labeled sample container(s) with a stainless steel lab spoon, plastic lab spoon, or equivalent and secure the cap(s) tightly. Place the remainder of the sample into a stainless steel, plastic, or other appropriate homogenization container, and mix thoroughly to obtain a homogenous sample representative of the entire sampling interval. Then, either place the sample into an appropriate, labeled container(s) and secure the cap(s) tightly; or, if composite samples are to be collected, place a sample from another sampling interval into the homogenization container and mix thoroughly. When compositing is complete, place the sample into appropriate, labeled container(s) and secure the cap(s) tightly.

Sampling at Depth with Augers and Thin-Wall Tube Samplers

This system consists of an auger, a series of extensions, a T handle, and a thin-wall tube sampler (Appendix A, Figure 1). The auger is used to bore a hole to a desired sampling depth, and is then withdrawn. The sample may be collected directly from the auger. If a core sample is to be collected, the auger tip is then replaced with a thin-wall tube sampler. The system is then lowered down the borehole, and driven into the soil at the completion depth. The system is withdrawn and the core collected from the thin-wall tube sampler.

Several types of augers are available. These include: bucket, continuous flight (screw), and posthole augers. Bucket augers are better for direct

sample recovery since they provide a large volume of sample in a short time. When continuous flight augers are used, the sample can be collected directly from the flights, which are usually at 5-feet intervals. The continuous flight augers are satisfactory for use when a composite of the complete soil column is desired. Posthole augers have limited utility for sample collection as they are designed to cut through fibrous, rooted, swampy soil.

Follow these procedures for collecting soil samples with the auger and a thin-wall tube sampler.

- 1. Attach the auger bit to a drill rod extension, and attach the "T" handle to the drill rod.
- 2. Clear the area to be sampled of any surface debris (e.g., twigs, rocks, litter). It may be advisable to remove the first 3 to 6 inches of surface soil for an area approximately 6 inches in radius around the drilling location.
- 3. Begin augering, periodically removing and depositing accumulated soils onto a plastic sheet spread near the hole. This prevents accidental brushing of loose material back down the borehole when removing the auger or adding drill rods. It also facilitates refilling the hole, and avoids possible contamination of the surrounding area.
- 4. After reaching the desired depth, slowly and carefully remove the auger from boring. When sampling directly from the auger, collect sample after the auger is removed from boring and proceed to Step 10.
- Remove auger tip from drill rods and replace with a pre-cleaned thin-wall tube sampler. Install proper cutting tip.
- 6. Carefully lower the tube sampler down the borehole. Gradually force the tube sampler into the soil. Care should be taken to avoid scraping the borehole sides. Avoid hammering the drill rods to facilitate coring as the vibrations may cause the boring walls to collapse.
- 7. Remove the tube sampler, and unscrew the drill rods.
- 8. Remove the cutting tip and the core from the device.

- Discard the top of the core (approximately 1 inch), as this represents material collected before penetration of the layer of concern. Place the remaining core into the appropriate labeled sample container(s). Sample homogenization is not required.
- 10. If volatile organic analysis is to be performed, transfer a portion of the sample directly into an appropriate, labeled sample container(s) with a stainless steel lab spoon, plastic lab spoon, or equivalent and secure the cap(s) tightly. Place the remainder of the sample into a stainless steel, plastic, or other appropriate homogenization container, and mix thoroughly to obtain a homogenous sample representative of the entire sampling interval. Then, either place the sample into an appropriate, labeled container(s) and secure the cap(s) tightly, or, if composite samples are to be collected, place a sample from another sampling interval into the homogenization container and mix thoroughly. When compositing is complete, piace the sample into the appropriate, labeled container(s) and secure the cap(s) tightly.
- 11. If another sample is to be collected in the same hole, but at a greater depth, reattach the auger bit to the drill and assembly, and follow steps 3 through 11, making sure to decontaminate the auger and tube sampler between samples.
- 12. Abandon the hole according to applicable state regulations. Generally, shallow holes can simply be backfilled with the removed soil material.

Sampling at Depth with a Trier

The system consists of a trier, and a T handle. The auger is driven into the soil to be sampled and used to extract a core sample from the appropriate depth.

Follow these procedures to collect soil samples with a sampling trier.

- Insert the trier (Appendix A, Figure 2) into the material to be sampled at a 0° to 45° angle from horizontal. This orientation minimizes the spillage of sample.
- Rotate the trier once or twice to cut a core of material.

- 3.' Slowly withdraw the trier, making sure that the slot is facing upward.
- 4. If volatile organic analysis is to be performed, transfer a portion of the sample directly into an appropriate, labeled sample container(s) with a stainless steel lab spoon, plastic lab spoon, or equivalent and secure the cap(s) tightly. Place the remainder of the sample into a stainless steel, plastic, or other appropriate homogenization container, and mix thoroughly to obtain a homogenous sample representative of the entire sampling interval. Then, either place the sample into an appropriate, labeled container(s) and secure the cap(s) tightly; or, if composite samples are to be collected, place a sample from another sampling interval into the homogenization container and mix thoroughly. When compositing is complete, place the sample into an appropriate, labeled container(s) and secure the cap(s) tightly.

Sampling at Depth with a Split Spoon (Barrel) Sampler

The procedure for split spoon sampling describes the collection and extraction of undisturbed soil cores of 18 or 24 inches in length. A series of consecutive cores may be extracted with a split spoon sampler to give a complete soil column profile, or an auger may be used to drill down to the desired depth for sampling. The split spoon is then driven to its sampling depth through the bottom of the augured hole and the core extracted.

When split tube sampling is performed to gain geologic information, all work should be performed in accordance with ASTM D 1586-67 (reapproved 1974).

Follow these procedures for collecting soil samples with a split spoon.

- Assemble the sampler by aligning both sides of the barrel and then screwing the bit onto the bottom and the heavier head piece onto the top.
- 2. Place the sampler in a perpendicular position on the sample material.
- 3. Using a sledge hammer or well ring, if available, drive the tube. Do not drive past the bottom of the head piece or compression of the

sample will result.

- 4. Record in the site logbook or on field data sheets the length of the tube used to penetrate the material being sampled, and the number of blows required to obtain this depth.
- 5. Withdraw the sampler, and open by unscrewing the bit and head and splitting the barrel. If a split sample is desired, a cleaned, stainless steel knife should be used to divide the tube contents in half, longitudinally. This sampler is typically available in diameters of 2 and 3 1/2 inches. However, in order to obtain the required sample volume, use of a larger barrel may be required.
- 6. Without disturbing the core, transfer it to an appropriate labeled sample container(s) and seal tightly.

Test Pit/Trench Excavation

These relatively large excavations are used to remove sections of soil, when detailed examination of soil characteristics (horizontal structure, color, etc.) are required. It is the least cost effective sampling method due to the relatively high cost of backhoe operation.

Follow these procedures for collecting soil samples from test pit/trench excavations.

- Prior to any excavation with a backhoe, it is important to ensure that all sampling locations are clear of utility lines and poles (subsurface as well as above surface).
- Using the backhoe, dig a trench to approximately 3 feet in width and approximately 1 foot below the cleared sampling location. Place removed or excavated soils on plastic sheets. Trenches greater than 5 feet deep must be sloped or protected by a shoring system, as required by OSHA regulations.
- 3. Use a shovel to remove a 1- to 2-inch layer of soil from the vertical face of the pit where sampling is to be done.
- 4. Take samples using a trowel, scoop, or coring device at the desired intervals. Be sure to scrape the vertical face at the point of sampling

to remove any soil that may have fallen from above, and to expose fresh soil for sampling. In many instances, samples can be collected directly from the backhoe bucket.

If volatile organic analysis is to be performed, transfer a portion of the sample directly into an appropriate, labeled sample container(s) with a stainless steel lab spoon, plastic lab spoon, or equivalent and secure the cap(s) tightly. Place the remainder of the sample into a stainless steel, plastic, or other appropriate homogenization container, and mix thoroughly to obtain a homogenous sample representative of the entire sampling interval. Then, either place the sample into an appropriate, labeled container(s) and secure the cap(s) tightly; or, if composite samples are to be collected, place a sample from another sampling interval into the homogenization container and mix thoroughly. When compositing is complete, place the sample into appropriate, labeled container(s) and secure the cap(s) tightly.

6. Abandon the pit or excavation according to applicable state regulations. Generally, shallow excavations can simply be backfilled with the removed soil material.

2.8 CALCULATIONS

This section is not applicable to this SOP.

2.9 QUALITY ASSURANCE/ QUALITY CONTROL

There are no specific quality assurance activities which apply to the implementation of these procedures. However, the following QA procedures apply:

- All data must be documented on field data sheets or within site logbooks.
- All instrumentation must be operated in accordance with operating instructions as supplied by the manufacturer, unless otherwise specified in the work plan. Equipment checkout and calibration activities must occur prior to sampling/operation, and they must be documented.

2.10 DATA VALIDATION

This section is not applicable to this SOP.

2.11 HEALTH AND SAFETY

When working with potentially hazardous materials, follow U.S. EPA, OSHA, and specific health and safety procedures.

SAMPLING TRIP REPORT

SITE NAME:

Pyridium Mercury Disposal Site

TDD #: 02-97-11-0004

DCN #: START-02-F-01489

SAMPLING DATE:

November 13, 1997

1. Site Location:

Harriman, Orange County, New York, Figure 1.

2. Sample Location:

Refer to Figure 2.

3. Sample Descriptions: Twelve surface and four subsurface soil samples were collected along the perimeter of the Site, refer to Table 1.

4. Laboratory Receiving Samples:

Sample Type

Name and Address of Laboratory

Total mercury

NY Test Environmental 60 Seaview Boulevard Port Washington, NY 11050

5. Sample Dispatch Data:

On 13 November 1997, at 1540 hours, a total of sixteen soil samples were relinquished on site to the NY Test Environmental courier by the Region II Superfund Technical Assessment and Response Team (START).

On-Site Personnel:

<u>Name</u>	<u>Company</u>	<u>Duties on Site</u>
Gene P. Fowler	Region II START	Project Manager and sampler;
Ilene Presworksy	Region II START	Sampler and sample documentation;
Mike Mahnkopf	Region II START	Sampler and QA/QC; and
Irmee Huhn	U.S. EPA	On-Scene Coordinator.



7.

6. Additional Comments:

Weather: cloudy, wind 2-5 miles per hour, and a temperature of 33 °F.

On November 13, 1997, START collected four subsurface and twelve surface soil samples for total mercury analysis. The water table was encountered at four feet below grade at location PM-004 and no sample was collected. Surface soil sample locations PM-006, 008, 010, 011, 013, 014, 016, and 017 were additionally augered to depths ranging from 6 inches (auger refusal) to 5 feet below grade, to observe the extent of the white clay-like contamination, if any. The observed white clay-like waste material was identified off site on residential property at a one inch depth adjacent to the tree (Figure 2) and opposite sample PM-010 and the three foot high wooden fence. Attachment B contains the Soil Sampling Data sheets with descriptions of the observation borings.

START used dedicated scoops and spatulas to collect the surface soil samples and non-dedicated stainless steel augers and dedicated scoops and spatulas to obtain the subsurface soil samples. The stainless steel augers were decontaminated between sample locations.

The Sampling QA/QC Work Plan (DCN No. 01479) specified that 45 samples would be collected. However, only 16 samples were actually collected as directed by the On-Scene Coordinator, Irmee Huhn, due to the uncertainty of the property boundary. Soil samples were to be collected every thirty feet along the perimeter of the site. The sample collection was changed to one sample every forty feet. Thick vegetation (Figure 2) inhibited access along the perimeter that further reduced the sample collection from forty-five to sixteen.

The preliminary sample data were received from the laboratory on November 17, and are included in Table 1.

Date:

Centroev les	12-26-97
Report Reviewed by: Thomas O'Neill	Date:
Thomas Wall	12/20/97

Report Prepared by: Gene P Fowler




TABLE 1: PYRIDIUM MERCURY SITE No. 1 SOIL SAMPLE IDENTIFICATION AND MERCURY RESULTS


MERCURI RESULIS								
SAMPLE No.	DEPTH	DATE/ TIME	Hg RESULT (mg/kg)	SOIL DESCRIPTION	LOCATION			
PM-001	18-24 in.	11/13/97/ 0830	0.36	Dark brown silty clay	Northwest corner of the existing 150 foot chain link fence post (zero feet) at the northeast corner of the transmission shop building.			
PM-002	6-12 in.	11/13/97/ 0900	9.70	Dark brown silty clay	Along the existing 150 foot chain link fence; 40 feet from PM-001, the northwest corner of the existing chain link fence post.			
PM-003	9-15 in.	11/13/97/ 0910	217.00	Dark brown silty clay	Along the existing 150 foot chain link fence; 80 feet from PM-001, the northwest corner of the existing chain link fence post.			
PM-004	N/C	N/C	N/C	Dark brown silty clay	Along the existing 150 foot chain link fence; 120 feet from PM-001, the northwest corner of the existing chain link fence post. No sample collected due to the extent of the clay-like white material from 6 inches to 5 feet. The water table was encountered at 4 feet.			
PM-005	14.4 - 20.4 in.	11/13/97/ 0945	122.00	Dark brown silty clay	Along the existing 150 foot chain link fence; 150 feet from PM-001, the northwest corner of the existing chain link fence post.			
PM-006	0-6 in.	11/13/97/ 1020	0.21	Brown siltv clav	40 feet southwest from PM-001; along the transmission shop building.			
PM-007	0-6 in.	11/13/97/ 1027	0.66	Brown silty clay	70 feet southwest from PM-001; along the transmission shop building.			
PM-008	0-6 in.	11/13/97/ 1032	4.70	Brown silty clay	96 feet southwest from PM-001; along the transmission shop building.			
PM-009	0-6 in.	11/13/97/ 1040	3.80	Brown silty clay	40 feet east from PM-008 along the 3 foot high (3'h) wooden fence; southwest side of the site.			
PM-010	0-6 in.	11/13/97/ 1045	25.40	Brown silty clav	80 feet east from PM-008 along the 3'h wooden fence; southwest side of the site.			
PM-011	0-6 in.	11/13/97/ 1044	1.10	Brown silty clay	40 feet south from PM-010 along the wooden fence; southwest side of the site.			
PM-012	0-6 in.	11/13/97/ 1050	2.70	Brown silty clay	40 feet east from PM-011 along the 3'h wooden fence; southwest side of the site.			
PM-013	0-6 in.	11/13/97/ 1055	284.00	Brown silty clay	80 feet east from PM-011 along the 3'h wooden fence; southwest side of the site.			




SAMPLE No.	DEPTH	DATE/ TIME	Hg RESULT (mg/kg)	SOIL DESCRIPTION	LOCATION
PM-014	0-6 in.	11/13/97/ 1109	0.26	Brown silty clay	Along residential property and phragmites; 30 feet from the center line of Ramapo Avenue (Route 17M); east end of the site and 10 feet from the edge of the road.
PM-015	0-6 in.	11/13/97/ 1125	0.28	Brown silty clay	Along residential property and phragmites; 70 feet from the center line of Ramapo Avenue (Route 17M); east end of the site and 40 feet from the edge of the road.
PM-016	0-6 in.	11/13/97/ 1120	2.80	Brown silty clay	Along residential property and phragmites; 104 feet from the center line of Ramapo Avenue (Route 17M); east end of the site 80 feet from the edge of the road.
PM-017	0-6 in.	11/13/97/ 1115	0.15	Brown silty clay	Along residential property and phragmites; 146 feet from the center line of Ramapo Avenue (Route 17M); east end of the site and 120 feet from the edge of the road.

N/C - Not Collected





OVERLAY of tigore 1



ATTACHMENT A
CHAIN OF CUSTODY

•												
P Na.:	CHAIN	OF (CUS	TOD	Y RE	COI	RD	Matrix	Box l	Yo.:	Proserv	stive Box No.:
1239		77.77	न से		1			1. Surfa 2. Grou			1. HCI 2. HN03	
No.:	İ	\\ <u>\</u>	ا(وكـاـًا		<u>.</u> .			3. Losci	Leto		3. Na25	i
			- ·					4. Rinse			4. H230	1
87354	SUPERFUND			essment et 88-W3-		onse te	M.	5. Soil/:	Sedime	at	5. Other 6. Ico O	(Specify)
0 100 1	<u> </u>			6 Fax: 90\$-7			_	7Wast	a		1	reserved
•								8. Other		ify)	• See (Comments
nd verbal and w	rritten results to:		Roy F.	Weston, I	c., USEP.	A Region	п 51	ART				
			Suite 20	1, 1090 K	ing George	≃ Post P	loed, l	Edison,	Now 3	lersey	08837-3703	3
			Attentio	n: Smita	Sumbaly, S	START A	Analyt	ical Co	ordina	tor		:
ample Number	Sample Collection	Semple	Conc. Se	mpie Semp	•	LAST AWAIL	YALS	RC	ZA AN	ALYSIS	•	
	MM/DD/YY/Time		Low-L T	pe Press	VOA BN.	A PEST PO	34 TAI	CN 102	COR	REAC	OT	HER
		1 1	1	C Chica								
		box n	High-Hi Co	nab-G bozz #	<u>4) </u>	1		 				
M00	11/13/97/083	05	<u>L</u> (<u> </u>	7		<u> </u>				Total	Merry
M002	11 13 971 0900			111								1
M003	111131971091			11/								
MARAL									_			
100 1	1111111		-	-+			-					
M005	1113/97/094	5										
M006	1113197/1020											
M007	11131971102	71										
M008	111121971103											
M009	11113197104											
~4	11113 197/104					Ì						
	11121111				. 	1 1	i	 	i	i -		

Time Date (MM/DD/YY)

Cone of Custody

Inple Number Relinquished By:

Time Date Received By:

Time Date Received By:

Reason for Change of Custody

Shipment to Lab

Inple Number Relinquished By:

Time Date Received By:

Reason for Change of Custody

Reason for Change of Custody

Time Date Received By:

Reason for Change of Custody

Reason for Change of Custody

y F. Weston, Inc.

DERAL PROGRAMS DIVISION

100035

CHAIN OF CUSTODY RECORD MARGINE BOX NO. 2 Preservative Box No. 1. HCI 1. Surface Water 2. HN03 2. Ground Water 3. Na2504 3. Leschate D'No.: 4. H2304 4. Rinseto 5. Other (Specify) SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM 5. Soil/Sediment 6. Ice Only EPA CONTRACT 68-W5-0019 6. O1 N. Not Preserved 7.-Wasse Phone: 904-225-6116 Fax: 904-225-7037 See Comments 8. Other (Specify) Roy F. Weston, Inc., USEPA Region II START end verbal and written results to: Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703 Attention: Smitz Sumbaly, START Analytical Coordinator RCZA ANALYSIS ZAS ANALYSIS Semple Conc. Sample Sample Collection Sample Number OTHER MM/DD/YY/Time | Matrix | Low-L | Type

		box n High-F	(Crab-C	box (A)	<u> </u>	1	 	 _!		
M012	11 13 97 1050 11 13 97 1055	5 L	G	6					Tota	Mercy
PM013	11113197/1055			1						
PMO14	11/3/97/1/09									1
PM015										!
PM016	11/13/97/1120									
PM017	11/3/97/1/15	1	V	V					\	
	7' /									
										ī
										i i

omments: Date (MM/DD/YY) Time erson Assuming Responsibility for Sample: Relinquished By: ample Number Reason for Change of Custody Date Received By: Time Relinquished By: ample Number Reason for Change of Currody Date Received By: Time Relinquished By: Number

Roy F. Weston, Inc.

FEDERAL PROGRAMS DIVISION

100036

ATTACHMENT B
SAMPLE DATA SHEETS

CONDIGHT & 1991 by Am F. Warm in

	та на при на
COMPANY: Weston/START SAMPLE	
CLIENT: U.S. EPA DATE:	11-13-97
PROJECT: PYPINION MERCURY SAMPLES	G. FOWIES
BITE: Harriman, New York SHONATU	E Quideville
SAMPLE IDENTIFICATION	
QUALITYLEVEL: 2- 3	SURFACE SURFACE
UNIT SYSTEM: ENGLISH METRIC	ELEVATION:
SAMPLE ID:	N. COGROINATE:
TIME COLLECTED: 08:30	E COORDINATE:
EAMPLED INTERVAL: 18" TO 24" FT. 11838	
SITE SKETCH	SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL UNCERTAIN APPEARANCE: SHN - ODR - PRD (NA) - OTHER:
	INSTRUMENT 1 TYPE: READING:
	INSTRUMENT 2 TYPE: READING:
	BURFACE LAYER: SOL-GRB-LVS-VEG-GVL-ASP-CMT (FIL) OTHER:
	THICKNESS (IN): REMOVED SAMPLED
મ	SECONDARY TYPE: NA - BED - VEN - MIX BEOCHEMITY
<u>.</u>	OVERALL COLOR: DAKK BYOWN
Ψ	7.5// MUN- GBA WET - OBD #
SAMPLINGINFORMATION	COLORATION: (CR) - STN - MOT - VAR
SAMPLE TYPE: DESCRETE COMPOSITE OTHER	TEXTURE:
DESCRIBE: Grab	SAND: C.M.F.
SAMPLING METHOD: (RL) SPT - BLP - BUC - SSS -(STS) - CTS	SILT:
OTHER: and auger	GAY:
SAMPLER DECONTAMINATION: DED LAB (FLD) OTH	ORGANIC:
DESCRIBE OTHER:	ROUNDNESS:
	GRAVEL FAC-8TR-ANG BUB-AND-NA
PROCEDURE: STM - ACE - FEX - MET - NON - OTH	SAND: FAND BUB -RND NA SORTING: WEL - MOD - COB - NA
DESCRIBE OTHER: NITTIC	PLASTICITY: NON - COW - MOD - HIGH - NA
CA SAMPLES:	MOISTURE: ORY MST - WET - SAT
COLOCATED SAMPLE ID: ///	CEMENTATION: NON - BLT (MOD) WEL
SPUT SAMPLE ID:	GRAIN TYPE: QTZ FRG FOS NA
RINSE BLANK ID: N'R	MATRIX: CAL - CXD - ARG (SIL)- NA
TRIP BLANK ID: NR	STRENGTH:
LAB CONTROL SAMPLE ID:	NONCOHESIVE DNS FRM LSE COHESIVE STF FRM SFT HRD
LAB TYPE LAB NAME	
CHM.RAD.GEO.OTH NYTEST Environmental To	ANALYTICAL PARAMETERS NOTES
CHM-RAD-GEO. OTH 60 SEQUI EWIZING -	Anne lee
CHM-RAD-GEO-OTH POST - WUSh ny ton Willo 50)	516) 625-5500 John Gasperi
SPLIT SAMPLES: NON+CWN+CVR+CTH.	SPUT SAMPLE ID NO:
ORGANIZATION NAME:	PARAMETERS: SAME OTHER:
REPRESENTATIVES NAME:	CARC SAMPLES: COL - SPL - ANS - TAP - LCS
COMMENTS REFUSAL at 24%, NOCK	
Subsurface Sumple	
CATA ENTRY BY: CC REVIEW BY:	
	GA REVIEW BY:
	PHOUT REVISIONS APPROVED WITH - WITHOUT REVISIONS

CC REPORTS PRINTED?

GEOLIS, Soil Sampling Form

COMPANY: Weston ISTART	2 44 00 0	
	SAMPLE NO.: 1M-002	
	DATE: 71-13-97	77 7
	SAMPLER: G. FOWLER	
	SKINATURE: (Simbolitie	
SAMPLE IDENTIFICATION	SURVEYED SURVEYED	
	SURFACE	_
	ELEVATION:	
IMPLE ID: 0 4 00	N. COCRDINATE:	_
	E COORDINATE:	_
BAMPLED INTERVAL: 6 10 12 FT-M	(BCB)	
SITE SKETCH	SAMPLE DESCRIPTION	
	MATERIAL: NATURAL - (FILL) . UNCERTAIN	
	APPEARANCE: 9HN - COR - PRO (NA) OTHER:	_
	INSTRUMENT 1 TYPE: READING:	_
	INSTRUMENT 2 TYPE: READING:	_
	SUFFACE LAYER: SOL-GRE-LVS-VEG-GVL-ASP-CMT-FIL	-
	OTHER:	-
	THICKNESS (IN): PEMOVED SAMPLED	
X	SECONDARY TYPE: NA - BED - VEN - MIX OVERALL COLOR: DARK BROWN	ARY
♥ -		
	7.5 X MUN- GBA WET ORY	—:
SAMPLING INFORMATION SAMPLE TYPE: (DESCRETE COMPOSITE OTHER	COLORATION: UNI - STN - MOT - VAR	
- Size Size Comit Contract	GRAVEL:	_% :
DESCRIBE: Grab	SAND: C-M-F *	, %
BAMPLING METHOD: (RL) 8PT - BLP - BUC - 838 (878) C	T9 BILT: \	_ % :
OTHER: <u>a vijer</u>		_%
SAMPLER DECONTAMINATION: DED LAB FLD OTH	ORGANIC:	. %
DESCRIBE OTHER: Note Col	ROUNDNESS: GRAVEL: FAC - STR - ANG - SUB - RND - NA	
PROCEDURE: DET. STM - ACE - HEX - MET - NON - C		
CESCRIBE OTHER: NITTIC	SORTING: WEL-MOD-POR-NA	_
CA SAMPLES:	PLASTICITY: NON - VOW - MOD - HIGH - NA	
COLOCATED SAMPLE ID: NR	MOISTURE: ORY MST - WET - SAT	
	CEMENTATION: NON BLT WOO WEL	
SPLIT SAMPLE ID:	GRAIN TYPE: QTZ FRG-F09-NA	
RINGE BLANK ID: NR	MATRIX: CAL - CXD - ARG (SIL) NA	<u> </u>
TRIP BLANK ID:	STRENGTH: NONCCHESIVE CNS.FRM.LSE	
AB CONTROL SAMPLE ID:	COHESIVE STF. FRM (SF) HAD	
LAS TYPE LAS NAME	ANALYTICAL PARAMETERS NOTES	
1M. RAD. GEO. OTH NY 1EST Environmental	I Total Mercury	
HM-RAD-GEO-OTH 60 SEAVIEWBIND -	Anne Lee	
HM-RAD-GEO. OTH POST Wash ny tony 1/0	(50) 516) 625-5500 John Gaspe	2 1 ;
PUT SAMPLES: NON-CWN-CVR-CTH.		
AGANIZATION NAME:	SPUT SAMPLE ID NO.:	
PRESENTATIVES NAME:	PARAMETERS: SAME OTHER:	
	CAOC SAMPLES: COL - SPL - ANS - TAP - LC	3
CMMENTS REFUSAL at 12= R	ock - cobbie, Silty Clay 3011	
· · · · · · · · · · · · · · · · · · ·		
Subsurface Sampil	4	
ATA ENTRY BY: QC REVIEW BY	Y. As advice the	
ATÉ ENTERED: BEVIEW DATE		

APPROVED WITH-WITHOUT REVISIONS

0039

APPROVED WITH - WITHOUT REVISIONS

GEOLIG Son Sampling 1 St	
COMPANY: Weston/START	SAMPLE NO.: PM-003
CLIENT: U.S. EPA	DATE: 11-13-97
PROJECT: <u>fyridium mercury</u>	SAMPLER: G. FOWIER
BITE: Harriman, New York	SIGNATURE: Quidouter #
SAMPLE IDENTIFICATION	- SURVEYED SURVEYED
QUALITY LEVEL 1) . 2 3-	BURFACE
UNIT SYSTEM: ENGLISH - METRIC	ELEYATION:
SAMPLE ID: 09/0	N. COORDINATE:
05 155	E COORDINATE:
SAMPLED INTERVAL: 9 10 15 FT4	w(BCB)
SITE SKETCH	SAMPLE DESCRIPTION
	MATERIAL: NATURAL FILL UNCERTAIN
	APPEARANCE: SHN - COR - PRO NA - OTHER:
	INSTRUMENT 1 TYPE: READING:
	INSTRUMENT 2 TYPE: PEADING:
	BURFACE LAYER: 90L - GRB - LV3 - VEG - GVL - ABP - CMT - FL
	THICKNESS (IM: REMOVED SAMPLED
V	SECONDARY TYPE: NA - BED - VEN - MIX SECONDARY
·(OVERALL COLOR: DALK Blown
	7.5 / MALN - GRA WET - DRY
SAMPLINGINFORMATION	COLORATION: (UNE)- STN - MOT - VAR
SAMPLE TYPE: (DISCRETE) COMPOSITE OTHER	TECTURE
DESCRIBE: Grab	GRAVEL:
SAMPLING METHOD: (FL) SPT - BLP - BUC - SSS -(STS)-	9AND: C-M-F
OTHER: $\alpha 920$	CAY:
SAMPLER DECONTAMINATION: (FID) OT	
DESCRIBE OTHER:	ROUNDNESS:
	GRAVEL: FAC-8TR (ANG. BUB - RND - NA
PROCEDURE: (SET) STM - ACE - FEX - MET - NON -	OTH SAND: ANG SUB RND NA SORTING: WEL-MOD FOR NA
DESCRIBE OTHER: NITTIC	PLASTICITY: YON - (CW) MOD - HGH - NA
CA SAMPLES:	MOISTURE: CORV. MST. WET. SAT
CO-LOCATED SAMPLE ID: 79 K	CEMENTATION: NON - BLT - MOD - WEL
SPUT SAMPLE ID:	GRAIN TYPE: GTZ (FRG)-FOS-NA
RINSE BLANK ID: NR	MATRIX: CAL. CXD. ARG (SIL) NA
TRIP BLANK ID: N. K.	8TRENGTH: NONCOHESIVE DNS-FRMALSE
LAB CONTROL SAMPLE ID:	COHESIVE STE-FRM SET -AD
LAS TYPE LAS NAME	ANALYTICAL PARAMETERS NOTES
	tal Total Mercury
CHM. FAD. GEO. OTH 60 Seuvi ewi3100 -	Anne lee
CHM-RAD-GEO. OTH POST Wash ny ton will	1050) 516) 625-5500 John Gasperi
SPLIT SAMPLES: NON-CWN-CVR-CTH.	SPUT SAMPLE ID NO.
ORGANIZATION NAME:	PARAMETERS: SAME OTHER:
REPRESENTATIVES NAME:	
COMMENTS Refusal at 15%	
	at 12 depth a 1 layer of white clay
like material was encountered	Silty Clay Soil
Subsulface Samole	
COSTA DALTON DALTON CONTROL CO	1
AEVIEW DA	TE REVIEW CATE:

	AMPLE NO.: PM -004
QUENT: U.S. EfA D	ATE: $\frac{11-13-97}{1}$
	AMPLER: G. FOWLES
	GNATURE COUNTRY COUNTRY
SAMPLE IDENTIFICATION	
QUALITYLEVEL: (1) . 2 3-	SURFACE SURVEYED SURVEYED
UNIT SYSTEM: ENGLISH . METRIC	ELEVATION:
AMPLEID:	N. COORDINATE:
TIME COLLECTED: No Sample Collected	E COORDINATE:
SAMPLED INTERVAL: TO FT-MB	<u> </u>
SITE SKETCH	SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: 9HN - ODR - PPD - NA - OTHER: White Muterial INSTRUMENT 1 TYPE: READING: INSTRUMENT 2 TYPE: READING: SUPFACE LAYER: 90L - GPB - LV9 - VEG - GVL - ASP - CMT - FILL OTHER:
	THICKNESS (IN): REMOVED BAMPLED
N	SECONDARY TYPE: NA - SED - VEN - MIX SECONDARY
A .	OVERALL COLOR: DANK Brown
**	7.5 // MAN GBA WET - DRY
SAMPLINGINFORMATION	COLORATION: VINI STN - MOT - VAR
BAMPLE TYPE: OBCRETE COMPOSITE OTHER	TEXTURE:
DESCRIBE: Grab G	SAND: C-M-F
SAMPLING METHOD: (FL) 8PT - BLP - BUC - 938 (-879) - CT	
OTHER: auger	aar
SAMPLER DECONTAMINATION: DED LAB (FLD OTH	ORGANIC: *
DESCRIBE OTHER:	ACUNDNESS: GRAVEL: FAC - STR - ANG - SUB - RND - NA
PROCEDURE: DET - STM - ACE - HEX - MET - NON - O	
DESCRIBE OTHER: NITTIC	SORTING: WEL-MOD-COR-NA
CA SAMPLES:	PLASTICITY: YON - COW) - MOD - HIGH - NA
COLOCATED SAMPLE ID:A/R_	MOISTURE: ORY MET - WET - BAT
SPLIT SAMPLE ID:	CEMENTATION: NON - BLT - MOD WEL
	GRAIN TYPE: QTZ /FRQ - FOS - NA
	MATRIX: CAL - CXD - ARG (SIL) NA 8TRENGTH:
	MONOCHESIVE CNS - FRM - LSE
LAB CONTROL SAMPLE ID:	COHESIVE STF. FRM (SFT) HRD
LAB TYPE LAB NAME	ANALYTICAL PARAMETERS NOTES
CHM-RAD-GEO-OTH NY LEST ENVIRONMENTAL CHM-RAD-GEO-OTH 60 SEUVI EW13100	
CHM - RAD - GED - OTH POST + Wash ny fon will o	50) 516) 625-5500 John Gasperi
	- UI UI WWW JSOU JINN GALERIT
SPLIT SAMPLES: NON - CWN - CVR - CTH.	SPLIT SAMPLE ID NO.:
ORGANIZATION NAME:	PARAMETERS: SAME CITHER:
REPRESENTATIVES NAME:	QAOC SAMPLES: COL - SPL - RNS - TRP - LCS
COMMENTS: 0-6= SUFFACE Dark Brown	n silty Clay Soil? 6" to 5" of white Clay
like material No sample collect	
	cs to 5 feet. The water table
was encountered at < fe	œ+
DATA ENTRY BY: CC REVIEW BY	fi • OA REVIEW BY:
CATE ENTERED REVIEW DATE	REVIEW DATE
CC.REPORTS PRINTED ? YES NO APPROVED W	TH-WITHOUT REVISIONS APPROVED WITH-WITHOUT REVISIONS

G101003

3		0.00		₩ ₩
COMPANY: Weston/START	SAMPLE NO.:			
QUENT: U.S. EPA	DATE:	11-13-97		
PROJECT: <u>fyridium mercury</u>	SAMPLER:	G. FOW 16	72	
ATE: Harriman, New You	CK SIGNATURE:	(aut cu	in _	
SAMPLE IDENTIFICATION		<u></u>	ENTIMATED —	SURVEYED
CUMITY LEVEL: (1). 2		PF ACE		
	ETRIC EL	EVATION:		
SAMPLE ID: 0945	N.	COORDINATE:		<u> </u>
		COORDINATE:		
MAMPLED INTERVAL: 1.2 to 1.7	FT-H(BGS)			
SITE SKETCH			LE DESCRIPTION	
			AL · (FILL) · UNC	
		VPPEARANCE: 9HN - C		
	1	NSTRUMENT 1 TYPE:		
		NBTRUMENT 2 TYPE: BURFACE LAYER: 90L-0		
	•	SURFACE LAYER: SOL.		
	,	THICKNESS (IM):		OVED SAMPLED
V	ľ	ECONDARY TYPE: NA		BECCNOARY
		WERALL COLOR: P	ark Brown	****
\Pi	17.	54/ MUN GBA	WET · ORY	1000 1000 1000 1000 1000 1000 1000 100
SAMPLINGINFORMATION	7	COLORATION: UNI)	RAV - TOM - MTB	
SAMPLE TYPE: DISCRETE COMPOSITE!		TECTURE: GRAVEL:	•	
DESCRIBE: Grab		SAND: C-M-	F ~	
BAMPLING METHOD: (FL) 8PT - BLP - BUC - SSE	818 CT9	SILT:		S
OTHER: QUIZI		CLAY:		*
SAMPLER DECONTAMINATION: (1) DED LAB -	भार विके	ORGANIC:		*
DESCRIBE OTHER:		OUNDNESS: GRAVEL: FAC-STR	(ia) eue cun va	
PROCEDURE: DET - STM - ACE - HEX - MET			IB - HNO - NA	
DESCRIBE OTHER:			00 (POR) - NA	
			W. MOD . HGH . NA	
COLOCATED SAMPLE ID: MR	A	MOISTURE: DRY MS	T - WET - BAT	*************************************
	1	EMENTATION: NON-	. (/	
SPLIT SAMPLE ID:	1	BRAIN TYPE: GTZ FA	// /	
RINSE BLANK ID: N.C.	 :		D - AAG (SIL) NA	
TRIP BLANK ID: NR		STRENGTH: NONCOHESIVE ON	S.FAM.LSE	
LAB CONTROL SAMPLE ID:		COHESIVE STF-	FRM - 8F7- HRO	
LAS TYPE LAS NAME		ANALYTICAL PARAMETE	======================================	нотез
HM RAD GEO OTH NY LEST ENVIR		1 Mercury		
CHM-RAD-GEO-OTH 60 Seaviewizi		516) 1025-5		ne lee
SHM-RAD-GEO-OTH PORT WASh, ny h	(Oc villing	516) 625-5	500 73h	n Gasperi
SPLIT SAMPLES: NON - CWN - CVR - CTH.		SPLIT SAMPLE ID NO.:		
ORGANIZATION NAME:		PARAMETERS: SAME	CTHER:	
REPRESENTATIVES NAME:		CA/OC SAMPLES:	00L + 5PL + R	NS . TAP . LCS
COMMENTS. NO White Clay nut				
		7 - 7		
SUBSULFACE Sample				
DATA ENTRY BY:	REVIEW BY:	4	4 PDASM FW	
	A T 4- E T . 52 T &		A REVIEW BY:	
	VIEW DATE		EVEN UTE	
Cate Entered: Ae	VIEW DATE:::		EVIEW DATE:	HOUT REVISIONS

REGION II START

GEOLIS, Soil Sampling Form

COMPANY: Weston/START CLIENT: U.S. E. A. CATE: PROJECT: PYTINION MESCUSY SITE: Hassiman, New York SKINATU SAMPLE IDENTIFICATION CLIALITYLEVEL: 1.2-3- UNIT 8YSTEM: ENGLISH METRIC SAMPLE ID: TIME COLLECTED: 1020 SAMPLED INTERVAL: 0 TO 6 FT-M8GS	11-13-97 G. Fowler
SITE SKETCH	SAMPLE DESCRIPTION MATERIAL: NATURAL - FLU - UNCERTAIN APPEARANCE: 9HN - ODR - PRD NA OTHER: INSTRUMENT 1 TYPE: READING: SURFACE LAYER: 9OL - GRB - LVS - VEG - GVL - ASP - CMT FL OTHER: THICKNESS (IM): REMOVED SAMPLED SECONDARY TYPE: NA - BED - VEN - MIX OVERALL COLOR: J. SYL MUN - GBA WET - DRY COLORATION: UNL - STN - MOT - VAR
SAMPLING INFORMATION BAMPLE TYPE: DISCRETE COMPOSITE OTHER DESCRIBE: TAB BAMPLING METHOD: R. SPT.BLP.BUC.SSS.STS.CTS OTHER: SAMPLER DECONTAMINATION: DED LAS.FLD.OTH DESCRIBE OTHER: PROCEDURE: DET - STM - ACE - HEX - MET - NON - OTH DESCRIBE OTHER: CA SAMPLES: CCLOCATED SAMPLE ID: MR SPUT SAMPLE ID: MR RINSE BLANK ID: MR LAS CONTROL SAMPLE ID:	TEXTURE: GRAVEL: SAND: C-M-F SILT: CLAY: CRGANIC: ROUNDNESS: GRAVEL: FAC-STR-ANG-SUB-AND NA SAND: ANG-SUB RND-NA SORTING: WEL-MOD-POR-NA PLASTICITY: VON-LCW-MOD-HGH-NA MOISTURE: CRY MST-WET-SAT CEMENTATION: NON-SLT-MOD-WEL GRAIN TYPE: GTZ-FRG FOS-NA MATRIX: CAL-CXD-ARG SIL-NA STRENGTH: NONCOHESIVE STF-FRM (SF)-HRD
CHM-RAD-GEO-OTH NY IEST ENVIRONMENTAL TO CHM-RAD-GEO-OTH 60 Sequi ewi3100 - CHM-RAD-GEO-OTH POST INASH, NY FORMULO SO) SPLIT SAMPLES: NON-CWN-CVR-CTH: ORGANIZATION NAME: REPRESENTATIVES NAME: COMMENTS. REFUSAL 15-16-FOCK-PESILTY CLAY SUFFACE SOIL S'AMPIE	Anne / ee 5/6) 625-5500 John Gasperi SPUT SAMPLE ID NO.: PARAMETERS: SAME OTHER: CAMOC SAMPLES: COL. SPL. ANS. TRP. LCS

COPYRIGHT & 1991 by AME Warn In-

G101093

COMPANY: Weston START CLIENT: U.S. EfA PROJECT: LYNINOM MERCUN SITE: Harriman, New York SAMPLE: DENTIFICATION CUALITY-LEVEL: 1.2-3- UNIT SYSTEM: ENGLISH METRIC SAMPLE: DITIMATED SURVEYED	
SITE: Harriman, New York Stranture: Collection SAMPLE IDENTIFICATION GUALITY LEVEL: 1 2 3 - SURFACE UNIT SYSTEM: ENGLISH - METRIC SAMPLE ID: TIME COLLECTED: 1027 SAMPLED INTERVAL: 0 TO 6 FT-M839 SITE SKETCH SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: SHN - ODR - PRD NA-OTHER: INSTRUMENT 1 TYPE: READING:	
SAMPLE IDENTIFICATION GUALITY LEVEL: 1 2 3 SUFFACE UNIT SYSTEM: ENGLISH - METRIC SAMPLE ID: TIME COLLECTED: 10 2 7 SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: SHN - ODR - PRD NA OTHER: INSTRUMENT 1 TYPE: READING:	
SURFACE UNIT 8 Y8 TEM: ENGLISH . METRIC BLEVATION: N. COCRDINATE: ELEVATION: SAMPLE ID: TIME COLLECTED: TO	
UNIT 8Y8 TEM: ENGLISH - METRIC BAMPLE ID: TIME COLLECTED: 10 2 7 BAMPLED INTERVAL: 0 TO 6 FT-M 8039 SITE SKETCH SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: SHN - ODR - PRD NA OTHER: INSTRUMENT 1 TYPE: READING:	
SAMPLE ID: TIME COLLECTED: 10 2 7 SAMPLED INTERVAL: 0 TO 6 FT-M839 SITE SKETCH SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: 9HN - ODR - PRD NA OTHER: INSTRUMENT 1 TYPE: READING:	
TIME COLLECTED: 10 2 7 SAMPLED INTERVAL: 0 TO 6 FT-MBGS SITE SKETCH SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: SHN - CDR - PRD NA OTHER: INSTRUMENT 1 TYPE: READING:	
SITE SKETCH SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: 9HN - ODR - PRD NA- OTHER: INSTRUMENT 1 TYPE: READING:	ı
SAMPLE DESCRIPTION SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: 9HN - ODR - PRO NA OTHER: INSTRUMENT 1 TYPE: READING:	
MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: SHN - ODR - PRD NA - OTHER: INSTRUMENT 1 TYPE: READING:	_1
SURFACE LAYER: SOL-GRS-LVS-VEG-GVL-ASP-CMT-FIL OTHER: THICKNESS (IN): SECONDARY TYPE: NA-BED-VEN-MIX OVERALL COLOR: A DOWN!	
7.5 YP MAN GRA WET ORY	
SAMPLING INFORMATION SAMPLE TYPE: CHECKEPOSITE OTHER DESCRIBE: CA 6 SAMPLING METHOD: FL SPT - BLP - BLC - SSS - STS - CTS OTHER: CLAY: SAMPLER DECONTAMINATION: DED LAB - FLD - OTH DESCRIBE OTHER: GRAVEL: SAMPLER DECONTAMINATION: DED LAB - FLD - OTH DESCRIBE OTHER: GRAVEL: FAC - STR - ANG - SUB - RND - NA	
CESCRIBE OTHER: SORTING: WEL-WOD FOR - NA PLASTICITY: NON - LCW - WOD - HIGH - NA	
COLOCATED SAMPLE ID: A/F	
SPLIT SAMPLE ID: CEMENTATION: NON - 8LT - (MOD - WEL	***
RINSE BLANK ID: GRAIN TYPE: QTZ -FRG - FOS - NA	
averyon.	
NONCOHESIVE CNS - FRM - LSE	***
LAS CONTROL SAMPLE ID: NR COHESIVE STF - FRM (SFT) HRO	
LAB TYPE LAB NAME ANALYTICAL PARAMETERS NOTES	ļ
CHM-RAD-GEO-OTH NY LEST ENVISONMENTAL TOTAL MERCURY	- [
CHM. PAD. GEO. OTH 60 Sequiewi31vd	-
	=
SPLIT SAMPLES: NON - CWN - CVR - CTH. SPLIT SAMPLE ID NO.:	-
ORGANIZATION NAME: PARAMETERS: SAME CITHER:	-
REPRESENTATIVES NAME: CAPO SAMPLES COLUMN SPL. ENG. TRP. LCS	
REPRESENTATIVES NAME: CAIOC SAMPLES: COL + SPL + RNS + TRP + LCS	-
COMMENTS: SILTY Clay Soil; SUFFace Sample only; No observation boring	
GAVEC SAMPLES. COE - SALE - SA	•
COMMENTS: SI'lty Clay Soil; Sufface Sample only; No observation boring	nho4
COMMENTS SI'lty Clay Soil; Sufface Sample only; No observation boring	0004
COMMENTS: SI'lty City Soil; Sufface Sample only; No observation boring	0004

COMPANY: Weston / START	RANGE ENO: PM-008
CLIENT: Westonystaki	BAMPLE NO.: 11-13-97
PROJECT: PYRIJIOM MERCURY	SAMPLER G. FOWIER
MITE: Harriman, New York	SIGNATURE: Quidowler
SAMPLE IDENTIFICATION	
QUALITY LEVEL: 1 . 2 3-	SURFACE SURVEYED
UNIT SYSTEM: ENGLISH - METRIC	ELEVATION:
SAMPLEID:	N. COORDINATE:
TIME COLLECTED: 1032	E COORDINATE:
SAMPLED INTERVAL:	+(8G8)
SITE SKETCH	SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: 9HN - ODR - PRO - NA - OTHER: INSTRUMENT 1 TYPE: READING: INSTRUMENT 2 TYPE: READING: BURFACE LAYER: 9OL - GRB - LVB - CEQ - GVL - ASP - CMT - FIL
	OTHER:
	THICKNESS (IN): REMOVED SAMPLED
X	SECONDARY TYPE: NA - SED - VEN - MIX
- ⊗ ·	705 Y MUN. GBA WET - DRY
<u> </u>	COLORATION: UNI - STN - MOT - VAR
SAMPLING INFORMATION SAMPLE TYPE: (DISCRETE) COMPOSITE OTHER	
DESCRIBE: Grab	GRAVEL:
	SAND: C-M-F
SAMPLING METHOD: (FL) SPT - BLP - BUC - SSB - STB OTHER:	CAY:
SAMPLER DECONTAMINATION: (DED) LAB - FLD - O	
DESCRIBE OTHER:	ROUNDNESS:
PROCEDURE: DET - STM - ACE - FEX - MET - NON	GRAVEL: FAC - STR - ANG - SUB - AND - NA
DESCRIBE OTHER:	SORTING: WEL-MOD-POR-NA
	PLASTICITY: VON - LOW - MOD - HIGH - NA
CA SAMPLES: COLOCATED SAMPLE ID: **Ref*********************************	MOISTURE: DRY MST - WET - SAT
SPLIT SAMPLE ID:	CEMENTATION: NON - BLT (MOD - WEL
RINGE BLANK ID:	MATRIX: CAL - CXD - ARG (SI) - NA
TRIP BLANK ID:	STRENGTH:
LAS CONTROL SAMPLE ID:	NONCOHESIVE ONS FRM LSE
	COHESIVE STF-FRM (SFT) HRD
CHM -RAD - GEO - OTH NY 1251 E NV 1500 MAR	analytical parameters notes
CHM-RAD-GEO-OTH 60 SEUVI EWIBIUD	- Annelee
CHM-RAD-GEO-OTH POST - Washing ton My	
SPLIT SAMPLES: NON-CWN-CVR-CTH.	SPUT SAMPLE IC NO.:
ORGANIZATION NAME:	PARAMETERS: SAME CITHER:
REPRESENTATIVES NAME:	QA/QC SAMPLES: COL - SPL - ANS - TAP - LCS
Expun to light Brown silty cla	0-1.6 Room Silty Clay; 1.6 to 2.2
	1000
CATA ENTRY BY:	10004
	W BY: "GA REVIEW BY: " ATE: REVIEW DATE:
	D WITH-WITHOUT REVISIONS APPROVED WITH-WITHOUT REVISIONS

COPYDIGHT & 1991 by Am F Wester In-

G101093

11/20/10/20	() 20	1
	LE NO.: PM 009	#
CLIENT: U.S. EfA DATE:	W 110	
PROJECT: SYPHION MERCURY SAMPL		
HTE: Harriman, New York SIGNA	TURE Cource Cle	4 4
SAMPLE IDENTIFICATION		
MALITYLEVE: 1 2 3 -	SURFACE	-1-
INIT BYBTEM: ENGLISH) - METRIC	BLEVATION:	
IAMPLE ID:	N. COCRDINATE:	
A C: ()	E COORDINATE:	. [
AMPLED INTERVAL:		}
SITE SKETCH	SAMPLE DESCRIPTION	1
	MATERIAL: NATURAL - FILL - UNCERTAIN	1
	APPEARANCE: SHN - ODR - PRD - NA OTHER:	
	INSTRUMENT 1 TYPE: READING:	1
	INSTRUMENT 2 TYPE: READING: SURFACE LAYER: SOL-GRS-LVS-VEG-GVL-ASP-CMT FRU	1
	SUPFACE LAYER: SOL. GHB - LVS - VEG - GVL - ASP - CMT (FIL)	1
	THICKNESS (IM): REMOVED SAMPLED	
v	SECONDARY TYPE: NA - BED - VEN - MIX	
*(A	OVERALL COLOR: PROWN	
~	7.5 XR MIN. GSA WET ORD	
SAMPLINGINFORMATION	COLORATION: UNI - STN - MOT - VAR	
SAMPLE TYPE: OBSCRETE COMPOSITE OTHER	TEXTURE:	
DESCRIBE: Grab	GRAVEL: " SAND: C-M-F	
SAMPUNG METHOD: (FL) SPT - BLP - BUC - SSB - STB - CTS	SILT:	****
OTHER:	CAY:	***
SAMPLER DECONTAMINATION: DED LAB - FLD - OTH	ORBANIC:	
DESCRIBE OTHER:	ROUNDNESS:	
	GRAVEL: FAC-8TR-ANG-8UB AND-NA	•
PROCEDURE: DET - STM - ACE - HEX - MET - NON - OTH	SAND: ANG - BUE - AND - NA SORTING: WEL - MOD - POR - NA	
DESCRIBE OTHER:	PLASTICITY: VON LCW - WOO - HIGH - NA	
QA SAMPLES: CO-LOCATED SAMPLE ID: \$\int P\ell \$\$	MOISTURE: CRY- MST - WET - BAT	-::
	CEMENTATION: NON - BLT - MOD - WEL	-::
SPUT SAMPLE ID:	- GRAIN TYPE: GTZ FRG FOS NA	
RINSE BLANK ID: N'C	MATRIX: CAL. CXD - ARG (SIL) NA	
TRIP BLANK ID: NP	STRENGTH: - NONCOHESIVE DNS - FRM - LSE	1447 1244 1244
LAB CONTROL SAMPLE ID:	COHESIVE STF. FRM -SFT HRO	
LAB TYPE LAB NAME	ANALYTICAL PARAMETERS NOTES	
HM. FAD. GEO. OTH NY TEST Environmental T		_
HM-RAD-GEO.OTH 60 SEQVIEWIZIND -	Anne lee	<u> </u>
HM. PAD. GEO. OTH POST Wash ny ton y 110 50) 516) 625-5500 John Gaisper	<u> </u>
PLIT SAMPLES: NON - CWN - CVR - CTH:	SPUT SAMPLE ID NO.:	
DRGANIZATION NAME:	PARAMETERS: SAME OTHER:	_
	· · · · · · · · · · · · · · · · · · ·	
REPRESENTATIVES NAME:	OMOC SAMPLES. CON SEE ENG. LAPLE U.S.	
REPRESENTATIVES NAME:	QAQC SAMPLES: COL + SPL + RNS + TRP + LCS	
	CANCES AMPLES COL - SPL - ANS - 1 AP - LUS	-]
REPRESENTATIVES NAME:		-
REPRESENTATIVES NAME:		- -
EPRESENTATIVES NAME:		- -
CATA ENTRY BY:	1	- 000
CATE ENTERED: CEREVEW BY: CATE ENTERED: CEREVEW BY: CATE ENTERED:	1	

ITTOION II DIVIII

	W W
COMPANY: Weston/START SAMPLE!	
QUENT: U.S. EPA DATE	<u>11-13-97</u>
PROJECT: PYPINION MERCURY SAMPLER	G. Fowler
HARRIMAN, NEW YORK HONATUR	and cutter
SAMPLE IDENTIFICATION	
QUALITYLEVE: 1 . ₹ . 3 -	SUPFACE SUPFACE
UNIT SYSTEM: ENGLISH METRIC	ELEVATION:
SAMPLE ID:	N. COCRDINATE:
TIME COLLECTED: 1045	E COCRDINATE:
SAMPLED INTERVAL:	
STE SKETCH 3/h SUBJUSTICE SAMPLED LUCCOCETO SOBJECTE SAMPLED LUCCOCETO SOBJECTE FEITCH THE WASTE OFF CLAY OFF C	
5,2 4,2 3 Sunpie 1.6 Fron }	GTHER:
r = 1/2	THICKNESS (IN): PEMOVED BAMPLED
Price fence fence /	SECCNDARY TYPE: NA - BED - VEN - MIX
	OVERALL COLOR: BROWN
<u> </u>	7.5 YR MUN. GBA WET CORY
SAMPLINGINFORMATION	COLORATION: UNI - STN - MOT - VAR
SAMPLE TYPE: COMPOSITE COTHER	GRAVEL S
DESCRIBE: G- ra b	SAND: C-M-F \$ \$
SAMPLING METHOD: (RL) SPT - BLP - BUC - SSS - STS - CTS	84.7:*
OTHER:	**
SAMPLER DECONTAMINATION: (DED) LAB - FLD - OTH	CREANIC:
DESCRIBE OTHER:	GRAVEL: FAC-8TR-ANG-8U8-FMD-NA
PROCEDURE: DET - 9TM - ACE - HEX - MET - NON - CTH	SANO: ANG - BUB - FIND - NA
CESCRIBE OTHER:	SORTING: WEL-MODI-POR-NA
	PLASTICITY: YON-LOW-HOD-HGH-M
CA SAMPLES: CC-LOCATED SAMPLE ID: ###################################	MOISTURE: ORY MST - WET - SAT
1.0	CEMENTATION: NON - BLT - MOD - WEL
1.0	GRAIN TYPE: GTZ - FOS - NA
RINSE BLANK ID:	MATRIX: CALL- CXD - ARG (SIL)- NA
TRIP BLANK ID:	STRENGTH:
LAB CONTROL SAMPLE ID:	COHESIVE STF - FRM (SFT - HRO
LAS TYPE LAS NAME	ANALYTICAL PARAMETERS NOTES
CHM. RAD. GEO. OTH NY TEST ENVIRONMENTAL TO	tal Mercury
CHM-FAD-GED-OTH 60 SEGVI PWIBING	Anne /ee
CHM. RAD. GEO. OTH POST Wash ny ton y 11050)	516) 625-5500 John Gasperi
SPLIT SAMPLES: NON+CWN+CVR+CTH.	SPUT SAMPLE ID NO
ORGANIZATION NAME:	PARAMETERS: SAME OTHER:
REPRESENTATIVES NAME:	CAOC SAMPLES. COL - SPL - ANS - TAP LCS
	PM oic = white clay like nateriol was hit
· U.	Vind 11:44 from Fence) Weeds (south at
THE 2 FRET. 32X 4 W 4 DON'S XII	
white miterial is layered in sink hole	,
CATA ENTRY BY: OC REVIEW BY:	2
CORPORED POINTED 2 YEAR ADDRESS NAME AND ADDRESS NAME ADD	THOUT REVISIONS APPROVED WITH - WITHOUT REVISIONS
CCREPORTS PRINTED 2 YES NO APPROVED WITH- W	HUNDI HEARIONE WALLOAFD MIN-MILLOOF VERNING

REGION II START

GEOLIS, Soil Sampling Form

CLIENT: U.S. E PA PROJECT: PYPINIOM MERCURY SAMPLE IDENTIFICATION CLIALITYLEVEL: 1.2.3 UNIT SYSTEM: ENGLISH - METRIC SAMPLE ID: TIME COLLECTED: 1044 SAMPLED INTERVAL: 0 to 6 FT-MEGS	SURFACE BLEVATION: N. COORDINATE: E. COORDINATE:	SURVEYED
SITE SKETCH	INSTRUMENT 2 TYPE: SURFACE LAYER: SOL GRS - LVS - VEQ - C OTHER: THICKNESS (IN): SECONDARY TYPE: NA - BED - VEN - MIX OVERALL COLOR: TOWN OVERALL COLOR: UNCERTAIN OTHER: LDING: LDING: SYL - ASP - CMT - FIL REMOVED BAMPLED	
SAMPLING INFORMATION BAMPLE TYPE: CRECRETE COMPOSITE OTHER CESCRIBE: Tab BAMPLING METHOD: R. SPT - BLP - BUC - SSS - STS - CTS OTHER: SAMPLER DECONTAMINATION: DED LAS - FLD - OTH DESCRIBE OTHER: PROCEDURE: DET - STM - ACE - HEX - MET - NON - OTH DESCRIBE OTHER: CA SAMPLES: CC-LOCATED SAMPLE ID: NR RINSE BLANK ID: NR TRIP BLANK ID: NR LAB CONTROL SAMPLE ID:	COLORATION: UNI - STN - MOT - VA TEXTURE: GRAVEL: SAND: C - M - F SILT: CLAY: ORGANIC: ROUNDNESS: GRAVEL: FAC - STR - ANG - SUB - RND - NA SORTING: WEL - MOD - POR - NA PLASTICITY: NON - LCW - MOD - HGH - MOISTURE: CRY - MST - WET - SAT CEMENTATION: NON - SLT - MOD - WEL GRAIN TYPE: GTZ - FRG - FOS - NA MATRIX: CAL - CXD - ARG - SIL - NA STRENGTH: NONCOHESIVE STF - FRM - LSE CCHESIVE STF - FRM - LSE CCHESIVE STF - FRM - LSE	
CHM-RAD-GEO-OTH NY IEST ENVIRONMENTAL T CHM-RAD-GEO-OTH 60 SEAVI EWIZIVA CHM-RAD-GEO-OTH POST INASH, NY FORMITION SO SPUT SAMPLES: NON-CWN-CVR-CTH. ORGANIZATION NAME: REPRESENTATIVES NAME: COMMENTS: REPRESENTATIVES NAME:	ANALYTICAL PARAMETERS OTAL MERCURY D 516) 625-5500 SPUT SAMPLE ID NO.: PARAMETERS: SAME OTHER:	NOTES Anne Lee Tohn Galperi . ANS TAP LCS Fe/
CATE ENTERED: REVIEW DATE	GA REVIEW BY: REVIEW DATE: WITHOUT REVISIONS APPROVED WITH-	WITHOUT REVISIONS

COPYRIGHT & 1001 by and F. Weener Inc.

G101003

	4	w w
COMPANY: Weston/START SAMPL	ENO: <u>PM 0/2</u>	
CLIENT: U.S. EPA DATE:	11-13-97	
PROJECT: PYRIDIUM MERCURY SAMPL	FIE G. FOWIES	
BITE: Harriman, New York STONAT	TURE: Countreller #	
SAMPLE IDENTIFICATION		
QUALITYLEVEL: 1 2- 3-	SURFACE - ESTIMATED	SONVEYED.
UNIT SYSTEM: ENGLISH . METRIC	ELEVATION:	
SAMPLE ID:	N. COCRDINATE:	
TIME COLLECTED: 1850	E COORDINATE:	
SAMPLED INTERVAL:	E CONDITATE	
SITE SKETCH	SAMPLE DESCRIPTION	
GIE SIELON	MATERIAL: NATURAL FILL UNCER	ITAIN
	APPEARANCE: SHN . ODR . PRD . NA OTHER:	
	INSTRUMENT 1 TYPE: READING:	
	INSTRUMENT 2 TYPE:READING:	
	BURFACE LAYER: SOL. GRB - LVB - VEG - GVL - A	SP - CMT - FIL
	OTHER:	
	THICKNESS (IN): REMOVE	ED SAMPLED
ĸ	SECONDARY TYPE: NA - BED - VEN - MIX	BECONDARY
- 	OVERALL COLOR: Brown	
<u> </u>	1.5 /2 (MUN) GBA WET (DAY)	
SAMPLINGINFORMATION	COLORATION: UNI - BTN - MOT - VAR	
SAMPLE TYPE: OTHER COMPOSITE OTHER	TEXTURE:	*
DESCRIBE: Grab	SAND: C.M.F.	*
SAMPLING METHOD: (RL) SPT . BLP . BUC . SSS . STS . CTS	SILT: %	~
OTHER:	CAY:	 *
SAMPLER DECONTAMINATION: DED LAB - FLD - OTH	ORGANIC: %	<u> </u>
DESCRIBE OTHER:	ROUNDNESS:	**************************************
	GRAVEL: FAC-8TR-ANG-8UB (RND)-NA	
PROCEDURE: DET - STM - ACE - HEX - MET - NON - OTH	SORTING: WEL-MOD POR NA	
CESCRIBE OTHER:	PLASTICITY: NON-LCW-MOD-HGH-NA	
CA SAMPLES:	MOISTURE: DAY MET - WET - BAT	***
COLOCATED SAMPLE ID: ///(CEMENTATION: NON BLT MOD WEL	
SPLIT SAMPLE ID:	GRAIN TYPE: GTZ FRG - FOS - NA	<u> </u>
RINSE BLANK ID: NO	MATRIX: CAL - CXD - ARG (SIL) NA	
TRIP BLANK ID:	STRENGTH: NONCOHESIVE DNS FRM_LISE	
LAB CONTROL SAMPLE ID:	COHESIVE STEFFM SET HAD	<u> </u>
LAB TYPE LAB NAME		нотез
CHM. RAD. GEO. OTH NY TEST ENVISORMENTAL TO	ANALYTICAL PARAMETERS OTAL MERCURY	10.23
CHM. PAD. GEO. OTH 60 Seaview 13100 -		م ن / ب
CHM. RAD. GEO. OTH POST Wash ny ton Willo SO		Gasperi
SPLIT SAMPLES: NON+CWN+CVR+CTH.		7
ORGANIZATION NAME:	_ SPUT SAMPLE ID NO	
	PARAMETERS: SAME CITHER:	
REPRESENTATIVES NAME:	CAOC SAMPLES: COL - SPL - RNS	TAP - LCS
COMMENTS: REFUSAL at 64 - OBSERVAE	on boring rock - cohbie	
Silty Clay Soils		
		1000
CATA ENTRY BY: OC REVIEW BY:	A CENEM AV	
CATA ENTRY BY: QC REVIEW BY: _ CATE ENTERED: REVIEW DATE:	GA REVIEW BY:	

	W 199
COMPANY: WESTON/START SAMPLE	
CLIENT: U.S. EPA DATE:	<u>11-13-97</u>
PROJECT: PYRIDIOM MERCURY SAMPLE	G. Fowles
BITE: Harriman, New York SIGNATI	VAE: Quocuter #
SAMPLE IDENTIFICATION	•
QUALITY LEVEL:	BURFACE SURVEYED
UNIT SYSTEM: ENGLISH) METRIC	ELEVATION:
IAMPLE ID:	
TIME COLLECTED: 1055	N. COORDINATE:
MMPLED INTERVAL: () TO 6 = FT-M(808)	E COORDINATE:
SITE SKETCH	SAMPLE DESCRIPTION
	MATERIAL: NATURAL FILL UNCERTAIN
	APPEARANCE: 9HN - ODR - PRD (NA)- OTHER:
	INSTRUMENT 1 TYPE: READING:
	INSTRUMENT 2 TYPE:PEADING:
	BURFACE LAYER: SOL. GRB - LVS - VEG - GVL - ASP - CMT - FIL
	CTHER:
	THICKNESS (IN): REMOVED SAMPLED
Ň	DAMES .
-⊗ .	
_ :	7-5 /R (MUN) - GBA WET - PRY COLORATION: UNI - STN - MOT - NAR
SAMPLING INFORMATION	TEXTURE:
BAMPLE TYPE: OTHER COMPOSITE OTHER	GRAVEL S
DESCRIBE: Grab	SAND: C-M-F *
SAMPLING METHOD: (RL) SPT - BLP - BUC - 898 - 878 - CTS	8LT: %
OTHER:	CAY:*
SAMPLER DECONTAMINATION: (DED) LAS - FLD - OTH	ORGANIC: * *
DESCRIBE OTHER:	ROUNDNEBS:
	GRAVEL: FAC-STR-ANG-SUB-ÉND'-NA
PROCEDURE: DET - STM - ACE - HEX - MET - NON - OTH	SORTING: WEL-WOO-POR-NA
CESCRIBE OTHER:	PLASTICITY: NON-LOW-MOD-HIGH-NA
CA SAMPLES:	MOISTURE: DRY MST - WET - BAT
COLOCATED SAMPLE ID: MR	CEMENTATION: NON BLT WOD WEL
SPUT SAMPLE ID:	GRAIN TYPE: QTZ -FRQ - FOS - NA
RINSE BLANK ID: N.C.	MATRIX: CAL - CXD - ARG (SIL) - NA
TRIP BLANK ID:	BTRENGTH:
	NONCOHEBIVE ONS FRM LSE
LAB CONTROL SAMPLE ID:	COHESIVE STF FRM (SFT) HAD
LAB TYPE LAB NAME	ANALYTICAL PARAMETERS NOTES
CHM-RAD-GEO-OTH <u>NY LEST ENVIRONMENTAL TO</u> CHM-RAD-GEO-OTH <u>60 Seaview13100</u>	Anne Lee
<u> </u>	
HM-RAD-GEO-OTH POF+ Wash ny tony 11/050	1 DIG OG SOO SON GALERIA
SPUT SAMPLES: NON - CWN - CVR - CTH.	SPUT SAMPLE ID NO.:
ORGANIZATION NAME:	PARAMETERS: SAME CITHER:
REPRESENTATIVES NAME:	CANCE SAMPLES: COL - SPL - ANS - TAP - LCS
	material at 1" to 14" booms soil below
and Small Pieces of graver; resu	26. At 422 " 21/48 CIAS 2011 "
	1000
ENTRY BY: QC REVIEW BY:	CA REVIEW SY:
DATE ENTERED: REVIEW DATE.	REVIEW DATE:
	WITHOUT REVISIONS APPROVED WITH - WITHOUT REVISIONS

LEGION II START

COMPANY: Weston/START BAN	PIENO: PM - D14
CLIENT: U.S. E. P.A. DAT	11-17-07
A)4-11/20 - 44-0 - 14-V	G. Fowler
	NATURE: Comocouler
SAMPLE IDENTIFICATION	NATURE .
CUMUTY LEVEL: 1 - 3-	SURFACE SURVEYED
UNIT SYSTEM: ENGLISH METRIC	ELEVATION:
AMPLEID:	N. COORDINATE:
TIME COLLECTED: 1/09	E COORDINATE:
BAMPLED INTERVAL:	
. SITE SKETCH	SAMPLE DESCRIPTION
Ho Use Residence's	MATERIAL: NATURAL - FILL - UNCERTAIN
Fmites	APPEARANCE: 9HN - ODR - PRD -NA OTHER:
Residenc's & PM 014	INSTRUMENT 1 TYPE: READING:
wasen & Pm 014	INSTRUMENT 2 TYPE: READING:
Fence Post	BURFACE LAYER: SOL GRB LVB - VEG - GVL - ASP - CMT - FIL
	THICKNESS (M): REMOVED SAMPLED
ROLLE 17, MY	SECONDARY TYPE: NA - BED - VEN - MIX SECONDARY TYPE: NA - BED - VEN - MIX
cent	
lin	
SAMPLINGINFORMATION	COLORATION: UNI - STN - MOT - VAR
BAMPLE TYPE: (DISCRETE) COMPOSITE: OTHER	TEXTURE:
DESCRIBE: Grab	GRAVEL SAND: C.M.F. SAND:
8AMPLING METHOD: (RL 8PT - BLP - BLC - 898 - 818 - C79	
OTHER:	GAY:
SAMPLER DECONTAMINATION: (DED) LAB - FLD - OTH	ORGANIC:
DESCRIBE OTHER:	ROUNDNESS:
	GRAVEL: FAC - STR - ANG - SUB - FIND - NA SAND: ANG - SUB - FIND - NA
PROCEDURE: DET - STM - ACE - HEX - MET - NON - OT	BORTING: WELL-MOD - FOR - NA
CESCRIBE OTHER:	PLASTICITY: YON - LOW - MOD - HIGH) NA
COLOCATED SAMPLE ID: _//^	MOISTURE: ORY MST - WET - BAT
	CEMENTATION: NON - SLT MOD - WEL
SPLIT SAMPLE ID:	GRAIN TYPE: (212)-FRG - FOS - NA
RINSE BLANK ID:	MATRIX: CAL - CXO - ARG Si - NA
TRIP BLANK ID: A/2	STRENGTH: NONCOHESIVE DNS - FRM - LSE
LAB CONTROL SAMPLE ID:	COHESIVE 9TF . FRM . SFT HRO
LAS TYPE LAS NAME	ANALYTICAL PARAMETERS NOTES
CHM -RAD GEO OTH NIEST ENVIRMENTAL	Total Mercury
CHM -RAD GED - OTH 60 SEAVI EWIZING -	Anne lee
CHM-RAD-GED-OTH POST Washing tony 110 S	50) 516) 625-5500 John Gasteri
SPLIT SAMPLES: YON - CWN - CVR - CTH:	SPUT SAMPLE ID NO.:
ORGANIZATION NAME:	PARAMETERS: SAME CITHER:
REPRESENTATIVES NAME:	CANCE SAMPLES: COL - SPL - ANS - TAP - LCS
COMMENTS. Observation boring to	3 cine-grained silty Clay soil
<i>U</i>	
	1000
CATA ENTRY BY: CC REVIEW BY:	(CA REVIEW SY:
CATE ENTERED: AEVIEW DATE	
	TH-WITHOUT REVISIONS APPROVED WITH-WITHOUT REVISIONS

REGION II START

GEOLIS, Soil Sampling Form

Machin Potant	AM DIE	#
	ENO.: PM 015	
CLIENT: U.S. EPA DATE		
PROJECT: SYPHION MERCURY SAMPL		
BITE: Harriman, New York STONA	TURE: Coursewell	
SAMPLE IDENTIFICATION		
QUALITY LEVEL: 1 1 - 2 - 3 -	BURFACE	SOMVEYED
UNIT SYSTEM: ENGLISH - METRIC	ELEVATION:	
SAMPLE ID:	N. COORDINATE:	
TIME COLLECTED: 1/25	E COORDINATE:	
SAMPLED INTERVAL:	E COUNDINATE:	
SITE SKETCH	SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCL APPEARANCE: 9HN - ODR - PRO - NA - OTHE INSTRUMENT 1 TYPE: READING INSTRUMENT 2 TYPE: READING	R:
	SURFACE LAYER: 90L. GRB. LVB. VEG. GVL.	ASP - CMT - FIL
	THICKNESS (IN): PEMO	VED SAMPLED
×	SECONDARY TYPE: NA - BED - VEN - MIX	BECONEARY
<u>*</u>	OVERNIL COLOR: Brown	****
Ψ	725/R MIN- GBA WET ORY	
SAMPLINGINFORMATION	COLORATION: UNI - 8TN - MOT - VAR	1000
SAMPLE TYPE: DESCRETE COMPOSITE OTHER	TEXTURE:	****
DESCRIBE: Grab	GRAVEL: %	
	SAND: C-M-F%	
SAMPUNG METHOD: (R) 8PT - BLP - BUC - 898 - 818 - CT9 OTHER:	8/LT:%	
SAMPLER DECONTAMINATION: (DED) LAB - FLD - OTH	ORGANIC:% ROUNDNESS:	
DESCRIBE OTHER:	GRAVEL FAC-STR - ANG - SUB - AND - NA	***
PROCEDURE: DET - STM - ACE - HEX - MET - NON - OTH	SAND: ANG - BUB - FND - NA	
CESCRIBE OTHER:	SORTING: WE - MOD - POR - NA	
QA SAMPLES:	PLASTICITY: SON-LOW-MOD FIGH NA	
COLOCATED SAMPLE ID: NR	MOISTURE: SAY - MET - SAT	
	CEMENTATION: NON - BLT - MOD - WEL	
SPUT SAMPLE ID:	GRAIN TYPE: GTZ FRG - FOS - NA	
RINSE BLANK ID:	MATRIX: CAL - CXD - ARG (S)L - NA	
TRIP BLANK ID: NA	STRENGTH: NONCCHESIVE ONS-FRM-LSE	
LAB CONTROL SAMPLE ID:	COHESIVE STE-FRM (SF)-HRO	
LAB TYPE LAB NAME		NOTES
CHM -RAD -GEO - OTH NY TEST ENVISORMENTAL T	ANALYTICAL PARAMETERS	NOTES
CHM-PAD-GEO-OTH 60 Sequiewi3100		ne lee
CHM. RAD. GEO. OTH POST Wash, ny ton willo SO		n Gasperi
SPLIT SAMPLES: NON+CWN+CVR+CTH.	SPUT SAMPLE ID NO.:	
ORGANIZATION NAME:	PARAMETERS: SAME CITHER:	
REPRESENTATIVES NAME:	QAIOC SAMPLES: CCL + SPL + RI	NS - TAP - LCS
COMMENTS, NO (D Servation busing		
· · · · · · · · · · · · · · · · · · ·		1000
CATA ENTRY BY: CATE ENTERED: CATE ENTERED: CATE	QA REVIEW SY:	

COPYDIGHT & 1991 by Any F Warran Inc

G101093

	1	704
	RENO.: PM 0/6	♣ 🖁
QUENT: U.S. EPA DATE		
PROJECT: PYRIDIUM MECCURY SAMP	M W	
	ATURE (Junt CHU)	
SAMPLE IDENTIFICATION QUALITYLEVEL: 1 . 2 3-	- SURVEYED SURVEYED	 -
UNIT BYSTEM: ENGLISH) METRIC	SURFACE	
SAMPLEID:	ELEVATION:	-
TIME COLLECTED: //20	N. COORDINATE:	— I
SAMPLED INTERVAL:	E COORDINATE:	— I
SITE SKETCH	SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: SHIN - ODR - PRD (NA - OTHER: INSTRUMENT 1 TYPE: READING: INSTRUMENT 2 TYPE: READING: SUPFACE LAYER: SOL - GPB LVS - VEG - GVL - ASP - CMT - F	
₩	THOONESS (IN): REMOVED BANFLE SECONDARY TYPE: NA - BED - VEN - MIX OVERALL COLOR: ISSOURCE 7.5 // MLN) - GSA WET - DRY	
SAMPLINGINFORMATION	COLORATION: UNI - STN - MOT - VAR	****
SAMPLE TYPE: COMPOSITE OTHER	TEXTURE: GRAVEL:%	_* 🗐
DESCRIBE: GRAB	- SAND: C-M-F	_*
BAMPUNG METHOD: (RU SPT - BLP - BUC - SSS - STS - CTS	SILT:	-*
OTHER:	*	
SAMPLER DECONTAMINATION: (DED) LAB - FLD - OTH	CRGANIC:	
DESCRIBE OTHER:	- GRAVEL FAC-STR-ANG-SUB (AND-NA	
PROCEDURE: DET - STM - ACE - HEX - MET - NON - OTH	SAND: ANG - BUB - END - NA	
DESCRIBE OTHER:	SORTING: WELL MOD - POR - NA	
COLOCATED SAMPLE ID: MR	MOISTURE: SRY - MST - WET - SAT	134
	CEMENTATION: NON - BLT - MOD - WEL	
SPLIT SAMPLE ID:	- GRAIN TYPE: CTZ-)THG - FOS - NA	
RINSE BLANK ID:	MATRIX: CXC - ARG (STL) NA	
TRIP BLANK ID:	STRENGTH: NONCOHESIVE ONSIFEMILISE	
LAB CONTROL SAMPLE ID:	_ COHESIVE STF.FRM (SFT)HRD	***
CHM-RAD-GEO-OTH <u>NY LEST ENVISORMENTAL 7</u> CHM-RAD-GEO-OTH <u>60 Segy ewi31vd</u>	ANALYTICAL PARAMETERS NOTES Anne Lee	
CHM - RAD - GED - OTH POC + Wash ny fon will a So		pori
SPLIT SAMPLES: NON - CWN - CVF - CTH.		==
ORGANIZATION NAME:	SPUT SAMPLE ID NO.:	
REPRESENTATIVES NAME:	PARAMETERS: SAME OTHER:	
COMMENTS: Observation poring - Ref	evisur at 2/1 brown silty clay,	
No white material observed		
	!	-10003
CATA ENTRY BY: OC REVIEW BY:	GA REVIEW BY:	
CORECORD DENATED ADDRESS AND A	REVIEW DATE	
CC REPORTS PRINTED 2 VERVI NO ADDROVING MARK	INTERIOR AND ADDRESS TO THE PROPERTY OF THE PARTY OF THE	 1

CPYDIGHT & 1991 by Am F Wester in

G101093

PROJECT: U.S. EPA DATE PROJECT: PYRIJI UM MERCURY BAMP	SURFACE ELEVATION: N. COORDINATE: EL COORDINATE:
SITE SKETCH	SAMPLE DESCRIPTION MATERIAL: NATURAL - FILL - UNCERTAIN APPEARANCE: SHN - ODR - PRO - NA OTHER: INSTRUMENT 1 TYPE: READING: INSTRUMENT 2 TYPE: READING: SUFFACE LAYER: SOL - GARD - LVS - VEG - GVL - ASP - CMT - FIL OTHER: THICKNESS (IN): REMOVED SAMPLED SECONDARY TYPE: NA - SED - VEN - MIX OVERALL COLOR: ROWN OVERALL COLOR: ROWN COLORATION: UNI - STN - MOT - VAR
SAMPLING INFORMATION BAMPLE TYPE: CMBCRETE CCMPOSITE OTHER DESCRIBE: CMBCRETE CCMPOSITE OTHER DESCRIBE: CMBCRETE CCMPOSITE OTHER BAMPLING METHOD: RL SPT - BLP - BUC - SSS - STS - CTS OTHER: SAMPLER DECONTAMINATION: DED LAB - FLD - OTH DESCRIBE OTHER: PROCEDURE: DET - STM - ACE - FEX - MET - NON - OTH DESCRIBE OTHER: CA SAMPLE ID: SPLIT SAMPLE ID: RINSE BLANK ID: MR LAB CONTROL SAMPLE ID: LAB CONTROL SAMPLE ID:	TEXTURE: GRAVEL: SAND: C · M · F BILT: CLAY: ORGANIC: ROUNDNESS: GRAVEL: FAC · STR · ANG · SUB · FND · NA SAND: ANG · SUB · FND · NA SORTING: WEL · MOD · POR · NA PLASTICITY: NON · LCW · MOD · GH · NA MOISTURE: DRY · MST · WET · SAT CEMENTATION: NON · SLT · WOD · WEL GRAIN TYPE: TZ FRG · FOS · NA MATRIX: CAL · CXD · ARG SID · NA BTRENGTH: NONCOHESIVE CNS · FRM · LSE
CHM -RAD - GEO - OTH O SEQUI EWISING - CHM - RAD - GEO - OTH O SEQUI EWISING - CHM - RAD - GEO - OTH OF - INJSh. ny tony 110 5 C SPLIT SAMPLES: NON - CWN - CVR - OTH. ORGANIZATION NAME: REPRESENTATIVES NAME:	Anne 1ee
CATA ENTRY BY: CATA ENTRY BY: CATE ENTERED: CC. REPORTS PRINTED 2: VEST. VO. ADMONITOR WITH	REVIEW CATE:



Roy F. Weston, Inc.
Federal Programs Division
Suite 201
1090 King Georges Post Road
Edison, New Jersey 08837-3703
908-225-6116 • Fax 908-225-7037

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM EPA CONTRACT 68-W5-0019

START-02-F-01625

TRANSMITTAL MEMO

To:

Ms. Irmgard Huhn

Removal Action Branch, U.S. EPA Region II

From:

Jennifer Leahy, Inorganic Data Reviewer

START Region II

Subject:

Pyridium Mercury Site, Harriman, New York

Date:

February 3, 1998

The purpose of this memo is to transmit the following information:

• Data validation results for the following parameters:

Mercury

• Matrices and Number of Samples:

Soil

16 samples

• Sampling date: November 13, 1997

The final data assessment narrative and original analytical data package are attached.

cc:

START PM

G. Fowler, START PM

START FILE TDD #:

02-9711-004A

ASC TDD#:

02-9711-009

U.S. ENVIRONMENTAL PROTECTION AGENCY

MEMORANDU	M					
DATE:	February 3.	, 1998			•	
то:	Ms. Irmgar USEPA Reg					
FROM:	Jennifer Le START Dat	ahy ta Review To	eam			
SUBJECT:	QA/QC Cor	mpliance Re	view Summa	ry		
As requested qual examined and con areas were evalua	npared to EPA st	tandards for				
Spe Sur Ma	ectra Matching Q rogate Spikes trix Spikes/Dupl	•	Chromate Holding	ography Times	_	
		port the follo	wing conclus	ions are attacl	hed so that t	he review
Summary (of Results					
		I Hg	II	III	IV	! ! !
Acceptable with C	comments	X				-
Spectra Matching Quality Surrogate Spikes Chromatography Matrix Spikes/Duplicates Calibration Compound ID (HSL, TIC) Any statistical measures used to support the following conclusions are attached so that the reverse may be reviewed by others. Summary of Results I II III IV Hg Acceptable as Submitted Acceptable with Comments X Unacceptable, Action Pending Unacceptable Data Reviewed by: Jennifer Leahy Date: 02/3/98						; ;
Approved by:	M/Scolls	Mfl	Date: 2	13/98		1

Area Code/Phone No.:

NARRATIVE

CASE No. RFP 2239

SITE NAME:	Pyridium Mercury Site	1
	Harriman, New York	
Laboratory Name:	NYTEST Environmental, Inc.	
INTRODUCTION:		
The laboratory's ports	ion of this Case consisted of 16 soil samples collected on 11/13/97	
The laboratory report	ed No problem(s) with the receipt of these samples.	
The laboratory report	ed No problems with the analyses of this inorganic data package.	
have been assessed, b	nmented on the criteria specified under each fraction heading. All out no discussion is given where the evaluator has determined that ormed or require no comment.	

Inorganic:

- Y Data Summary/Tabulated Results
- Y Initial and Continuing Calibration
- Y Blanks
- N/A ICP Interference Check
- Y Spike Sample Recovery Law differ
- Y Duplicates
- Y Detection Limits
- N/A Standard Addition Results
- N/A ICP Serial Dilutions
- Y Holding Times
- N/A ICP Interelement Correction Factors
- N/A ICP Linear Ranges
- Y Chain of Custody
- Y Raw Data
- Y Quantitation, Conversions, Dilutions, etc.

OTHER ANALYTES WORK TABLE

Project: Pyridium Mercury

START PM: Gene Fowler

Sampling Date: November 13, 1997

SAMPLE #/CONCENTRATION (mg/Kg)

	Instrument	Matrix	Soil	Soil	Soil	Soil	Soil	Soil
Analytical Results	Detection	Sample ID	PM001	PM002	PM003	PM005	PM006	PM007
	Limit	Laboratory ID	291301	291302	291303	291304	291305	291306
Percent Solids			81.3	84.1	76.3	83.4	88	71.1
Dilution Factor			1	1	1	1	1	1
Mercury	0.04		0.36	9.7	217	122	0.21	0.66

	Instrument	Matrix	Soil	Soil	Soil	Soil	Soil	Soil
Analytical Results	Detection	Sample ID	PM008	PM009	PM010	PM011	PM012	PM013
	Limit	Laboratory ID	291307	291308	291309	291310	291311	291312
Percent Solids			74.9	61	76.7	72.9	29.1	51.7
Dilution Factor			1	1	1	1	1	1
Mercury	0.04		4.7	3.8	25.4	1.1	2.7 J	284

	Instrument	Matrix	Soil	Soil	Soil	Soil	
Analytical Results	Detection	Sample ID	PM014	PM015	PM016	PM017	
	Limit	Laboratory ID	291313	291314	291315	291316	
Percent Solids			73	70.7	70.7	77.2	
Dilution Factor			1	1	1	1	
Mercury	0.04		0.26	0.28	2.8	0.15	

J - estimated value

Title: Evaluation of Inorganic Data for the

Contract Laboratory Program

Appendix A.2: Data Assessment Narrative

Date: Jan. 1992

Number: HW-2 Revision: 11

16

Case #: RFP # 2239

Site:

Pyridium Mercury

SDG#: RFP 1

Lab:

NYTEST Environmental

Matrix:

Soil

Contractor: WESTON-START

Reviewer: Jennifer Leahy

A.2.1 Validation Flags-

The following flags have been applied in red by the data validator and must be

considered by the data user.

J-

This flag indicates the result qualified as estimated.

Red- Line-

A red-line drawn through a sample result indicates an unusable value. The red-lined

data are known to contain significant errors based on documented information and

must not be used by the data user.

Fully Usable Data-

The results that do not carry "J" or a "redline" are fully usable.

Contractual Oualifiers-

The legend of contractual qualifiers applied by the laboratory on Form I's is found

on page B-20 of SOW ILM01.0.

A.2.2 The data assessment is provided below and on the attached sheets.

On 13 November 1997, USEPA Region II Superfund Technical Assessment and Response Team (START) sampling personnel collected 16 soil samples for Quality Assurance Level 1 (QA-1) Total Mercury analysis by NYTEST Environmental Inc., Port Washington, New York.

Client identification (ID) are as follows:

Client ID Nos: Lab ID	Matrix
PM001 291301 S	Soil
PM002 291302 S	Soil
PM003 291303 S	Soil
PM005 291304 S	Soil
PM006 291305 S	Soil
PM007 291306 S	Soil
PM008 291307 S	Soil
PM009 291308 S	Soil
PM010 291309 S	Soil
PM011 291310 S	Soil
PM012 291311 S	Soil
PM013 291312 S	Soil
PM014 291313 S	Soil

Title: Evaluation of Inorganic Data for the Date: Jan. 1992 Contract Laboratory Program Number: HW-2 Appendix A.2: Data Assessment Narrative Revision: 11 A.2.2 (continuation) No field duplicates were analyzed for this QA-1 sampling event. The laboratory did not report any problem(s) with the receipt of these samples. Holding Times: All samples were analyzed within 3 days of receipt; holding times were not exceeded. Raw Data: The laboratory provided the following supporting data for this package: Initial and Continuing Calibration Verification, CRDL Standard for AA, Initial, Analytical and Method Blank, Matrix Spike Recovery, Laboratory Duplicates, Laboratory Control Sample, and Instrument Detection Limits. Initial and Continuing Calibration Verification: All ICV/CCV recoveries are within the acceptable range of 80-120%. CRDL Standards for AA: The CRA recovery are within the acceptable range of 80-120%. Analytical and Method Blank Summary: The ICB, CCBs and Preparation Blank were below the CRDL. Matrix Spike Recovery: The Spike Recovery is within the acceptable range of 75-125%. Laboratory Duplicates: The data met the laboratory duplicated analysis QC criteria (<2X CRDL). Laboratory Control Sample: LCS recoveries are within the acceptable range of 80-120%. Percent Solids: The Procent Solids for Sample No.PM012 was <50%. Therefore, the sample result for mercury was flagged as estimated "J". A:2:3 Contract Problem/Non-Compliance: None. Contractor Reviewer: Date:

Signature

Verified by:

Date:

2 4 1997

November 18, 1997

Weston 1090 King George's Post Rd., Suite 201 Edison, NJ 08837

Attn

· Smita Sumbaly

RFP 2239. Harriman, NY Ref

P.O. #: 87354

Nytest Environmental, Inc., is pleased to submit our Project Number 9723560 for Login Number 32913, SDG Number RFP1, on your sample(s) received 11/13/97.

We certify that this report is a true report of results obtained from our tests of this material.

Test sample(s) associated with this project will be retained for a period of thirty (30) days, unless otherwise instructed.

My staff is available to answer any questions concerning our report and we look forward to serving your future analytical needs.

Respectfully submitted,

Lori Beyer

Laboratory Director

Nytest Environmental, Inc.

Encl: 1 Bound Copy

NYS Lab ID#10195 NJ Cert.#73469

Report on sample(s) furnished by client applies to sample(s). Report on sample(s) obtained by us applies to lot sampled. Information contained herein is not to be used for reproduction except by special permission. In the event that there are portions or parts of sample(s) remaining after Nytest has completed the required tests, Nytest shall have the option of returning such sample(s) to the client at the client's expense.

100062

NYTEST ENVIRONMENTAL Inc.

SDG: RFP 1

LABORATORY NUMBER	SAMPLE IDENTIFICATION	TYPE OF SAMPLE
3291301 3291302 3291303 3291304 3291305 3291306 3291307 3291308 3291310 3291310 3291311 3291312 3291313 3291314 3291315 3291316 3291317 3291318	PMOO1 PM002 PM003 PM005 PM006 PM007 PM008 PM009 PM010 PM011 PM012 PM013 PM014 PM015 PM015 PM016 PM017 PM017MS PM017MS	Soil Soil Soil Soil Soil Soil Soil Soil
3291319	PICKUP	Soil

																			!		
RFP No.:	C	HAI	N C)F	CL	JST	OI	Z	<i>[</i>]	RE	C	OF	RE) M	atrix	Box	No:	7 74 60		evetive Be	T No
123°	1			∇		Έ:		\neg		32				1.	Serfe	œ W	eter Eter		1. HC	Marine Ma	Contraction
No.:				\Y	八	2)[]		ん]. [1	<i>(</i>)		G rou Leech		eter		2. HN 3. No		
· () -1 1 ~		CI Process on					10600a	LLTANTS	1		•				Rinse				4. H2		
87354	1	SUPERF	ד פאנ			asses Tract				LESPO	ONSE	TE	LM	5. 6.	Scail/S	odim	eor			r (Specify))
			1	Bone:	904-225	-6116 P	ax: 904	-225	-7037				-		Warko Warko	ı			6. Ice N. No	Only : Preserved	
Send verbal ar	nd writter	results :	ω:		Řœ	F. We	eton	Inc	776	SED A	P		77 ~	8.	Other	(Spec	≃ify)		1	Соптепт	
•					Suite	201,	1090	King	r, Go	OFFE	. Reg . Pos	pon n Ro	æq. π 21	l A.K Fdia	an i	Varu	ī.	. A86	137-370		
					Atter	nion:	Smits	Sta	mbei	ly, S	TAR	TA	naiy	ical	Coo	rdin	ntor	y 000	 -370	5	٠
Sample Numbe		pie Coilec				Sampl		-	10000	L	ZAN	LLY.	· .		20	A AN	ALYJI	31		<u>.</u>	
	MM	יייאלם פע.			Low-L Mad-1	Type Comp	C (Fee	27 7.	VOA	BNA	7331	1703	TAI	07	KIN	∞ _R	REAC	7	o.	HER	
·						Crab							1								•
M001	11/13	319710	830	5	1 L	G	16	0										1	ital	Mer	:01
7002	. 11113	197106	200	1	1	1											 	1	7141	1	ory
M003				+-			+/	1				_							:	 	
) M. 30	11113	197/0	10	+	-		+	4													
-1009	11/12	1971		圭						_					_						_
M005	11113	19710	145	$I \mid I$																	
MOOL				1	7		11	1						\dashv					<u> </u>	 	
1007	, , , ,	,	- 1		+	-	╫	+	\dashv		_			\dashv						<u> </u>	
		197/ N				+	┼┼	\bot	_	_	_	_		\downarrow	\perp						
M008		197/10					Ш	\perp									ļ				
M009	11/1/3	19710	40																		
M010	11/12	1 197/10	$-\Gamma$								7			寸	\dashv			-	- :		
MOLL	1112	7_7_			\forall	1		+	\dashv		_	_	\dashv	+		-		· · · · · ·			
nmenus:	11113	197/10	49							\perp									· \	<u> </u>	
on Assuming Re	esponsibilit	y for Sam	pie:									7				I-	~	ie			
	ı	Ger	; e	2	Fi	Nle	Ϋ́		6	^. ^01	wt.		-	1	/		Time	,}	р ез в (М - 1// ј	M/DD/YY)
ple Number	Relinquie			<u>-</u>			Date	Re	<u></u>	ad By:	10	1	m		4		1) /	for Ch	Ange of	3/7/	
A11		0	1	1 1			11/13							•] ہے			رې د	,	
-	100	WA	Wl		1	530	כיןיי		•	. 🕻	,	v .	: :	•	·			, 1	Lai	b	
ple Number	Reimquie	hed By:	, A	<i></i> -	,		Date	Ro	ccive	d By:						R	CLIO1	for Ch	ruge of (ustody	
	1 F-F1,	of W		L	6	2000	11/12						•								
nie Number	Relinquisi	ned By:	-		T	ime	Date	Rec	zivα	d By:					<u>. </u>	 R	noese	for Cha	inge of C	naroda	
						1				,	. /						i	,	1	•	
									1	" K	4a			2.		10	uh	3 /c1	1	10000	

y F. Weston, Inc.

DERAL PROGRAMS DIVISION

000002

IÒ0064

•													
RFP No.:	CHAIN	OF C	USI	OD	YR	EC	OR	D	Vatrix	Вох	No.:	PR	mervative Box No
2239 No.: 8735		TECHNICA EPA CO Phone: 908-2	L ASSES NTRAC 25-6116 I	SMENT 68-WS	AND RE	SPONSE	S TEA	1 2 3 4 5 6 7 8	. Surfi . Grou . Leac . Rinas . Soil/: . Oil . Wast	nce Wind Winds	eter eter ent	1. 1 2. 1 3. 1 4. 1 5. 0 6. I N. 1	HCI HN03 Na2SO4 H2SO4 Other (Specify) ce Only Not Preserved See Comments
		Su	ite 201,	1090 K	ing George Sumbaly	rges Po	et Ro	ad, Ed	ison,	New ordina	Jersey utor	08837-3	703
Sample Number	Sample Collection	Semple Con	c. Sampi	s See		BASAN	LLYE	3	RC.	RA AN	ALYSIS	1 .	<u>:</u>
· · · · · · · · · · · · · · · · · · ·	MM/DD/YY/Time	Metrix Low Center Med box 9) High	-M Comp	-C (Care	r. VOA B					COR	PEAC		OTHER
PM012	11/13/97/1050		G	6					+	1	.	7	tal Mercy
PM013	11113197/1055	1111										10	1
PM014	11/13/97/1109												
PM015	11/13/97/1128	4											
PM016	11/13/97/1120												t t
PM017	11/13/97/11/5	-1/1/	V	V									
	' '		_										
				ļ									!
· · · · · · · · · · · · · · · · · · ·													:
										·			
							İ						
Omments:								<u> </u>	11		<u>, , , , l .</u>	· ·	:
erson Assuming Re	esponsibility for Sample:	_	10	<u> </u>	<i>(</i>)	. [.		P1 -		ſ	Time	Date	(MM/DD/YY)
mple Number	Relinquished By:	16 10	wle		<u> </u>	vsc.			, · 		13 1	5 !!	113/97
AII	Gent	ouler	1534	Date 11/13	Received	By:		L	/s ⁻ -	[رب	Rosson Sh	ior Cranto	of Custody
mple Number	Relinguished By:	Pulle	Time	Date (IV)	Received	Ву:		•		3	Resson	for Change	of Custody
mie Number	Relinquished By:		Time	Date	Received	By:				E	esson	or Change	of Custody

by F. Weston, Inc.

EDERAL PROGRAMS DIVISION

Reason for Change of Custody

אפות בתתבבתם דופוכ Military Time Scal Brokes: Date Broken Analytical Parameter/Fraction: #46 SAMPLE NO. ALIQUOT/EXTRACT NO. SAMPLE NO. PMON ALIQUOT/EXTRACT NO 3-713- c/ FM012-FMOOL a 175013 PHO03 12 07 PMOKE PHOOS 15 PMOIS AMOO6 10 1 Moi6 1º14007 66 PMOIT P17003 # PICK COM PMOITMS PM009 R PMOIT MSD 18 PHOLE 09 Pickup PMOIJ 19 DATE ! TIME RELINQUISHED BY PURPOSE OF CHANGE OF CUS PRINTED HANG PRINTED NAME () SIGNATURE PRINTED NAME SIGKATUZE PRINTED HAVE PEINTED NAME SICKL TURE SIGNATURE PRINTED KNG PRINTED NAME 5134.----SIGNATURE PRINTED KING PRINTED NUME SIGHATURE SIGNATURE SIGNATURE AND THE PROPERTY AND THE PRINTED MADE TO THE PROPERTY OF THE PROPERTY O SIGNATURE SIGNATURE BATKLED MYNE PRINTED NAME 000004 100066 SICKATURE IS:SXXTURE

LABORATORY DELIVERABLES

		Check if Complete
1.	Cover page, Title page listing Lab certification # facility name & address, & date of report	
2.	Table of Contents	<u> </u>
3.	Summary sheets listing analytical results for all targeted and non-targeted compounds	NA
4.	Summary Table cross referencing field ID #'s vs. Lab ID #'s	
5.	Document bound, paginated and legible	
6.	Chain of custody	$\overline{\mathcal{V}}$
7.	Methodology Summary	
8.	Laboratory Chronicle and Holding Time check	
9.	Results submitted on a dry weight basis (if applicable)	
. 10.	Method Detection Limits	NA
11.	Lab certified by NJDEP for parameters or appropriate category of parameters or a member of the USEPA CLP	
12.	Non-cor.formance summary	
		·
	Son By	11/18/97
Labora Consu	atory Manager or Environmental Itant's Signature	Date

METAL ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT

1.	Calibration Summary Meet Criteria	<u>NO</u>	YES
2.	ICP Interference Check Sample Results Summary Submitted (if applicable) / Meet Criteria		<u>v</u>
3.	Serial Dilution Summary Submitted (if applicable) / Meet Criteria		<u> </u>
4.	Laboratory Control Sample Summary Submitted (if applicable) / Meet Criteria		:
5.	Blank Contamination - If yes, list compounds and concentrations in each blank:		
6.	Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria (if not met, list these compounds and their recoveries which fall outside the acceptable range)		
7.	Extraction Holding Time Met If not met, list number of days exceeded for each sample:		
3.	Analysis Holding Time Met If not met, list number of days exceeded for each sample:	<u></u>	
Additi	onal Comments:		1
	Laboratory Manager: Sch B	Date: ////8//	27

Laboratory Chronicle

Client Name: Weston

Log In No: 32913

Date Received: <u>11/13/97</u>

Sample ID: As per chain of custody

Inorganics:

1. Mercury Digested: 11/15/97 Analyzed: 11/16/97

Section Supervisor

Review and Approval

Quality Control Supervisor

Review & Approval

Dates are included for re-extractions and reanalysis.

CASE NARRATIVE METALS

Login No: 32913

SDG No: RFP 1

HOLDING TIMES

All samples associated with this SDG/LOGIN were prepared and analyzed within the specified holding time.

CALIBRATIONS

All ICV and CCV standards meet QC criteria.

The percent recovery of all components in the CRDL standard recovered within NEI control limits of \pm 50%. Note that CLP SOW ILM04.0 does not specify control limits for the CRDL standard.

BLANKS

All preparation blanks and calibration blanks associated with these analyses meet QC criteria.

MATRIX SPIKES

Sample PMO17MSD was utilized as the matrix spike sample for these analyses.

All matrix spike recoveries met the 75-125% recovery criteria.

DUPLICATES

Sample PMO17MS was utilized as the duplicate sample for these analyses.

All Relative Percent Differences (RPDs) met QC criteria.

Note that all RPDs of 200% are due to one analyte being reported above the Instrument Detection Limit (IDL) and one result below the IDL.

LABORATORY CONTROL SAMPLE (LCS)

The percent recovery of all components in the LCS met QC criteria.

SAMPLES

All samples were analyzed in accordance with the requirements of the methods described in SW-846 Method 7471.

No further analytical problems were encountered.

100070

I certify that this data package has been reviewed for the quality control and quality assurance measures for all analyzed methodologies.

Lori Beyer Laboratory Director

METHODOLOGY SUMMARY

AQUEOUS METHODOLOGIES:	REF1	REF2	REF3	REF 5
BNA, Pesticide/PCB's Extraction	3	510/3520)	
AA/ICP Sample Preparation	200.7	.510,5520		;
Furnace Sample Preparation	200.0			
Mercury Sample Preparation	245.1			i
Hexavalent Chromium Sample Preparation	218.5			i
Clean-Up	361	0/3620/36	530/	
	. 3	640/3660		1
Organochlorine Pesticide and PCB's				
by Gas Chromatography			608	i
Herbicides by Gas Chromatography			362	I
Purgeable Organics by GC/MS	•		624	524.2
Base Neutral, Acids by GC/MS			625	
BTEX			602	į
EDB/DBCP by Microextraction				504.1
NON-AQUEOUS METHODOLOGIES:				1
BNA, Pesticide/PCB's Extraction	35	550		
AA/ICP Sample Preparation	30	50	·	!
Furnace Sample Preparation	3020/3	030/3050		
Mercury Sample Preparation	74	71A		1
Clean-Up	3610	/3620/363	30/	
	36	40/3660		! !
GC, Gas Chromatography/Mass Spectrometry:				:
Purgeable Organics	8260A/	8240/802	1	
Base/Neutral and Acid Extractables		4, 8270B	1	
Organophosphorus Pesticides	814	•		!
Organochlorine Pesticide and PCB's	J 1	. •		E E
by Gas Chromatography	8080)/8081		į
BTEX	802			-
Halogenated Purgeable Organics		10 A		
Hexavalent Chromium Sample Preparation	300	50		1

METHODOLOGY SUMMARY

INDUCTIVELY COUPLED PLASMA (ICP)	<u>REF1</u>	REF2
Aluminum	200.7	6010A
Antimony	200.7	6010A
Barium	200.7	6010A
Beryllium	200.7	6010A
Cadmium	200.7	6010A
Calcium	200.7	6010A
Chromium	200.7	6010A
Cobalt	200.7	6010A
Copper	200.7	6010A
Iron	200.7	6010A
Lead	200.7	6010A
Magnesium _	200.7	6010A
Manganese	200.7	6010A
Molybdenum	200.7	6010A
Nickel	200.7	6010A
Potassium	200.7	6010A
Silver	200.7	6010A
Silicon	200.7	6010A
Sodium	200.7	6010A
Tin	200.7	6010A
Titanium	200.7	6010A
Vanadium	200.7	6010A
Zinc	200.7	6010A
Furnace AA:		1
Antimony	204.1	7041/6010A
Arsenic	206.2	7060/6010A
Lead	239.2	7421/6010A
Selenium	270.2	7740/6010A
Thallium	279.2	7841/6010A
Mercury (Cold Vapor AA)	245.1	7470/7471A
ICAP:		
Priority Pollutants	200.7	6010A/7060/
TAL Metals	200.7	7470/7740 6010A/7060/
RCRA Metals	200.7	7470/7740 6010A/7060/ 7470/7740

METHODOLOGY SUMMARY

REFERENCES:

- (1) USEPA 600/4-79-020 method for the Chemical Analysis of Water and Waste
- USEPA SW846, Test Methods for Evaluating Solid Waste, Third Edition and updates
- (3) Federal Register 40 CFR Part 136, Vol. 49, No. 209 Test Parameters for the Analysis of Pollutants
- (4) Federal Register Vol. 51, No. 216 Friday, 11/07/96, pp.40643-40652
- (5) Method for Determination of Organic Compounds in Drinking Water, EPA 500/4 88/039, Dec 1988
- (6) Standard Method for Examination of Water and Wastewater, 18 Edition 1980

Method Qualifiers for Inorganics

* C (concentration) Qualifier - Enter "B" if the reported value was obtained from a reading that was less than the Contract Required detection limit (CRDL) but greater than or equal to the Instrument Detection Limit (IDL). If the analyte was analyzed for, but not detected, a "U" must be entered.

* Q Qualifier - Specified entries and their meanings as follows:

E - The reported value is estimated because of the presence of interference.

M - Duplicate precision not met (CV > 20%)

N - Spike sample recovery not within control limits.

S - _ The reported value was determined by Method of Standard Addition (MSA).

Post-digestion spike for Furnace AA analysis is out of control limits
 (85 - 115), while sample absorbance is less than 50% of spike absorbance.

Duplicate analysis not within control limits.

+ - Correlation Coefficient for the MSA is less than 0.995.

Entering "S", "W", or "+" is mutually exclusive.

* M (Method) Qualifier - enter:

- "P" for ICP

- "A" for Flame AA

"F" for Furnace AA

- "CV" for Cold Vapor AA

- "AV" for Automated Cold Vapor AA

- "AS" for Semi-Automated Spectrophotometric

- "C" for Manual Spectrophotometric

- "T" for Titrimetric

"NR" if the analyte is not required to be analyzed.

METALS DATA

ANALYTICAL DATA REPORT PACKAGE

NYTEST ENVIRONMENTAL INC.

Lab Name: NYTEST_ENV_INCLab Code: NYTEST_I	Contract: Login No.:		Report	No.:RFP_1_
Sample No. PMO15 PMO16 PMO17 PMO17D PMO17S PMO01 PM002 PM003 PM005 PM006 PM007 PM008 PM009 PM010 PM011 PM012 PM013 PM014	Lab Samp	D		
Were ICP interelement corrections appl	ied ?		Voc /No	VEC
Were ICP background corrections applied If yes - were raw data generated application of background correct	ed ? before		Yes/No Yes/No Yes/No	
Comments:	•			_
I certify that this data package is in conditions of the contract, both techn	compliance	e with the t	cerms and	l
other than the conditions detailed about in this hardcopy data package and in to on floppy diskette has been authorized Manager's designee, as verified by the	ve. Releas he computes by the Lal	se of the da r-readable d ooratory Mar	ita conta lata subm	ined
Signature: John John	Name:	Lori Be	eyer	
Date: (1/1879)	Title:	Laboratory Di	rector	<u>.</u>

NEI FORM CP - 9/93

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: NYTE	ST_ENV INC		Contract: 9	723560	PM001
Lab Code: NYTE			•	QC Report	No.RFP 1
Matrix (soil/w Level (low/hig Percent Solids	ater): SOIL	<u>. </u>	_	Lab Sampl	e ID: 291301 ived: 11/13/97
Со	ncentration	Units (ug	/L or mg/kg dr	y weight):	MG/KG
	CAS No.	Analyte	Concentration	C Q I	<u> </u>
	7439-97-6	Mercury	0.36		zv
		· · ·			-
				- -	
.					
					_
					_
CODES : P: ICP; I	F : GFAA;	CV: Cold V	/apor; AS: Aut	omated Spe	_ ctrophotometric
Note: A "U" not detected	in the "C" d in this sa	(Concentra ample: "B"	ation) column i	Indicates t	he analyte was
Comments:					;

NEI FORM 1 - (9/93)

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: NYTH	EST_ENV INC		Contract: 9	723560	PM002
			913_		No PED 1
Matrix (soil/w	water): SOIL		J13_	Lab Sampl	e ID: 291302
Level (low/hig Percent Solids	jh) : LOW	1		Date Rece	ived: 11/13/97
Co	ncentration	Units (ug	/L or mg/kg dr	y weight):	MG/KG
	CAS No.	Analyte	Concentration	C Q	M
	7439-97-6	Mercury_	9.7		cv
				-	
				- -	<u> </u>
				- -	
					_
·				- -	· ,
· .					_ :
CORRE			·		
Note: A "U"	in the "C"	(Concentra	(tion) column i	ndicates t	ectrophotometric The analyte was
Detection L	a in this sa	ample; "B"	= Sample value porting limit;	greater t	han Instrument
Comments:					·
	.,,				

NEI FORM 1 - (9/93)

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Code: NYT Matrix (soil/ Level (low/hi Percent Solid	EST Log	in No.: 32	_ Contract: 9	QC Repor	t No.RFP_1_ le ID: 291303 eived: 11/13/97
Percent Solid	s:76.		•		11, 13, 3,
С	oncentration	Units (ug	/L or mg/kg dr	y weight)	: MG/KG
	CAS No.	Analyte	Concentration	C Q	м
	7439-97-6	Mercury_	217	-	CV
				_	_
				_	
CODES:		l		_	
not detecte Detection L	d in this sa	(Concentra umple: "B"	ITION) COllimn i	ndicates	ectrophotometric the analyte was than Instrument
omments:				2.32	noguirou.
					1

NEI FORM 1 - (9/93)

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: NY	rest_env_inc_		Contract: 9	723560	PM005
Lab Code: NYT	TEST Log	in No.: 32	913_	QC Report	No.RFP 1
Matrix (soil, Level (low/hi Percent Solid	<pre>/water): SOIL igh) : LOW is : _83.</pre>	<u>-</u> 4		Lab Sampl Date Rece	e ID: 291304 ived: 11/13/97
	oncentration	units (ug	/L or mg/kg dr	y weight):	MG/KG
	CAS No.	Analyte	Concentration	C Q	м
	7439-97-6	Mercury_	122		cv
		-		- -	_
				- -	
					_
					— : : : : : : : : : : : : : : : : : :
				- -	-
CODES : P: ICP;	F : GFAA:	CV: Cold v			_1 :
Note: A "U' not detecte	ed in this sa	(Concentra mple; "B"	tion) column i	ndicates t	ctrophotometric he analyte was han Instrument t Required.
	· · · · · · · · · · · · · · · · · · ·				

NEI FORM 1 - (9/93)

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

					PM006
Lab Name: NYTE	ST_ENV_INC_		Contract: 9	723560	FM008
Lab Code: NYTE	ST Log	in No.: 32	913_	QC Report	No.RFP_1_
Matrix (soil/w Level (low/hig Percent Solids	h) : LOW			Lab Sample Date Rece	e ID: 291305 ived: 11/13/97
·.					
Co	ncentration	Units (ug	/L or mg/kg dr	y weight):	MG/KG
	CAS No.	Analyte	Concentration	C Q I	4
	7439-97-6	Mercury_	0.21	-	o v
•				- -	
					_
					_
					_ '
				- -	
		· · · · · · · · · · · · · · · · · · ·			— —
					_
					_
					_
				- -	_
CODES :					
Note: A "U" not detected	l in this sa	(Concentra ample: "B"	ation) column i	ndicates t greater t	ctrophotometric he analyte was han Instrument t Required.
. —————————————————————————————————————					

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: NYTEST_ENV_INC		Contract: 9	723560	PM007
		•		N- DED 1
Lab Code: NYTEST Lo	gin No.: 32	313	QC Report	NO.RFP_1_
Matrix (soil/water): SOI Level (low/high) : LOW Percent Solids : _71	_		Lab Sample Date Rece	e ID: 291306 ived: 11/13/97
Concentration	n Units (ug	/L or mg/kg dr	y weight):	MG/KG
CAS No.	Analyte	Concentration	C Q I	м
7439-97-6	Mercury	0.66		<u>ev</u>
			- -	
			- -	
		·	-	
CODES				
CODES: P: ICP; F: GFAA; Note: A "U" in the "C' not detected in this s Detection Limit, but]	' (Concentra sample; "B"	ation) column i = Sample value	indicates t greater t	han Instrument
Comments:				

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

	NYTEST_ENV_INC_ NYTEST Log				PM008
Level (low	oil/water): SOIL /high) : LOW lids : _74.	-			e ID: 291307 ived: 11/13/97
	Concentration	Units (ug	/L or mg/kg dr	y weight):	MG/KG
	CAS No.	Analyte	Concentration	C Q	м
	7439-97-6	Mercury_	4.7		CV
					_
CODES :					
P: ICP; Note: A not det	F : GFAA; "U" in the "C" ected in this sa on Limit, but le	(Concentra ample; "B"	ation) column i = Sample value	indicates e greater	than Instrument
Comments:					
· · · · · · · · · · · · · · · · · · ·					

NEI FORM 1 - (9/93)

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

				Contract: 9			No.R	PM009
Matrix (so Level (low, Percent So	/high)	: LOW	_					291308 11/13/97
:								:
	Conce	entration	Units (ug	/L or mg/kg dr	y we	eight):	: MG/K	G
	CA	S No.	Analyte	Concentration	С	Q	М	
	74	39-97-6	Mercury	3.8	- -		cv	
	_				- -			;
	_				- -			
	_				<u> - -</u>			:
•					- -			;
	_				- -			
					- -			·
					- -			1
	_				<u>-</u> -			, !
	_				- -	·		i
		· · · · · · · · · · · · · · · · · · ·			- -		-	
					- -		_	:
					- -			
CODES :	_				- -		_	
P: ICP; Note: A not dete	"U" in ected i	n this sa	(Concentra ample; "B"	Vapor; AS: Au ation) column = Sample value eporting limit	indi e gr	cates ceater	the an	nalyte was Instrument
	 					,		
								<u> </u>

NEI FORM 1 - (9/93)

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: N	VYTEST_ENV_INC_		Contract: 9	723560	PM010
	YTEST Log				No RFP 1
Matrix (soi Level (low)	il/water): SOIL /high) : LOW lids: _76.			Lab Sampl	e ID: 291309 ived: 11/13/97
	Concentration	Units (ug	/L or mg/kg dry	y weight):	MG/KG
	CAS No.	Analyte	Concentration	C Q	M
	7439-97-6	Mercury	25.4		cv
					_
CODES :					
Note: A not dete	F : GFAA; "U" in the "C" cted in this sa n Limit, but le	(Concentra ample; "B"	ation) column i = Sample value	ndicates to greater t	than Instrument
					:
					· · · · · · · · · · · · · · · · · · ·

NEI FORM 1 - (9/93)

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

	•					
Lab Name: NYTE	ST_ENV_INC_		Contract: 9	723560	P	M011
Lab Code: NYTE	ST Log	in No.: 32	913_	QC Report	No.RFP	1_
Matrix (soil/w Level (low/hig Percent Solids	h) : LOW	-		Lab Sampl Date Rece	e ID: 2 ived: 1	91310 1/13/97
Co	ncentration	Units (ug	/L or mg/kg dr	y weight):	MG/KG	: !
	CAS No.	Analyte	Concentration	C Q	M	•
	7439-97-6	Mercury_	1.1		CV	1
						1
					_	
						1
					_	!
•						
					_ .	!
·					_	
					_ -	
					_	
					<u> </u>	
	-				_	
CODES :				_		1
P: ICP; I Note: A "U" not detected Detection L	in the "C" d in this sa	(Concentra ample; "B"	Vapor; AS: Autation) column in Esample value eporting limit;	indicates (the ana: than Ins	lyte was strument
Comments:				****		

NEI FORM 1 - (9/93)

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: NYT	EST ENV INC		Contract: 9	723560	PM012
Lab Code: NYT					No.RFP_1_
	_		913_	QC Report	NO.RFP_I_
Matrix (soil/ Level (low/hi Percent Solid	.gh) : LOW	_			e ID: 291311 ived: 11/13/97
c	Concentration	Units (ug	/L or mg/kg dry	y weight):	MG/KG
	CAS No.	Analyte	Concentration	C Q	M
	7439-97-6	Mercury_	2.7		cv
				-	_
•					
				- -	
					- !
					<u>-</u> ;
				-	
,					
			,	- -	
					_
				- -	
					_
CODES :					
P: ICP; Note: A "U	" in the "C"	(Concentra	ation) column i	indicates t	ectrophotometric the analyte was than Instrument
Detection Comments:	Limit, but 1	ess than re	eporting limit;	; "NR" = No	ot Required.
·· -					

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: NYTE	ST_ENV_INC_		Contract: 9	723560	PM013
Lab Code: NYTE			•		No.RFP 1
Matrix (soil/w Level (low/hig Percent Solids	ater): SOIL	_	_	Lab Sampl	e ID: 291312 ived: 11/13/97
Со	ncentration	Units (ug,	/L or mg/kg dry	y weight):	MG/KG
	CAS No.	Analyte	Concentration	C Q	M
	7439-97-6	Mercury	284		cv
				- -	
					_
İ	<u> </u>				
				_ -	
					_
				_	
note: A "U"	ın the "C" 1 in this sa	(Concentra mple: "B"	tion) column i = Sample value	ndicates t	ectrophotometric the analyte was than Instrument
Comments:	rmic, but le	:55 CHAN TE	porting limit;	"NK" = NC	Required.
	<u> </u>				
					· · · · · · · · · · · · · · · · · · ·

NEI FORM 1 - (9/93)

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

			Contract: 9			l	
b Code: NYT	EST Log	in No.: 32	913_	QC F	Report	No.RF	'P_1_
vel (low/hid	water): SOIL gh) : LOW s : _73.			Lab Date	Sample Rece	e ID: ived:	291313 11/13/97
C	oncentration	Units (ug	/L or mg/kg dr	y wei	ight):	MG/KG	, .
	CAS No.	Analyte	Concentration	С	Q I	M	!
	7439-97-6	Mercury	0.26			cv	1
				- -		_	
				_			!
						_	!
						_	<u>!</u> !
							1
				- - - -		_	· •
							!
						_	
•						_	
ODES :	F. C. C.	OV. C-13:	7				
not detecte	' in the "C" ed in this s	(Concentra ample; "B"	<pre>/apor; AS: Aut ation) column i = Sample value eporting limit;</pre>	indic gre	ates tater t	the an than I	alyte was nstrument
							

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: NY	TEST ENV INC		Contract: 9	723560		PMO15
			913_			RFP 1
Matrix (soil Level (low/h	l/water): SOIL nigh) : LOW	<u>_</u>	_	Lab Sa	mple ID:	291314 11/13/97
			/L or mg/kg dry	y weigh	t): M G/I	KG
	CAS No.	Analyte	Concentration	C Q	M	· 1
	7439-97-6	Mercury	0.28		_ cv	
						i .
						:
				-		:
						!
						†
						i .
CODES :				_	_ _	
not detec Detection	'U" in the "C" cted in this s	(Concentrate) ample; "B"	Vapor; AS: Autation) column : = Sample value =porting limit;	indicato e greato	es the a er than	nalyte was Instrument
Comments:						
						1 ,

NEI FORM 1 - (9/93)

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

		•			PMO16
Lab Name: NYTH	EST_ENV_INC_		Contract: 9		
Lab Code: NYTE	EST Log	in No.: 32	913_	QC Report	No.RFP_1_
Matrix (soil/w Level (low/hic Percent Solids	jh) : LOW			Lab Sampl Date Rece	e ID: 291315 ived: 11/13/97
Co	oncentration	Units (ug	/L or mg/kg dry	y weight):	MG/KG
	CAS No.	Analyte	Concentration	C Q I	M
	7439-97-6	Mercury_	2.8		cv
				- -	<u></u>
					<u> </u>
					<u> </u>
					_
					_
				-	i
					_
					_
CODES :	1	1		_ _	
Note: A "U" not detecte Detection L	in the "C" d in this sa	(Concentra ample; "B"	ation) column i	indicates t greater t	ectrophotometric the analyte was than Instrument of Required.
Comments:					
					1

NEI FORM 1 - (9/93)

INORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

s (ug/L or mg/	QC Re Lab S Date	port No.RI ample ID: Received:	291316 11/13/97
s (ug/L or mg/ lyte Concent	Lab S Date /kg dry weig ration C Q	ample ID: Received: ht): MG/KG	291316 11/13/97
lyte Concent	Date /kg dry weig	Received:	11/13/97
lyte Concent	ration C Q	·	3
		М	1
ury	0.15	1 1	
		CV	!
			1
		_	1
			!
			•
			!
			1
		_	
			1
			; ; 1
centration) co ; "B" = Sample	olumn indicat value great	tes the an ter than I	nalyte was Instrument
(centration) co ; "B" = Sample	<pre>centration) column indicat ; "B" = Sample value great</pre>	Cold Vapor; AS: Automated Spectrop centration) column indicates the an; "B" = Sample value greater than I han reporting limit; "NR" = Not Required.

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: NYTEST_ENV_INC		Contract:	9723560	
Lab Code: NYTEST Login	No.: 32913_		QC Report	No.: RFP_1_
Initial Calibration Source:	SPEX		:	
Continuing Calibration Source:	SPEX		I	
			Í	

Concentration Units: ug/L

Analyte	Initia True	al Calibra Found		True	Continui Found	ng Cali %R(1)	bration Found	%R(1)	М
Mercury_	7.5	7.93	105.7	5.0	5.16	103.2	4.93	_98.6	cv
									-
							1		
			<u> </u>				· · · · · · · ·		
· · · · · · · · · · · · · · · · · · ·									-
· · · · · · · · · · · · · · · · · · ·									
							· · · · · · · · · · · · · · · · · · ·		
									-

NR : Analyte Not Required

NEI FORM 2 - (9/93)

00|0032

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: NYTEST_ENV_INC	Contr	act: 9723560
Lab Code: NYTEST	Login No.: 32913_	QC Report No.: RFP_1_
Initial Calibration Sour	ce: SPEX	
Continuing Calibration S	ource: SPEX	· · · · · · · · · · · · · · · · · · ·

Concentration Units: ug/L

Analyte	Initial Calibration True Found %R(1)			True	Continuing Calibration True Found %R(1) Found				
Mercury				5.0	4.80	_96.0	4.91	_98.2	c
									-
			<u> </u>						-
							i_		_
					<u></u>				
									-
							<u>.</u>		_
								· · · · · · · · · · · · · · · · · · ·	–
									-
									_
									-

NR : Analyte Not Required

NEI FORM 2 - (9/93)

CRDL STANDARD FOR AA AND ICP

Lab	ab Name: NYTEST_ENV_INC					Contract:	9723560		•	
Lab	Code:	NYTEST	Logi	in No.:	32913_		QC Report	No.:	RFP_	.1
AA C	RDL St	andard S	Source:	SPEX						
ICP	CRDL S	Standard	Source:	SPEX						

Concentration Units: ug/L

	CRDL St	andard fo	or AA		CRDL Sta Initial	ndard	for ICP Fina	1
Analyte	True	Found	%R	True	Found	%R		- %
Mercury_	0.2	0.22	_110.0			Ī		
								_
								<u> -</u>
								_
								<u> </u> _
							1	-
								_
								_
			· ·					_
								_

NEI FORM 3 - (9/93)

ANALYTICAL AND METHOD BLANK SUMMARY

Lab Name: NYTEST_ENV_INC	Contract:	9723560
--------------------------	-----------	---------

Lab Code: NYTEST Login No.: 32913_

QC Report No.: RFP_1_

Preparation Blank Matrix (soil/water): SOIL_

Preparation Blank Concentration Units (ug/L or mg/kg): MG/KG

Analyte	Initial Calib. Blank (ug/L)	c		in B C	uing Calib lank (ug/L 2	ra [·]) C	tion 3	С	Prepa- ration Blank C	м
Mercury_	<u> </u>	U	0.04	U	0.04	Ū	0.04	Ū	0.024 B	zv
ļ		_		_		_		_		
		_	·	_		_		_	- -	
		-		-		-		_	- -	
		_		-		_		-		
		_		_		_				
		_		_		_		_		
		-	 	_		_		-	- -	
		-		_		_	-	-		
		_		_		_				
		_		_				_		
		-		_		_		-1	 -	
		-		_		-		-		
		_		_		_				
		_		_		_		_		
		-		_	 :	-		-	- -	
		-		_		-		-	- -	
				_						
		_		_		_		_		
		-		_		_	-	_		
		-1		_		_		_		

NR = Analyte Not Requested

AB/17/97

NEI FORM 4 - (9/93)

ANALYTICAL AND METHOD BLANK SUMMARY

Lab Name:	NYTEST_E	ENV_INC	Contract:	972356	50		٠
Lab Code:	NYTEST	Login No.: 32913	3_	QC	Report	No.:	RFP_1_
Preparation	on Blank	<pre>Matrix (soil/water):</pre>			,		
Preparation	on Blank	Concentration Units (ug/L or mg/kg)	:			

Analyte	Initial Calib. Blank (ug/L)	С	in B C	uing Calib lank (ug/L 2	ra [·]) C	tion	3 0	С	Prepa- ration Blank		м
Mercury											
										- - -	

NR = Analyte Not Requested

11/1/06

NEI FORM 4 - (9/93)

MATRIX SPIKE RECOVERY DATA SHEET

Lab Name:	NYTEST_E	NV_INC	Contract:	9723560	PMO17S	
Lab Code:	NYTEST	Login No.:	32913_	QC Repo	ort No. : R	 FP 1
Matrix (so			_		(low/med):]	
% Solids f	or Sample			·		
		- ration Units (ug/	L or mg/kg dry	weight): MG/	'KG	
Analyte	Control Limit %R	Spiked Sample Result (SSR)	Sample C Result (SR)	Spike C Added (S	SA) %R	Q M
Mercury	75-125_	0.7157_	0.1464	0.	6587.6	- cv
			_			-
			_			- -
			-			- -
						-
			-	_		-
			-	-		-
						_ _
				_		_ _
Comments: PMO17MSI)					-
						- -
NR : Analy	te Not P	equired				-
m mialy	CE NOC R	.equiteu				

NEI FORM 6 - (9/93)

000037

SAMPLE NO.

DUPLICATES

~ -			
SA	МŁ	'LE	NO.

Lab Name: NYTEST_ENV_	INC	Contract: 9723560	PMO17D
Lab Code: NYTEST	Login No.: 32913	QC Re	port No. : RFP_1_
<pre>Matrix (soil/water):</pre>	SOIL_	Level	(low/med): _LOW
% Solids for Sample:	_77.2	% Solids for	Duplicate:77.2
Concentra	tion Units (ug/L	or mg/kg dry weight):	MG/KG
			, , , , , , , , , , , , , , , , , , ,

}	Í				П		- 1		7	T .
Analyte	Control Limit		Sample (S)	С		Duplicate (D)	С	RPD	Q	М
Mercury	0.1_		0.1464			0.1813			_	cv
<u> </u>		-		-			_			
	_	۱۱-		-			-		_	
		1		[-]			-		-	
							-		-	
		.		-						
		$\cdot \ $		-			-		-	
		1		-			-		-	
				_			-		-	
	_			_						
				-	1		_		_	_
				-			-		-	
		П		-	1		-	-	-	
					1				-	_
	_	П		-	.		_		1=1	
	-	$\ \ $		-	-		-		1-1	
				-	1.		-	J	-	-
			·	_						
	-	$\ \ $		-1	.		_		-	
				-	-		-		-	-1
		1 1		1			1	1 ()	1 1	

NR : Analyte Not Requested

NEI FORM 8 - (9/93)

LABORATORY CONTROL SAMPLE

Lab Name: NYTEST_E	NV_INC	Contract:	9723560		
Lab Code: NYTEST	Login No.: 32913_		QC Report	No.:	RFP_1_
Solid LCS Source:	ERA235				
Aqueous LCS Source	:				

Analyte	True	eous (ug/ Found	L) %R	True	Sol: Found	id C	(mg/kg) Lin	mits		%R
Mercury_				1.2	1.0	_	0.8		1.5	_83.3
		·	ļ 			-				
				l 		-				
						_				
	<u> </u>		, <u>, , , , , , , , , , , , , , , , , , </u>			_				
				l		-		-		
						-				
						_				
						-1				
						-				
						-				
						-				
										
	<u> </u>					-				
						-	1			
								-		
	l	Í		<u> </u>		_1				



Roy F. Weston, Inc.
Federal Programs Division
Suite 201
1090 King Georges Post Road
Edison, New Jersey 08837-3703
908-225-6116 • Fax 908-225-7037

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM EPA CONTRACT 68-W5-0019

April 7, 1998

Ms. Irmee Huhn U.S. Environmental Protection Agency, Removal Action Branch 2890 Woodbridge Avenue Edison, New Jersey 08837

TDD NO: 02-97-11-0004-B DCN NO: START-02-F-01735

SUBJECT: SAMPLING TRIP REPORT

PYRIDIUIM MERCURY DISPOSAL SITE NO. 1,

HARRIMAN, NEW YORK

Dear Ms. Huhn:

Enclosed please find one (1) copy of the Sampling Trip Report for the March 13 and March 25, 1998 sampling events at the above referenced site. As stated in the Sampling QA/QC Work Plan, the final report will be submitted within two (2) weeks of validation of the analytical data package. The final report shall include the following information:

- 1. Project/site background;
- 2. Project objectives;
- 3. Sampling scheme/strategy;
- 4. Sample collection (dates);
- 5. Project personnel and their affiliations;
- 6. Analytical results:
- 7. Site figure/map indicating sample locations:
- 8. Site specific QA/QC plan;
- 9. Discussion of analytical results.

Sincerely,

ROY F. WESTON, INC.

M. Mahr/=sp/

Michael Mahnkopf

Project Manager

Enclosure

SAMPLING TRIP REPORT

SITE NAME:

Pyridium Mercury Disposal Site No. 1

DCN #: START-02-F-01735 TDD #: 02-97-11-0004-B

SAMPLING DATE: March 13 and 25, 1998

EPA I.D. NO.:

EV

1. Site Location: Pyridium Mercury Disposal Site No. 1

Route 17M

Harriman, New York

(See Figure 1)

2.

Sample Descriptions: Thirty-nine (39) surface and twenty-five (25) subsurface soil samples were collected from various locations throughout the Pyridium site. Twenty-two (22) surface and thirteen (13) subsurface soil samples were submitted for total mercury (Hg) analysis. Four (4) field duplicates and four (4) matrix spike/matrix spike duplicates were also submitted for Hg analysis. See Tables 1

and 2 for additional information.

3. Laboratory Receiving Samples:

Analysis

Name and Address of Laboratory

Total Mercury

Industrial Corrosion Management (ICM)

1152 Route 10

Randolph, NJ 07869 (973) 584-0330

4. Sample Dispatch Data:

> On March 13, 1998, a total of fifteen (15) soil samples and one (1) rinsate blank were delivered to ICM by Region II START personnel.

On March 19, 1998, a total of eleven (11) soil samples were received by ICM personnel at the Region II START office, located in Edison, New Jersey.

On March 26, 1998, a total of ten (10) soil samples and one (1) rinsate blank were received by ICM personnel at the Region II START office, located in Edison, New Jersey. On March 31, 1998, a total of seven (7) soil samples were received by ICM personnel at the Region II START office, located in Edison, New Jersey.

5. On-Site Personnel (03/13/98):

Name	Representing	Duties on Site
Irmee Huhn	US EPA	On-Scene Coordinator
Michael Mahnkopf	Region II START	Project Manager
Christoph Stannik	Region II START	Sample Technician
Bruce Lin	Region II START	Sample Technician

6. On-Site Personnel (03/25/98):

Name	Representing	Duties on Site
Irmee Huhn	US EPA	On-Scene Coordinator
Adly Michael	Region II START	Sample Technician
Brian McGinn	Region II START	Sample Technician

7. Additional Comments:

On March 13, 1998, START collected thirty one (31) surface (0-3") soil samples and eleven (11) subsurface soil samples from locations identified by the OSC throughout the Pyridium site. Two (2) field duplicates, two (2) matrix spike/matrix spike duplicates, and one (1) rinsate blank were also collected. Surface samples were collected with dedicated plastic scoops and/or spatulas. Subsurface soil samples were collected with non-dedicated stainless steel hand augers.

Eleven (11) of the thirty-one (31) surface soil samples, two (2) field duplicates, two (2) matrix spike/matrix spike duplicates, and one (1) rinsate blank were submitted to ICM for total Hg analysis on March 13, 1998. Based upon the results of the samples submitted on March 13, 1998, an additional six (6) surface and five (5) subsurface soil samples were submitted to ICM for total Hg analysis on March 19, 1998.

START also collected three (3) composite soil samples which were generated from grab samples collected from locations identified by the OSC as follows:

Comp. No. 1

Former sample location PM 013; Sample location I3 (18-24"); Sample location I4A (6-9").

Comp. No. 2

Sinkhole at D150; Sample location M2 (24-30"); Sample location K2 (6-12").

Comp. No. 3

Sinkhole at D150; Sinkhole at E3.

The three (3) composites were representative of the Hg contaminated waste material encountered on-site. The subject samples were delivered to Westinghouse Remediation Services, Inc. for waste disposal analysis.

On March 25, 1998, START collected eight (8) surface (0-3") soil samples and fourteen (14) subsurface soil samples from locations identified by the OSC throughout the Pyridium site. Five (5) field duplicates, five (5) matrix spike/matrix spike duplicates, and one (1) rinsate blank were also collected. Surface soil samples were collected with dedicated plastic scoops and/or spatulas. Subsurface soil samples were collected with non-dedicated stainless steel hand augers.

Four (4) of the eight (8) surface soil samples, four (4) of the fourteen (14) subsurface soil samples, one (1) field duplicate, one (1) matrix spike/matrix spike duplicate, and one (1) rinsate blank were submitted to ICM for total Hg analysis on March 26, 1998

Based upon the results of the samples submitted on March 26, 1998, an additional one (1) surface soil sample, four (4) subsurface soil samples, one (1) field duplicate, and one (1) matrix spike/matrix spike duplicate were submitted to ICM for total Hg analysis on March 31, 1998.

Enclosed as Attachment A are copies of the chain of custody forms.


Sampling equipment decontamination was performed in accordance with the procedures outlined in the Sampling Equipment Decontamination EPA/ERT SOP #2006. EPA/ERT SOP #2006 was included as Attachment B of the Sampling QA/QC Work Plan for the Pyridium site (DCN: START-02-F-01679).

8. Report prepared by: Michael Mahnkopf M.M.

Date: April 7, 1998

9. Report reviewed by: Thomas O'Neill

Date: April 7, 1998



90TOOT

TABLE 1

SAMPLE ID	MATRIX	DEPTH	DATE/ TIME	ANALYSIS	DESCRIPTION
A1	Soil	0-3"	03/13/98 0900 hrs	Not analyzed	Brown silt/sand with small amt. of gravel
B1	Soil	0-3"	03/13/98 0910 hrs	Not analyzed	Same as above with increased amt. of gravel
A2	Soil	0-3"	03/13/98 0915 hrs	Total Hg	Brown silt/sand with small amt. of gravel
B2	Soil	0-3"	03/13/98 0915 hrs	Total Hg	Same as above
В3	Soil	0-3"	03/13/98 0920 hrs	Total Hg	Black/brown silt/sand
A3	Soil	0-3"	03/13/98 0920 hrs	Not analyzed	Same as above
E3A	Soil	0-3"	03/13/98 0935 hrs	Total Hg	Same as above
F3A	Soil	0-3"	03/13/98 0940 hrs	Total Hg	Same as above
I4A	Soil	0-3"	03/13/98 0955 hrs	Not analyzed	Black/brown silt
I4	Soil	0-3"	03/13/98 0955 hrs	Not analyzed	Brown silt/sand with gravel
M4A	Soil	0-3"	03/13/98 1005 hrs	Total Hg	Black silt/organic matter
. N4	Soil	0-3"	03/13/98 1015 hrs	Not analyzed	Brown silt/sand with gravel

TABLE 1

PYRIDIUM MERCURY DISPOSAL SITE NO. 1 HARRIMAN, NEW YORK SAMPLING & ANALYSIS

SAMPLE ID	MATRIX	DEPTH	DATE/ TIME	ANALYSIS	DESCRIPTION
O4	Soil	0-3"	03/13/98 1025 hrs	Not analyzed	Brown silt/sand with gravel
Q3	Soil	0-3"	03/13/98 1035 hrs	Total Hg	Brown silt
Р3	Soil	0-3"	03/13/98 1035 hrs	Not analyzed	Same as above
R3	Soil	0-3"	03/13/98 1045 hrs	Total Hg	Brown silt/sand
R2	Soil	0-3"	03/13/98 1045 hrs	Total Hg	Brown silt, decayed organic material
Q2	Soil	0-3"	03/13/98 1050 hrs	Total Hg	Brown silt
P2	Soil	0-3"	03/13/98 1050 hrs	Total Hg	Brown silt/sand with low amt. of gravel
R1	Soil	0-3"	03/13/98 1105 hrs	Not analyzed	Brown silt/sand with high amt. of gravel
Q1	Soil	0-3"	03/13/98 1110 hrs	Total Hg	Brown silt/sand with gravel
P1	Soil	0-3"	03/13/98 1115 hrs	Total Hg	Black silt/sand/clay mix
B2-1	Soil	0-3"	03/13/98 0915 hrs	Total Hg	Duplicate of B2
B3 MS/MSD	Soil	0-3"	03/13/98 0920 hrs	Total Hg	Matrix spike/matrix spike duplicate

TABLE 1

CAMPLE	MATDIN	DEDTI	DATE/	ANIAFNOTO	DECONTRACT
SAMPLE ID	MATRIX	DEPTH	DATE/ TIME	ANALYSIS	DESCRIPTION
C3	Soil	0-3"	03/13/98 1230 hrs	Total Hg	Brown silt/sand with small amt. of gravel
C2-	Soil	0-3",	03/13/98 1255 hrs	Not analyzed	Brown silt/sand with gravel and white, chalky material
I4B	Soil	0-3"	03/13/98 1350 hrs	Total Hg	Brown silt/sand
AA1	Soil	0-3"	03/13/98 1415 hrs	Not analyzed	Black/brown silt
B2-D	Soil	18-24"	03/13/98 1455 hrs	Not analyzed	Brown silt/sand/clay mix
B3-D	Soil	18-24"	03/13/98 1510 hrs	Not analyzed	Brown silt/sand/clay mix with gravel
E3A-D	Soil	18-24"	03/13/98 1525 hrs	Not analyzed	Brown/silt/sand/clay mix with gravel
I4B-D	Soil	18-24"	03/13/98 1530 hrs	Not analyzed	Brown silt/clay with small amt. of gravel
M4A-D	Soil	18-24"	03/13/98 1540 hrs	Total Hg	Same as above
AB1	Soil	0-3"	03/13/98 1605 hrs	Total Hg	Brown silt/sand
AB1-D	Soil	18-24"	03/13/98 1610 hrs	Total Hg	Same as above
AB1-1	Soil	0-3"	03/13/98 1605 hrs	Total Hg	Duplicate of AB1

TABLE 1

SAMPLE ID	MATRIX	DEPTH	DATE/ TIME	ANALYSIS	DESCRIPTION
AB1 MS/MSD	Soil	0-3"	03/13/98 1605 hrs	Total Hg	Matrix spike/matrix spike duplicate
Q1-D	Soil	12-18"	03/13/98 1700 hrs	Total Hg	Brown silt
P2-D	Soil	12-15"	03/13/98 1655 hrs	Not analyzed	Brown silt/sand/clay mix
Q3A-D	Soil	18-24"	03/13/98 1620 hrs	Total Hg	Same as above
Q3-D	Soil	18-22"	03/13/98 1645 hrs	Total Hg	Brown soil with small amt. of sand
Q3A	Soil	0-3"	03/13/98 1620 hrs	Total Hg	Brown silt/sand
Q4	Soil	0-3"	03/13/98 1625 hrs	Total Hg	Brown silt/sand
Q4-D	Soil	18-24"	03/13/98 1630 hrs	Total Hg	Brown silt/sand
R3À	Soil	0-3"	03/13/98 1650 hrs	Not analyzed	Brown soil with small amt. of sand
P3A	Soil	0-3"	03/13/98 1655 hrs	Not analyzed	Brown silt
FB-1	Aqueous	N/A	03/13/98 1130 hrs	Total Hg	Field/Rinsate blank

TABLE 2

MARCH 25, 1998

SAMPLE ID	MATRIX	DEPTH	DATE/ TIME	ANALYSIS	DESCRIPTION
AA2	Soil	0-3"	03/25/98 1000 hrs	Total Hg	Brown silt/sand
AA2 MS/MSD	Soil	0-3"	03/25/98 1000 hrs	Total Hg	Matrix spike/matrix spike duplicate
AA2-1	Soil	0-3"	03/25/98 1600 hrs	Total Hg	Duplicate of AA2
AA2-D	Soil	18-24"	03/25/98 1010 hrs	Not analyzed	Brown silt/sand
AB2	Soil	0-3"	03/25/98 1000 hrs	Total Hg	Same as above
C3-D	Soil	18-24"	03/25/98 1028 hrs	Total Hg	Brown clay with gravel, wet
D3-D	Soil	-18-24"	03/25/98 1030 hrs	Not analyzed	white, clay-like material
E3-D	Soil	18-24"	03/25/98 1530 hrs	Not analyzed	white, clay-like material
F3A-D	Soil	18-24"	03/25/98 1106 hrs	Total Hg	Same as above
I4C	Soil	0-3"	03/25/98 1107 hrs	Total Hg	Same as above
I4C-D	Soil	18-24"	03/25/98 1110 hrs	Total Hg	Same as above
I4C-D MS/MSD	Soil	18-24"	03/25/98 1110 hrs	Total Hg	Matrix spike/matrix spike duplicate

TABLE 2

MARCH 25, 1998

SAMPLE ID	MATRIX	DEPTH	DATE/ TIME	ANALYSIS	DESCRIPTION
I4C-D-1	Soil	18-24"	03/25/98 1140 hrs	Total Hg	Duplicate of I4C-D
I4D	Soil	0-3"	03/25/98 1125 hrs	Not analyzed	Brown silt/sand with gravel
I4D MS/MSD	Soil	0-3"	03/25/98 .1125 hrs	Not analyzed	Matrix spike/matrix spike duplicate
I4D-1	Soil	0-3"	03/25/98 1125 hrs	Not analyzed	Duplicate of I4D
R3-D	.Soil	15-18"	03/25/98 1400 hrs	Total Hg	Brown silt/sand/clay mix
S3-D	Soil	16-18"	03/25/98 1430 hrs	Not analyzed	Brown silt/sand, wet
S3-D MS/MSD	Soil	16-18"	03/25/98 1430 hrs	Not analyzed	Matrix spike/matrix spike duplicate
S3-D-1	Soil	16-18"	03/25/98 1430 hrs	Not analyzed	Duplicate of S3-D
Ř2-D	Soil	3-6"	03/25/98 1500 hrs	Total Hg	Brown silt/sand, wet
S2	Soil	0-3"	03/25/98 1515 hrs	Not analyzed	Brown silt/sand
S2-D	Soil	11-14"	03/25/98 1515 hrs	Not analyzed	Brown silt/sand, wet
S2-D MS/MSD	Soil	11-14"	03/25/98 1515 hrs	Not analyzed	Matrix spike/matrix spike duplicate

TABLE 2

PYRIDIUM MERCURY DISPOSAL SITE NO. 1 HARRIMAN, NEW YORK SAMPLING & ANALYSIS

MARCH 25, 1998

SAMPLE ID	MATRIX	DEPTH	DATE/ TIME	ANALYSIS	DESCRIPTION
S2-D-1	Soil	11-14"	03/25/98 1515 hrs	Not analyzed	Duplicate of S2-D
P1-D	Soil	9-12"	03/25/98 1330 hrs	Total Hg	Brown sand with gravel, wet
AB2-D	Soil	18-24"	03/25/98 1530 hrs	Not analyzed	Brown/grey
T4	Soil	0-3"	03/25/98 1353 hrs	Total Hg	Brown silt/sand
T4-D	Soil	18-24"	03/25/98 1403 hrs	Total Hg	Brown clay
U4	Soil	0-3"	03/25/98 1353 hrs	Not analyzed	Brown silt/sand
U4-D	Soil	18-24"	03/25/98 1403 hrs	Not analyzed	Brown clay
S3 ·	Soil	0-3"	03/25/98 1430 hrs	Not analyzed	Brown silt/sand
RB-1	Aqueous	N/A	03/25/98 0915 hrs	Total Hg	Field/Rinsate Blank

ATTACHMENT A

CHAIN OF CUSTODY FORMS

CHAIN OF COSTODI VECOV



SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEA TEA CONTRACT 68-WS-0019

Page: 904-725-5116 Fam 904-725-707

الد	TEMPE DOX INC.	and a second	
	1. Surface Water	1. HQ	
_	2. Ground Water	2. HN03	ĺ
•	3. Leachate	3. Na2SO4	
	4. Rinsets	4. H2SO4	۱
м	5. Soil/Sediment	5. Other (Specify)	
	6. Oil	6. Ice Only	
	- TI	N Not Preserved	

• See Commen

-na veriai	mai.	written	resuits	tc:

Roy F. Wester, Inc., USEPA Region II START

Suite 201, 1090 King Georges Post Rosc, Edison, New Jersey 08837-3703

8. Other (Specify)

						ion:																	
Sample Number	Ser	oie Coilection	Sempi	Con	إ ۵	نجسو	e	Service	: 12			YAN	TYE	2	SSS	303	Y AN	T.X22	11 	ļ	CIHE	7	:
	-	DD/YY/Time	Metric	Los	-L	Type	.	7	٠ j۲	ואסי	AME	7-24	PO4		C	XEN	C)X	 		ĵ		-	
		•	(Conser															1		į	i		
		37-3	-			Cob	<u> </u>	<u> </u>	<u>" </u>				<u> </u>	i I	<u>-</u>	<u></u>	i -	i	Ī				,
B 入	3/4	3/ <i>98</i> 0915	5	17	ħ	G	-	6	1			<u> </u>	 	1	<u> </u> 	<u> </u>	<u> </u> 	<u> </u> 	17	<u>מז</u>	TAL	<u> </u>	9
B2-1		0915	1	<u> </u>	1				1			<u> </u>	1	<u> </u>		<u> </u>	<u> </u>		<u> </u>		-		
B3		0920														<u> </u>	1	<u> </u>	 				
B3 "1212		0910	,						_		<u> </u>	<u> </u>	<u> </u>		<u> </u>		<u> </u>	<u> </u>	 				
E3A		093)	1								<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> -</u>	<u> </u>		+				
m4A		190 S			L							<u> </u>	<u> </u>	<u> </u>	<u> </u>	1		<u> </u>	-				
Q3		103 s	1					1				1	<u> </u>		<u> </u>	<u> </u>	<u> </u>		1_				-
Q1		1110									<u> </u>	<u> </u>	<u> </u>	_	<u> </u>	<u> ·</u>		<u> </u>	_				-
PZ		105						\coprod		_	<u> </u>	_	<u> </u>	<u> </u>		<u> </u>	<u> </u> _	<u> </u>	1				
I4B		1354	,									<u> </u>	_	_	_				1				
AB1	1	1605	- 4	_ '	1	1		<u> \</u>	V			<u> </u>								_			<u> </u>
Comments:	B	3 ms/	בוכוז	>												•				÷			
•																		Tir	me .		Date (ADA/D	D/YY)
Person Assuming R		initity for Sample (a.L.)									• .								۔ ک	0	3/	13/	98
/ / ·	17-11	amished But	<u></u>			IT:		Der	=	Re	œive:	i By:						Re	1100	ior C	Penge O	t Cnac	κέγ
Sample Number ALL		J1 71.	h	Ly	/	1		20 3-					Ąċ		6				TA	a	nsfe	rto	Ja
Sample Number		nquished By:			•	Ti	me	De	<u></u>	Re	czivo	d By:	<u></u>	<u></u>				R	1100	for C	Change o	it Cast	ociy
l 													•				:			1	I		
	<u> </u>					 		ID.		10-		d By:						IR.	cason	for	Change o	of Car	οέy
Sample Number	Rei	nquished By:				. 11	me	ייי	Œ			wy-			_	.							
	<u> </u>									1								1.			<u></u>		

Roy F. Weston, Inc.

FEDERAL PROGRAMS DIVISION

In Association with Resource Applications, Inc., R.E. Serviera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

100115

EP26a:: -	CHAIN U	of COST	UDIR	TCOKD	Matrix Box No	Preservative Box No.
					1. Sucisco Water	1. H□
2477			₹7./I		2. Ground Water	2 HN03
O No.		7V7(20)7/	\$17.		3. Loscheto	3. Na2304
<u> </u>			BECORTINIS		4. Rinsato	4. H2SO4
91064	SUPERFUND T	ECHNICAL ASSESS		ESPONSE TEAM	5. Soil/Sediment	5. Other (Specify)
71-07	•	EPA CONTRACT			6. Oil	6. Ice Only N. Not Preserved
	3	704-775-5116 Fa	<u>⊏ 90\$-225-7037</u>		7. Waste 3. Other (Specify)	11
		D = W-	ann ine TTS	EPA Region II S		
end verbal and w	Anner Learning to:	Suite 201	1000 Kina Ga	orges Post Rosci,	Edison, New Jer	nev 08837-3703
•		Attention:	Smira Sumba	iy, START Analy	rical Coordinato	
Sample Number	I .		Semple 1904	I I I I I I I I I I I I I I I I I I I	UCY DEN ICHE IE	PACI CTHER
	MM/DD/YY/Time	Matrix Low-L Type Change Mod-M Comp	1 1			
•		best # High H Grab				
	13/13/98	1/11/	1 / 1	1 1 1 1		1 - H
AB1-1_	1 1605	15 17m1 G	6			Total Hg
717		1 1 1 1				
ABI MUD	1603			1 1 1	<u> </u>	
03A	1620					
$\frac{Q M}{M}$			11			
<u> </u>	1625	 	<u> </u>	1 1 1		
FB-1	1130	14 1	2			<u> </u>
						i
	1					
					1 1 1	
	1		-	+ + + +	- 	
				1 1		
j .						
Comments:		<u> </u>				
	ABI MT	- (M ST)			,	:
					i i	Time Date (MM/DD/YY)
Person Assuming R	esponsibility for Sample	E:				
M	Maktel	/				1550 3/13/4)
Sample Number	Reimquished By	Tim	e Date Re	eccived By:		Reason for Change of Custody
ALL	M No	the 19	1:003-13-	C. A	ud	Transfer Tolo
Sample Number	Reimquished By:			ecsived By:		Reason for Change of Custody
Samue Number	Araminiana Dy.	*				; '
				•	:	!
·						D Change of Commons
Samnie Number	Reimouished By:	Tin	ne Date R	eccived By:		Reason for Change of Custody

Roy F. Weston, Inc.

Sample Number

FEDERAL PROGRAMS DIVISION

Reimquished By:

In Association with Resource Applications, Inc., R.E. Serriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

***	CHAIN C)F(פוזר	STO	ŊΥ	R	E	$\mathbb{C}\Omega$	RI	D	Mar	rix P	lox N	[0 .2		Proscrysti	ve Box No.:	
		· L \			۰ سد		`			· · · · · · · · · · · · · · · · · · ·		~~~~~	Wate	*		1. HQ		
2477	•	$\nabla \nabla$	ाच र	7	ア、例				-				Wate		:	2. HN03		
P No.:	•	W	᠘ᠫ)∐ <i>Æ</i>	لكيح	• ,		,		- 1	3. L	eche	te		3. Na2504 4. H2504			
		W+G	≈ <u> </u>	/ DESCHERS/	THEIR THEIR					- 1		neeto		_	⊶ifv)			
91064	SUPERFUND T			SSESSMI LACT 68			ESPO	NSE 7	EAN	- 1	5. S. 6. O		dimeo	ot 5. Other (Specify) 6. Ice Only				
_ 110				IALI OF						- I	0. U 7. W				1	N. Not Pres	eved	
	•									:			Speci	fy)		• See Con	ments .	
S diverbal and w	ritten results to:		Roy F	. Westo	m, Inc.,	, US	EPA	Regi	on II	ST.	ARI				0000			
			Suite 2	201, 10	90 King	G⇔	orges	Post	Ros	d, E	disc	ю, N	lew J	ersey	0883	- 201 - - 103		
			Attent	ion: Sr	nita Sur	nbal	y, 57	(AR)	An	пλа	CET (<u></u>		UT				
emple Number	Sample Collection	Sempie	Conc.	Sample				S ANU						TAZE			5	
•	MM/DD/YY/Time		Low-L	-//-		VOA	BNA	P231	PCB4	TAL	C7	KIN	COR	REAC		OTHE	K	
A 0 1 3		-	L	Comp-C Grab-G	(Enter ber (A)									_				
- 4B-1J	Olyana C. davis	I	, , ,	/	/		i								<u> —</u>	6 OM4	/	
AU-100	3/13/98 1610	5	16	6	6			<u> </u> 								01001	`	
12	3/13/98 0915	15	12	6	6													
1,3	3/13/98 1250	15	16	6	6									·				
+3A	3/13/98 0940	5	1	6	6								_					
YA -D	3/13/98 1340	5	1	6	6												_	
Q4-D	3/13/98 1630	5	14	6	6													
3A-D	3/13/98 1620	5	1	6	6											<u> </u>		
03-JQ3D	3/13/98 16/5	15	L	6	6											<u> </u>		
~3-J ^{Q3-D}	3/13/98 1050	5	1	6	6													
7/:	3/13/98 1115		1	G	6											4		
R2	3/13/98 1045	5	L	6	6]	- 	
	MSD - USE		יו זער	CIE	R/IE	ח	<i>() j</i>	CHI	Ohi	N		DET	11/1	RES	03	113/93	•	
163	OR SELĒ	SHI	ANI	JULI	11/CJ	/ U } ∩ ∠	11/1 11/1	#161 [JA	171	7/ F) []	., - C	,,	•	- ;		
mon Assuming Da	DIC JELU sponsibility for Sample	<u> </u>	TIV	1 0	10	<u></u>		-	7/1	, , t	<i>U</i> U	<u>-</u>		Time	PAR	Date (M)	M/DD/YY)	
•	OPH STANN		STA	RT										3/13/	198			
	Relinquished By:				Date	Rec	cived	By:								Change of C	_	
ALL	C. A-	山		3/13/6	16:30	-	T.H	UHA	V, t	FPA	9					le sro		
mple Number	Relinquished By:	· ·	•	Time	Date	Ræ	eived	By:				-		Reaso	n for	Change of (Curody	

C. STANNIL.

13,30

Roy F. Weston, Inc.

mple Number

mpie Number

ALL

DERAL PROGRAMS DIVISION

Relinquished By:

C. STAMVILL

TRANSFER TO LAB

TRANSFORTO LAB

Reason for Change of Custody

RFP No.: 2477 PO No.: 91064

CHAIN OF CUSTODY RECORD



SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM EPA CONTRACT 68-W5-0019

Phone: 908-225-6116 Fax: 908-225-7037

Matrix Box No.:	Prese	vative Box No.:
1. Surface Water	1. HCI	
2. Ground Water	2. HN) 3
l	2 11-2	2504

3. Leachate	J. 1482,304
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	 See Comments
10 (- F //	

Send verbal and	written results to:		Cuita 2	01, 10 on: Sr	n, Inc., 90 King nita Sur	g Geor nbaly,	ges Po STAI	ost Ro RT Ar	ad, E nalytic	dison cal Co		iatoi			703
Sample Number	Sample Collection MM/DD/YY/Time	Matrix (Enter	Conc. Low-L Med-M	Type Comp-	Preserv C (Enter	VOA	BNA	PEST	YSIS PCBs	TAL	CN	IGN	COR	REAC	OTHER
C3D	3/25/98/1000 3/25/98/1600 3/25/98/100 3/25/98/100 3/25/98/100 3/25/98/13/98/104	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	M/L M/L M/L M/L M/L M/L M/L M/L M/L M/L	T	6 6 6 6 6										Hg.
	3/25/98 150 3/25/98 133		M/1 M/1 L	C	6 6	,									
Person Assumit	MS/M ng Responsibility for r Relinquished By: PRELINQUISHED BY	Sample:	Ale	y /	1/1C se Date 30 3/2	Re Re	AM eceived	By:	~^^	<u></u>				Rea Rea	e Date (MWDD/YY) 2/25/98=176 ason for Change of Custod ason for Change of Custod ason for Change of Custod
Sample Numbe	Relinquished By	:		Tin	ne Da	te R	eceive	d Ву:	•					, in the	23011.01

Roy F. Weston, Inc.

FEDERAL PROGRAMS DIVISION

In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

CHAIN OF CUSTODY RECORD Matrix Box No.: Preservative Box No.: 1. Surface Water 1. HCI 2477 2. Ground Water 2. HN03 3. Leachate 3. Na2SO4 PO No.: 4. H2SO4 4. Rinsate 5. Soil/Sediment 5. Other (Specify) 91064 SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM 6. Oil 6. Ice Only EPA CONTRACT 68-W5-0019 N. Not Preserved 7. Waste Phone: 908-225-6116 Fax: 908-225-7037 See Comments 8. Other (Specify) Roy F. Weston, Inc., USEPA Region II START Send verbal and written results to: Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703 Attention: Smita Sumbaly, START Analytical Coordinator Sample | Sample | RAS ANALYSIS RCRA ANALYSIS Sample Collection Sample Conc. Sample Number IGN COR REAC OTHER Preserv. VOA BNA PEST PCBs TAL CN MM/DD/YY/Time Low-L Туре Comp-C (Enter Med-M Grab-G box #s) High-H box #) Mercury 1 3/25/98-1000 I4C-D-1 3/25/98-1140 3/13/98-1700 Q1-D

Comments: Extra volume (Z jars)	of Sam	ale # I4C-D for M	IS/MSD analysis. An
Person Assuming Responsibility for Sample: Adly Michael			Time Date (Interest)
Sample Number Relinquished By: All Adly Michael		48 7. 2	Reason for Change of Custody Analysis Reason for Change of Custody
Sample Number Relinquished By:	Time Date	e Received By:	!
Sample Number Relinquished By:	Time Dat	e Received By:	Reason for Change of Custody

Roy F. Weston, Inc.

FEDERAL PROGRAMS DIVISION

In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 2 290 BROADWAY NEW YORK, NY 10007-1866

MAR - 6 1998

ACTION MEMORANDUM

DATE:

SUBJECT: Request for a Removal Action Restart and Ceiling Increase for the Pyridium

Mercury Disposal Site No. 1, Village of Harriman, Orange County, New York

FROM:

Irmgard P. Huhn, On-Scene Loordinates

Removal Action Branch

TO:

Jeanne M. Fox

Regional Administrator

THRU:

Richard L. Caspe, Director Am

Emergency and Remedial Response Division

Site No.:

EV

L PURPOSE

The purpose of this Action Memorandum is to request and document approval of the removal action restart and ceiling increase proposed herein for the Pyridium Mercury Disposal Site No. 1 (Site), Village of Harriman, Orange County, New York, 10926. The Site is not on the National Priorities List (NPL) and there are no nationally significant precedent-setting issues associated with the proposed removal action. A 12-month exemption and ceiling increase was obtained in the Action Memorandum signed September 26, 1997. The Site continues to meet the criteria for a 12-month exemption.

The Site consists of a residential/commercial property which was backfilled with mercury contaminated industrial waste. Five mobile home trailers, used for residential purposes, formerly occupied the Site. An Administrative Order on Consent (AOC) was issued to Nepera, Inc. and executed by the U.S. Environmental Protection Agency (EPA) on November 28, 1994. Under

the AOC, Nepera Inc. agreed to assist with the relocation of residents in the mobile home trailer park. Following Nepera's completion of the relocation activities, EPA initiated an interim removal action under verbal authorization, to decontaminate and/or dispose of the five mobile home trailers.

On September 25, 1997, an Action Memorandum was approved which authorized site work involving installation and/or repair of security fencing and installation of drainage controls to minimize off-site migration of mercury contaminated soil via surface water runoff.

Activities proposed in this Action Memorandum focus on the excavation and disposal of the contaminated soil. The Site now includes both the residential/commercial property mentioned above as well as that portion of wetlands which is contaminated with mercury in excess of the cleanup level established in Section V below.

The Site meets the criteria for a removal action under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) as described in Section 300.415 of the National Contingency Plan (NCP). The funding necessary to mitigate the threats associated with the Site is \$1,268,500, of which \$926,400 is from the Regional removal allocation. These costs, added to the costs for the initial removal actions (\$71,000 and \$86,800), bring the total project cost to \$1,426,300, of which \$1,028,400 is for mitigation contracting.

II. SITE CONDITIONS AND BACKGROUND

The Comprehensive Environmental Response, Compensation and Liability Information System ID Number for the Site is NY0000856237. The activities proposed in this Action Memorandum will be the fourth removal action undertaken at the Site. The first action was initiated in November 1994, by Nepera, Inc. to permanantly relocate the residents. This action was conducted under an AOC. The second removal action was initiated by EPA on January 9, 1995, upon verbal authorization from the Division Director, to address the decontamination and sale, or dismantling and disposal of the five trailers on the Site. Additionally, a fence was installed around the Site to reduce the public's risk of direct contact with hazardous substances. The removal action was completed on April 7, 1995. The third removal action was initiated on September 30, 1997 to repair existing fencing or install new fencing on the property perimeter and implement on-site drainage controls to minimize the migration of mercury contamination off-site.

The actions proposed in this Action Memorandum are necessary to continue site activities to address the threats associated with mercury contaminated soil on the Site. The activities proposed involve excavation, stockpiling and disposal of contaminated soil, post excavation sampling and site restoration. Implementation of these activities will eliminate the threats to public health and the environment associated with the Site.

A. Site Description

1. Removal site evaluation

On August 8, 1994, the New York State Department of Health (NYSDOH) and New York State Department of Environmental Conservation (NYSDEC) discovered a white, clay-like substance during an investigation of a complaint from the owner of a transmission shop located adjacent to the Site. The NYSDEC and NYSDOH collected samples of the waste material for laboratory analysis. Analysis of the samples revealed elevated concentrations of mercury (maximum concentration of 653 mg/kg). Mercury is typically found in soils in this geographic location at levels of less than one mg/kg. This waste is a designated CERCLA hazardous substance and is listed in 40 CFR Table 302.4.

A letter dated September 9, 1994, from the NYSDOH, outlined site conditions and requested that the NYSDEC seek assistance from the EPA in addressing the site-imposed threats to public health, welfare and the environment. The Site was formally referred to EPA for CERCLA removal action consideration by the NYSDEC on September 29, 1994. The referral letter is included in Attachment A, Appendix A.

From October 13 thru 15, 1994, EPA and the Technical Assistance Team (TAT) performed a preliminary assessment (PA) at the Site. The PA included verification of mercury contamination and delineation of the horizontal extent of contamination in surface soils. A total of 54 surface soil samples were analyzed using a Spectrace Model 9000 X-Ray Fluorescence Analyzer (XRF). XRF field screening results identified widespread mercury contamination of the trailer park surface soils. The area of surface contamination was initially estimated to encompass 15,000 square feet.

On October 20, 1994, one composite waste sample was collected by EPA for waste characterization and mercury speciation. For the purpose of waste characterization, the sample was analyzed for Target Compound List (TCL) parameters, Target Analyte List (TAL) parameters and toxicity via the Toxicity Characteristic Leachate Procedure (TCLP). TAL analysis detected concentrations of mercury above 25 ppm, which is the cleanup level recommended by the Agency for Toxic Substances and Disease Registry (ATSDR) (see Attachment B). TCL compounds detected in the waste sample include: methylene chloride, pyrene, phenanthrene, fluoranthene, benzo(k)fluoranthene, benzo(b)fluoranthene, benzo(a)anthracene, chrysene and benzo(a)pyrene. However, these organic compound concentrations are below NYSDEC-recommended soil cleanup objectives. The TCLP results are below the Resource Conservation and Recovery Act (RCRA) regulatory levels for hazardous waste classification. Mercury speciation results indicate that the sample is a chemical substrate contaminated with a mercuric or mercurous salt, not elemental mercury.

On November 17, 1994, the EPA Environmental Response Team (ERT) and the Response Engineering and Analytical Contractor (REAC) collected dust samples from each of the on-site

mobile homes. Analytical results of the sampling event indicate mercury concentrations ranging from 0.84 mg/kg to 26.8 mg/kg; the highest concentration of mercury was detected at the entrance area in mobile home No. 3.

On December 6, 1994, ERT, REAC and TAT collected soil samples from borings to determine the vertical extent of contamination. Soil samples were screened using an XRF for the presence of mercury. Based on XRF data, it is estimated that 4,000 cubic yards of waste and contaminated soil exist on-site.

2. Physical location

The Site is located in a mixed residential/commercial area at the intersection of Route 17M and local Route 71 (Harriman Heights Road) (Attachment A, Appendix B, Figure 1). The property (Block No. 5: Lot No. 2) is bordered on the northwest by an auto transmission shop, on the northeast by Route 17M, on the southeast by wetlands and on the southwest by residential properties. (The wetlands are not formally designated as such on the corresponding U.S. Department of the Interior National Wetland Inventory Map). Five mobile homes were located in the trailer park. Approximately 16 people resided in the mobile homes which vary in size from 400 to 900 square feet. An elementary school is located approximately 1,000 feet north of the Site.

3. Site characteristics

The residential/commercial property encompasses 1.93 acres. The contaminated portion of the residential/commercial property occupies approximately only one acre of the total property area (Attachment A, Appendix B, Figure 2). The Site also includes that portion of the wetlands adjacent to the residential/commercial property which is contaminated with mercury in excess of the cleanup levels established in Section V below. On-site contamination is reportedly from the disposal of mercury-contaminated industrial waste generated by the Pyridium Corporation. Disposal of the waste occurred during the 1940's when the material was used to fill in low-lying areas of the property.

Field investigations indicate that approximately 4,000 cubic yards of waste and contaminated soil are present on the Site.

4. Release or threatened release into the environment of a hazardous substance, or pollutant, or contaminant

Mercury is a CERCLA-designated hazardous substance, as defined by Section 101(14). The mercury contaminated waste is visible in surface soils and has been identified in subsurface soils. Site investigations determined that approximately 4,000 cubic yards of waste is present on-site. The waste is unconfined and has migrated from the residential/commercial property into an adjacent wetlands from surface water run off. The security fence surrounding the Site is in

disrepair permitting access to the property. Since the waste is present in surface soils, there is the potential for direct contact with the waste and for the waste to be tracked off-site by humans and animals visiting the Site.

Additionally, a drainage culvert in the wetland area carries water from the Site to a creek located northeast of State route 17M which is directly across from the Site. Laboratory analysis of sediment samples collected downstream of the culvert indicate that the waste is migrating from the Site.

5. NPL status

The Site is not listed on the NPL. The Site has been evaluated by the ATSDR. The health consultation is included in Attachment A, Appendix C.

6. Maps, pictures and other graphic representations

Figures 1 and 2, which are included in Attachment A, Appendix B, illustrate the location and configuration of the Site.

B. Other Actions to Date

1. Previous actions

On October 12, 1994, a public meeting was held in the Village of Harriman to discuss site conditions, present the laboratory results of the August 8, 1994 sampling event and to address community concerns. The meeting was attended by representatives of the Village of Harriman, Orange County Department of Health, NYSDOH, NYSDEC, ATSDR and EPA.

On November 28, 1994, a public availability session was held in the Village of Harriman. The session was attended by representatives of NYSDOH, ATSDR and EPA. Laboratory results of the October 1994 sampling events were made available to the public in addition to discussions on future site specific actions to be performed by NYSDOH, EPA and Nepera, Inc.

On November 28, 1994, Nepera, Inc. signed an AOC with EPA agreeing to fund the relocation of the residents of the trailer park. Nepera initiated relocation settlements to the eligible residents according to federal relocation guidelines.

In December 1994, a Draft Health Consultation Report was prepared by the NYSDOH under a cooperative agreement with the ATSDR. This was finalized on August 28, 1995 and is included as Attachment A, Appendix C. The report states that the Pyridium Site is a public health hazard due to elevated mercury concentrations in soils.

On January 9, 1995, under verbal authorization, EPA mobilized the Emergency Response Cleanup Service contractor (ERCS) and TAT to begin site removal activities. As residents were relocated (in accordance with the AOC), the mobile homes were decontaminated and sold or demolished and disposed of. Prior to the sale of two of the mobile homes, the interiors were decontaminated via removal of all porous materials (carpets, curtains, furniture), cleaning of all hard surface areas and dusting of all duct work. Following decontamination, samples were collected to verify attainment of acceptable interior cleanup levels. The three mobile homes not sold were dismantled on-site and discarded as debris. All utilities (water, sewer, electric) were disconnected and all heating oil and propane storage tanks were removed for disposal/recycle. To minimize unauthorized access to the Site, a five foot fence was installed with warning signs along the northeastern boundary of the property and snow fence was placed around the remainder of the site perimeter. The removal activities were completed on April 7, 1995. The total project ceiling for this action was \$100,000.

Site stabilization activities were authorized in the ceiling increase and 12-month exemption Action Memorandum signed on September 25, 1997. Site activities included the identification of property boundaries by a licensed surveyor, delineation soil sampling and meeting with subcontractors to obtain price quotations for the installation of security fence. The stabilization actions proposed in the September 25, 1997 Action Memorandum will not be needed because these health threats will be eliminated through the proposed action.

2. Current actions

EPA is continuing site investigations to delineate the horizontal and vertical extent of mercury contamination. These investigations involve collection of surface and subsurface soil samples to establish precise excavation removal limits. The information will be incorporated into the work plan for the removal activities proposed in this Action Memorandum.

C. State and Local Authorities' Roles

1. State and local actions to date

In August 1994, the NYSDEC and the NYSDOH conducted preliminary investigations at the Site. These investigations involved the collection of soil samples from visibly contaminated areas, sampling indoor and outdoor air, utilizing a mercury vapor analyzer and meeting with the affected residents to discuss public health concerns. During the month of October 1994, the NYSDOH conducted urine mercury screening of the residents residing in the mobile homes. A total of 14 individuals participated in the testing program. All 14 individuals had urine mercury levels within the normal range, below 20 micrograms per liter.

2. Potential for continued State/local response

State and local government agencies are not able to undertake timely and costly response actions to eliminate the threats posed by the Site. Both branches of government will provide support services to EPA as the threats on-site are addressed.

III. THREATS TO PUBLIC HEALTH OR WELFARE OR THE ENVIRONMENT, AND STATUTORY AND REGULATORY AUTHORITIES

The Site meets the criteria for a removal action under CERCLA as described in Section 300.415(b)(2) of the NCP. The Site poses a health threat to local residents and animals that could come in direct contact with the hazardous substance at the Site. The conditions at the Site continue to meet the 12-month exemption criteria authorized by the deputy Regional Administrator on September 25, 1997.

A. Threats to Public Health or Welfare

The presence of mercury, a CERCLA-designated hazardous substance, at elevated concentrations, has been documented in surface and subsurface soils. Laboratory results of eleven surface soil samples analyzed by Cold Vapor Atomic Absorption identified mercury at concentrations ranging from 0.643 mg/kg to 657 mg/kg. Toxicological data regarding mercury exposure documents the risk of potential kidney and neurological system damage.

The security fence installed during the 1994 removal action is in disrepair. This condition permits the Site to be accessed by unauthorized persons who would come in direct contact with the mercury waste. Furthermore, since contamination is present on surface soil and drainage controls have not been installed, surface water runoff from the Site is causing the migration of contaminants to other unsecured off-site areas. This condition could also result in the public coming in direct contact with mercury waste.

The ATSDR Record of Activity concluded the mercury concentrations detected at the Pyridium Mercury Disposal Site No. 1 pose a potential threat to public health. The health effects of the hazardous substance are presented in Attachment A, Appendix C.

B. Threats to the Environment

Laboratory analysis of soil samples collected during the site investigation verified that mercury is present in the wetlands located adjacent to the residential/commercial property. The concentrations identified in the wetlands range from 13.7 to 38.9 mg/kg. The topography of the residential/commercial property allows migration of contaminants into the adjacent wetlands.

A sediment sample collected at the outfall of a drainage culvert located northeast of the Site, across Route 17M, was analyzed and identified mercury at a concentration of 0.643 mg/kg. This data further indicates that waste is migrating off site.

IV. ENDANGERMENT DETERMINATION

Actual or threatened release of a hazardous substance from the Site, if not addressed by implementing the response action selection in this Action Memorandum, may present an imminent and substantial endangerment to public health, welfare, or the environment.

V. PROPOSED ACTIONS AND ESTIMATED COSTS

A. Proposed Actions

1. Proposed action description

The scope of work proposed in this action is to excavate and dispose of the contaminated soil on the Site.

A description of the activities proposed for this action are presented below:

- i. Excavate and arrange for the off-site disposal of the contaminated soil;
- ii. Implement a post-excavation soil sampling plan to verify that soil excavation activities were effective in removing mercury contamination to acceptable levels. The clean up goal for this action is 25 mg/kg (ppm) mercury; and
- iii. Backfill excavations with certified clean fill, grade with topsoil and revegetate with an appropriate ground cover;

2. Contribution to remedial performance

The removal action at the Site is consistent with the requirements of Section 104(a)(2) of CERCLA, which states, "any removal action undertaken...should...to the extent practicable, contribute to the efficient performance of any long-term remedial action with respect to the release or the threatened release concerned." Since any remedial action undertaken would encompass the elements in this response, this removal action is consistent with any future remedial work.

3. Description of alternative technologies

Excavation and off-site land disposal is the most cost-effective and expedient manner to address the waste on-site.

This method of waste treatment will cause the least disturbance to the surrounding community and has the lowest potential for operational/logistical difficulties.

4. Engineering Evaluation/Cost Analysis (EE/CA)

Since this is a time-critical removal action, this section is not applicable.

5. Applicable or relevant and appropriate requirements (ARARs)

ARARs that are within the scope of this removal action will be met to the extent practicable. Federal requirements applicable for this removal action are RCRA, the Davis Bacon Act, Department of Transportation (DOT) regulations, and Occupational Safety and Health Act (OSHA) regulations.

6. Project schedule

The proposed action can begin as soon as funds are allocated. Mobilization/demobilization, security, soil excavation, disposal and site restoration are expected to be completed within four months, barring inclement weather or other unforeseen circumstances.

B. Estimated Costs

A summary of the estimated costs for the proposed action is presented below. A detailed cost estimate is included as Attachment C.

EXTRAMURAL COSTS	Previous Project <u>Costs</u>	Proposed Project <u>Costs</u>	Total Project <u>Ceiling</u> (Rounded)
ERCS START Contingency (20%)	\$102,000 19,700 	\$ 926,400 61,700 <u>197,600</u>	\$1,028,400 81,400 209,500
TOTAL EXTRAMURAL	133,600	1,185,700	1,319,300
INTRAMURAL COSTS	24,200	82,800	107,000
TOTALS	\$157,800	\$1,268,500	\$1,426,300

VI. EXPECTED CHANGE IN THE SITUATION SHOULD ACTION BE DELAYED OR NOT TAKEN

Should no action be taken, or the planned action delayed, the public health risk, especially to nearby residents, will be increased through prolonged exposure to mercury contaminated soil. Furthermore, the off-site mitigation of contaminants, via surface water runoff, will continue and allow for the migration of contaminants into adjoining areas.

VII. OUTSTANDING POLICY ISSUE

None.

VIII. ENFORCEMENT

EPA has not yet completed its investigation into whether one or more Potentially Responsible Parties (PRPs) can be identified for this Site. EPA has met with representatives of the Nepera Chemical Corporation, Inc. (Nepera), the party which as referenced in Section I of the Action Memo, relocated the residents of the trailer park, to inquire whether they would perform this removal action. Nepera, who has not been determined to be a PRP for the Site, declined. EPA is continuing to investigate Nepera as well as other individuals and/or corporations to determine whether any PRPs can be identified to perform all or a portion of this removal action. If a PRP or PRPs should be identified and is/are willing to undertake timely and appropriate corrective action, all or part of the funds requested herein may not be spent. EPA will pursue appropriate planning and implementation of the CERCLA enforcement actions concurrently with the planning and implementation of the time-critical removal action requested herein.

IX. RECOMMENDATION

This decision document represents the selected removal action for the Pyridium Mercury Disposal Site No. 1 in the Village of Harriman, Orange County, New York, developed in accordance with CERCLA, as amended, and is not inconsistent with the NCP. This decision is based on the administrative record for the Site.

Site conditions continue to meet the NCP Section 300.415(b)(2) criteria for a removal and exemption from the 12-month limit, and I recommend your approval of the proposed restart and ceiling increase of \$1,268,500. The total project ceiling, if approved, will be \$1,426,300, of which an estimated \$1,028,400 will be funded from the Regional removal allowance.

Please indicate your approval and authorization of funding, as per current Delegation of Authority, by signing below.

APPROVAL:	Jeanne M. Fox Regional Administrator	DATE:	3/5/58
DISAPPROVAL:	- 1	DATE:	
	Jeanne M. Fox		

Regional Administrator

cc: (after approval is obtained)

W. Muszynski, DRA

R. Caspe, ERRD-D

W. McCabe, ERRD-DD

R. Salkie, ERRD-RAB

J. Rotola, ERRD-RAB

G. Zachos, OMBUDSMAN

B. Bellows, EPD

P. Simons, ORC-NYCSUP

R. Gherardi, OPM-FIN

S. Murphy, OPM-FAM

B. Shaw, 5202G

C. Moyik, ERRD-PS

M. O'Toole, NYSDEC

T. Vickerson, NYSDEC

A. Raddant, OEPC

G. Wheaton, NOAA HAZMAT

O. Douglas, START

ATTACHMENT A

THE STANKS ON TH

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 2 290 BROADWAY NEW YORK, NY 10007-1866

ACTION MEMORANDUM

DATE:

SUBJECT: Request for a Removal Action Restart, Ceiling Increase, and 12-Month Exemption

for the Pyridium Mercury Disposal Site No. 1, Village of Harriman, Orange

County, New York

FROM:

Irmgard P. Huhn, On Seene Coordinator

Removal Action Branch

TO:

Jeanne M. Fox

Regional Administrator

THRU:

Richard Caspe, Director

Emergency and Remedial Response Division

Site No:

EV

I. PURPOSE

The purpose of this Action Memorandum is to request and document approval of the removal action restart, ceiling increase and 12-month exemption proposed herein for the Pyridium Mercury Disposal Site No. 1 (Site), located in the Village of Harriman, Orange County, New York, 10926. The Site is not on the National Priorities List (NPL) and there are no nationally significant precedent-setting issues associated with the proposed removal action.

York, 10926. The Site is not on the National Priorities List (NPL) and there are no nationally significant precedent-setting issues associated with the proposed removal action.

The Site consists of a residential/commercial property which was backfilled with mercury contaminated industrial waste. Five mobile home trailers, used for residential purposes, formerly occupied the Site. An Administrative Order on Consent (AOC) was issued to Nepera Inc., and executed by the U.S. Environmental Protection Agency (EPA) on November 28, 1994. Under the AOC, Nepera, Inc. agreed to assist with the relocation of residents in the mobile home trailer park. Following Nepera's completion of the relocation activities, EPA initiated an interim removal action under verbal authorization, to decontaminate and/or dispose of the five mobile home trailers at the Site.

Activities proposed in this Action Memorandum focus on preventing unauthorized access to the Site and controlling run-off of mercury contaminated soils, via surface water, from the property.

The Site meets the criteria for a removal action under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) as described in Section 300.415 of the National Contingency Plan (NCP). The funding necessary to mitigate the threats associated with the Site is \$86,800, of which \$51,000 is from the Regional removal allocation. These costs, added to the costs for the initial removal action (\$51,000), bring the total project cost to \$157,800, of which \$102,000 is for mitigation contracting.

II. SITE CONDITIONS AND BACKGROUND

The Comprehensive Environmental Response. Compensation and Liability Information System ID Number for the Site is NY0000856237. The activities proposed in this Action Memorandum will be the third removal action undertaken at the Site. The first removal was initiated in November 1994, by Nepera, Inc. to permanantly relocate the residents. The second removal action was initiated by EPA on January 9, 1995 upon verbal authorization from the Division Director.

The Action Memorandum documenting the verbal authorization was signed on February 27, 1996. The action addressed the decontamination and sale or dismantling and disposal of the five trailers on the Site. Additionally, a fence was installed around the Site to reduce the public's risk of direct contact to hazardous substances. The removal action was completed on April 7, 1995.

The ceiling increase and 12-month exemption is necessary to continue site activities to address the threats associated with mercury on the Site. The activities proposed involve the following:

- * Repair existing fencing or install new fencing on the property perimeter.
- * Implement on-site drainage controls to minimize the migration of mercury contamination off-site.

A. Site Description

1. Removal site evaluation

On August 8, 1994, the New York State Department of Health (NYSDOH) and the New York State Department of Environmental Conservation (NYSDEC) discovered a white, clay-like substance during an investigation of a complaint from the owner of a transmission shop located adjacent to the Site. The NYSDEC and NYSDOH collected samples of the waste material for laboratory analysis. Analytical results of the samples detected elevated concentrations of mercury (max. 653 mg/kg). Mercury is typically found in soils in this geographic location at levels of less than one mg/kg. This mercury waste is a designated CERCLA hazardous substance and is listed in 40 CFR Table 302.4.

A letter dated September 9, 1994, from the NYSDOH, outlined site conditions and requested that the NYSDEC seek assistance from the EPA to address the site-imposed threats to public health, welfare and the environment. The Site was formally referred to EPA for CERCLA removal action consideration by the NYSDEC on September 29,1994. The referral letter is included as Appendix A.

From October 13 thru 15, 1994, EPA and the Technical Assistance Team (TAT) performed a preliminary assessment (PA) at the Site. The assessment included verification of mercury contamination and delineation of the horizontal extent of contamination in surface soils. A total of 54 surface soil samples were analyzed using a Spectrace Model 9000 X-Ray Fluorescence Analyzer (XRF). XRF field screening results identified widespread mercury contamination of the trailer park surface soils. The area of surface contamination was determined to encompass approximately 15,000 square feet.

On October 20, 1994, one composite waste sample was collected for waste characterization and mercury speciation. For the purpose of waste characterization, the sample was analyzed for Target Compound List (TCL) parameters, Target Analyte List (TAL) parameters and toxicity via the Toxicity Characteristic Leachate Procedure (TCLP). TAL analysis detected concentrations of mercury above 25 ppm, which is the cleanup level recommended by the Agency for Toxic Substance Disease Registry (ATSDR). TCL compounds detected in the waste sample include: methylene chloride, pyrene, phenanthrene, fluoranthene, benzo(k)fluoranthene, benzo(b)fluoranthene, benzo(a)anthracene, chrysene and benzo(a)pyrene. However, these organic compound concentrations are below NYSDEC-recommended soil cleanup objectives. The TCLP results are below regulatory limits. Mercury speciation results indicate that the sample is a chemical substrate contaminated with a mercuric or mercurous salt, not elemental mercury.

On November 17, 1994, the EPA Environmental Response Team (ERT) and the Response Engineering and Analytical Contractor (REAC) collected dust samples from each of the on-site mobile homes. Analytical results of the sampling event detected mercury concentrations ranging from 0.84 mg/kg to 26.8 mg/kg; the highest concentration of mercury was detected at the entrance area in mobile home No. 3.

On December 6, 1994, ERT, REAC, and TAT collected soil samples from borings to determine the vertical extent of contamination. Soil samples were screened for mercury using an XRF. The subsurface investigation determined that contamination ranges in depth between two feet and six feet below surface grade. It is estimated that 4,000 cubic yards of mercury waste and contaminated soil is on-site.

2. Physical location

The Site is located in a mixed residential/commercial area at the intersection of Route #17M and Harriman Heights Road (Appendix B, Figure 1). The property (Block No. 5: Lot No. 2) is bordered on the northwest by an auto transmission shop, on the northeast by Route #17M, on the southeast by wetlands and on the southwest by a residential lawn. (The wetlands are not formally designated as such on the corresponding U.S. Department of the Interior National Wetland Inventory Map.) Five mobile homes were located in the trailer park. Approximately 16 people resided in the mobile homes which vary in size from 400 to 900 square feet. An elementary school is located approximately 1,000 feet north of the Site.

3. Site characteristics

The property encompasses 1.93 acres. The Site itself, however, occupies approximately one acre of the total property area (Appendix B, Figure 2). On-site contamination is reportedly from the disposal of mercury-contaminated industrial waste generated by the Pyridium Corporation. Disposal of the waste occurred during the 1940's when the material was used to fill in low-lying areas of the property.

Field investigations indicate that approximately 4,000 cubic yards of waste and contaminated soil is present on the Site.

4. Release or threatened release into the environment of a hazardous substance, or pollutant, or contaminant

Mercury is a CERCLA-designated hazardous substance, as defined by Section 101(14). Mercury contaminated waste is visible on surface soils and has been identified in subsurface soils. Site investigations determined that approximately 4,000 cubic yards of waste is present on-site. The waste is unconfined and has migrated off-site into an adjacent wetlands from surface water drainage. Since the waste is present in surface soils, there is also the potential for the waste to be tracked off-site by humans and animals visiting the Site.

5. NPL status

The Site is not listed on the NPL. A PA may be conducted to determine the need for a Site Inspection (SI) for possible NPL listing. The Site has been evaluated by the ATSDR. The health consultation is included in Appendix C.

6. Maps, pictures and other graphic representations

Figures 1 and 2 which are included in Appendix B, illustrate the location and configuration of the Site.

B. Other Actions to Date

1. Previous actions

On October 12, 1994, a public meeting was held in the Village of Harriman to discuss site conditions, present the laboratory results of the August 8, 1994 sampling event and to address community concerns. The meeting was attended by representatives of the Village of Harriman, Orange County Department of Health, NYSDOH, NYSDEC, ATSDR and EPA.

On November 28, 1994, a public availability session was held in the Village of Harriman. The session was attended by representatives of NYSDOH, ATSDR and EPA. Laboratory results of the October 1994 sampling events were made available to the public in addition to discussions on future site specific actions to be performed by NYSDOH, EPA and Nepera Inc.

On November 28, 1994, Nepera, Inc., signed an AOC with EPA agreeing to fund the relocation of the residents of the trailer park. Nepera distributed relocation settlements to the eligible residents according to federal relocation guidelines.

In December 1994, a Draft Health Consultation Report was prepared by the NYSDOH under a cooperative agreement with the ATSDR (Appendix C). The report states that the Pyridium Site is a public health hazard due to elevated mercury concentrations in soils. On-site residents are suspected to be at risk of kidney damage through mercury ingestion/inhalation.

On January 9, 1995, under verbal authorization, EPA mobilized Emergency Response Cleanup Service contractor (ERCS) and TAT to begin site removal activities. As residents were relocated (in accordance with the AOC with Nepera Inc.), their mobile homes were decontaminated and sold or demolished and disposed of. Prior to the sale of two of the mobile homes, the interiors were decontaminated via removal of all porous materials (carpets, curtains and furniture), cleaning of all hard surface areas and dusting of all duct work. Following decontamination, samples were collected to verify attainment of acceptable interior cleanup levels. The three mobile homes not sold were dismantled on-site and discarded as debris. All utilities (water, sewer and electric) were disconnected and all heating oil and propane storage tanks were removed for disposal/recycle. To minimize unauthorized access to the Site, a five foot fence was installed with warning signs; along the property front and snow fence was placed around the remainder of the Site perimeter. The removal activities were completed on April 7, 1995.

2. Current actions

Site activities proposed under this removal action are discussed in Section V.

C. State and Local Authorities' Role

1. State and local actions to date

In August 1994, the NYSDEC and the NYSDOH conducted preliminary investigations at the Site. These investigations involved the collection of soil samples from visibly contaminated areas, sampling indoor and outdoor air, utilizing a mercury vapor analyzer and meeting with the affected residents to discuss public health concerns. During the month of October 1994, the NYSDOH conducted urine mercury screening of the residents residing in the mobile homes. A total of 14 individuals participated in the testing program. All 14 individuals had urine mercury levels within the normal range, below 20 micrograms per liter. The state agencies will continue to offer health education services to the affected residents while observing EPA's removal activities.

2. Potential for continued State/local response

State and local government agencies are not able to undertake timely and costly response actions to eliminate the threats posed by the Site. Both branches of government will provide support services to EPA as the threats on-site are addressed.

III. THREATS TO PUBLIC HEALTH OR WELFARE OR THE ENVIRONMENT, AND STATUTORY AND REGULATORY AUTHORITIES

The Site meets the criteria for a removal action under CERCLA, as described in Section 300.415(b)(2) of the NCP. The Site poses a health threat to local residents and animals that could come in direct contact with the hazardous substance at the Site. High concentrations of mercury are on the ground surface and have migrated off-site by surface water drainage to contaminate larger areas.

A. Threats to Public Health or Welfare

The presence of mercury at elevated concentrations has been documented in surface and subsurface soils. Laboratory results of eleven surface soil samples analyzed by Cold Vapor Atomic Absorption identified mercury at concentrations ranging from 3.74 mg/kg to 657 mg/kg.

Security fence around the Site is inadequate, resulting in unauthorized access to the property and direct contact to mercury waste. Off-site migration of contamination is occurring due to surface water draining from the property. This situation is causing off-site areas, which are unsecured, to become contaminated resulting in other areas where the public can come in direct contact with mercury.

The ATSDR Record of Activity concluded the mercury concentrations detected at the Pyridium Mercury Disposal Site No. 1 poses a public health hazard. The health effects of the hazardous substance is presented in Appendix C.

B. Threats to the Environment

Laboratory analysis of soil samples collected during the SI verified that mercury is present in the off-site wetlands located adjacent to the Site. The concentrations identified in the wetlands range from 13.7 mg/kg to 38.9 mg/kg. Although mercury waste was not observed in surface soil of the wetland, it is believed that waste from the Site is being carried off-site by surface water drainage. Surface soil on-site is graded so that surface water is channeled toward the wetland area.

A sediment sample collected at the outfall of a drainage culvert located northeast of the Site, across Route #17M, was analyzed and identified mercury at a concentration of (0.643 mg/kg). This data further indicates that waste is migrating off-site.

IV. ENDANGERMENT DETERMINATION

Actual or threatened release of a hazardous substance from the Site, if not addressed by implementing the response action selection in this Action Memorandum, may present an imminent and substantial endangerment to public health, welfare, or the environment.

V. EXEMPTION FROM STATUTORY LIMIT

A. <u>Emergency Exemption</u>

1. There is an immediate risk to public health or welfare or the environment

Surface soil is contaminated with mercury at concentrations that range between 3.7 mg/kg and 657 mg/kg. The Site is unsecured since security fence is missing or is in disrepair. Trespassers to the Site will come in contact with mercury waste.

ATSDR's August 28, 1995 Health Consultation states that the Site poses a public health hazard because inorganic mercury occurs in soil at concentrations which may cause adverse health effects.

Investigations conducted by ATSDR and the NYSDOH indicated that human exposure to inorganic mercury had occurred by dermal contact.

In it's present state, unauthorized access to the Site and to areas of high concentrations of mercury is possible. It has been confirmed that neighborhood children frequent the Site. Repeated handling of contaminated soil increases the likelihood of ingestion. In addition, mercury contaminated soil can be tracked into homes.

Long-term exposure to mercury can damage the kidneys, nervous system and developing fetus.

2. Continued response actions are immediately required to prevent, limit, or mitigate an emergency.

ATSDR and the NYSDOH have evaluated site conditions and associated analytical data and have determined that conditions on-site represent a potential public health hazard. Mercury waste on-site is present in surface soils which are being impacted on a daily basis by environmental conditions. Wind and rain are causing mercury waste to migrate off-site into wetlands and other areas not previously impacted. Continued response actions are necessary to modify site drainage pathways to minimize the off-site migration of waste via surface water runoff.

3. Assistance will not otherwise be provided on a timely basis

Neither State or county government have the resources to mitigate the threats associated with the Site in a timely manner.

VI. PROPOSED ACTIONS AND ESTIMATED COSTS

A. Proposed Actions

1. Proposed action description

The purpose of the current action is to prevent off-site migration of the contaminants and restrict access to the Site.

A description of the activities proposed for this action are presented below:

- i. Modify site grades to control off-site surface water drainage.
- ii. Install and/or repair chain link fence around the property to restrict access to the Site.
- iii. Cap areas of exposed waste.

2. Contribution to remedial performance

The removal action at the Site is consistent with the requirements of Section 104(a)(2) of CERCLA, which states, "any removal action undertaken...should...to the extent practicable, contribute to the efficient performance of any long-term remedial action with respect to the release or the threatened release concerned." Since any remedial action undertaken would encompass the elements in this response, this removal action is consistent with any future remedial work.

3. Description of alternative technologies

Not applicable.

4. Engineering Evaluation/Cost Analysis (EE/CA)

Since this is a time-critical removal action, this section is not applicable.

5. Applicable or relevant and appropriate requirements (ARARs)

ARARs that are within the scope of this removal action will be met to the extent practicable. Federal ARARs determined to be applicable for this removal action is the Occupational Safety and Health Act.

6. Project schedule

The proposed action can begin as soon as funds are allocated. Mobilization/demobilization, migration controls and access restraints are expected to be completed within one month, barring unforeseen circumstances.

B. Estimated Costs

A summary of the estimated costs for the proposed action is presented below. A detailed cost estimate is included as Appendix D:

	Previous Project <u>Costs</u>	Proposed Project <u>Costs</u>	Total Project Ceiling (Rounded)
EXTRAMURAL COSTS			
ERCS TAT Contingency (20%)	\$ 51,000 11,000 n/a	\$ 51,000 8,700 <u>11,900</u>	\$ 102,000 19,700 11,900
TOTAL EXTRAMURAL	\$ 62,000	\$ 71,600	\$ 133,600
INTRAMURAL COSTS	\$ 9,000	<u>\$ 15,200</u>	<u>\$ 24,200</u>
TOTALS	\$ 71,000	\$ 86,800	\$ 157,800

VIL EXPECTED CHANGE IN THE SITUATION SHOULD ACTION BE DELAYED OR NOT TAKEN

Should no action be taken, or the planned action delayed, the public health risk, especially to nearby residents, will be increased through prolonged exposure to mercury contaminated soil. Additionally, water run-off will spread the waste further into adjoining areas.

VIII. OUTSTANDING POLICY ISSUE

None.

IX. ENFORCEMENT

During the month of October 1994, EPA and TAT conducted a title and deed search for the property. Property owner information was obtained from 1894 to the present and is being kept on file.

The on-site waste was reportedly generated during the 1940's by the Pyridium Corporation. Nepera, Inc., currently owns and operates the facility previously operated by Pyridium Corporation. On November 28, 1994, Nepera, Inc. signed an AOC with EPA. Pursuant to the AOC, Nepera Inc., agreed to buy out and assist with the relocation of the trailer park residents. Nepera has disclaimed liability for the Site; EPA is currently investigating its potential liability.

X. RECOMMENDATION

This decision document represents the selected removal action for the Pyridium Mercury Disposal Site No. #1 in the Village of Harriman, Orange County, New York, developed in accordance with CERCLA, as amended, and is not inconsistent with the NCP. This decision is based on the administrative record for the Site.

Site conditions continue to meet the NCP Section 300.415(b)(2) criteria for a removal, and I recommend your approval of the proposed ceiling increase of \$86,800 and 12-month exemption. The total project ceiling if approved will be \$157,800, of which an estimated \$102,000 will be funded from the Regional removal allowance.

Please indicate your approval and authorization of funding, as per current Delegation of Authority, by signing below.

APPROVAL: Cill 3/19	PATE:9/25/57
Jeanne M. Fox	
Regional Administrator	X
DISAPPROVAL:	DATE:
Jeanne M. Fox Regional Administrator	

cc: (after approval is obtained)

W. Muszynski, DRA

R. Caspe, ERRD-D

W. McCabe, ERRD-DD

R. Salkie, ERRD-RAB

J. Rotola, ERRD-RAB

G. Zachos, OMBUDSAN

B. Bellow, EPD

P. Simon, ORC-NYCSUP

R. Gherardi, OPM-FIN

S. Murphy, OPM-FAM

B. Shaw, 5202G

C. Moyik, ERRD-PS

M. O'Toole, NYSDEC

T. Vickerson, NYSDEC

A. Raddant, OEPC

G. Wheaton, NOAA HAZMAT

O. Douglas, START

APPENDIX A

Girand Soile ML ROLLINGE

Caroline 488 MY SEC
(908) 381-4458 MM (518) 457-748

(908) 906-6182 MM (518) 457-7783

New York State Department of 50 Wolf Road, Albany, New York, 128

SEP 29 1994

Langdon Marsh Commissioner

Ms. Kathleen C. Callahan
Director
Emergency & Remedial Response Division
United States Environmental
Protection Agency.....
Region II
26 Federal Plaza
New York, New York 10278

Dear Ms. Callahan:

Re: Pyridium Mercury Disposal Side
Harriman (V) Orange County, N.T.

I have enclosed a copy of a letter from the New York State Department of Health, dated September 5, 1994; regarding confirmed mescury contamination is the soil beneath five trailer homes at the referenced location in the Village of Harriman Orange County, New York:

The trailer park is focated near Nepera. Inc., Harriman, which is listed in the Registry of Inactive Hazardous Waste Disposal Sites in New York State as Site Code #3-36-006. We are presently upling to determine if the mercury contamination is related to the Nepera Site.

However, in the meantime, we hereby request that the USEPA conjuct an Emergency Removal Assessment at the referenced location and initiate whatever response action is warranted by the findings of such an assessment and are authorized by CERCLASARA.

19-19-94 11

If you have any questions regarding this request, please contact Alan Rockmore, P.E., of my staff, at (518) 457-9180.

Director

Div. of Hazardous Waste Remediation

Enclosure

A. Carlson, NYSDOH

R. Saikie - USEPA, Edison, New Jersey
G. Zachor - USEPA, Edison, New Jersey

J. Witkowski's LISEPA' Edison, New Jersey

DEPARTMENT OF HEALTH

Center for Environmental Meath

2 Lineversey Place

Abony, New York 12203-3396

MARIE COMEST VO VER MERE 53MT-18-07P

Paul W-1807 Executive Seauth Commissioner

Scotember 9, 1994

OFFICE OF PUBLIC HEALTH LONG F HONEL M.D., M.P.H. **OTTOWN** LIGHT BOOK DIVER

WINGS N. Steene P.E. PAD.

Corner Overson

Mr. Michael J. O Toole, P.S., Director Division of Encardous V asta Remediation NVS Department of Environmental Conservation so Well Road Room 212 Albany New York 12273

Miligating Potential Exposures RE. Pyridium Mercury Disposal Site NYSDCH Site #336821N (V) Harriman Orange County

Dear the Companie

As you know, born our adencies recently learned that five residential trailer houses art giver attemical wastes near the corner of Routes 17M and 71 in the Village of marriage Crance County. Within the flve Irallers five twelve residents including an expectant mother and her four year old son. The waste materials, suspected to be naterum stillate and marcuric sulfide generated by the former Pyridium Comporation (presently Nepers, Inc.), were allegedly dumped during the late 1940's. Testing by the State has revealed significantly elevated levels of mercury in the surface sails and surface westes ranging from 110 parts per million (ppm) to 653 ppm with an average mercury concentration of 258 ppm. Mercury is typically found in soils at levels less than 1 cam. Residents have reportedly encountered the waste materials in recurring simkholes/subsidences on the property, within soil excavations for fence posts, and sever fines, while gardening, and during wel conditions when there parking area turns milky while. Allegedly shildren, new grown, had used the classike material as if it was "Playdoh."

Exposure to either inorganic or organic mercury can permanently damage the brain, kidneys, and developing fetus. The most sensitive target of low-level exposure to increasic mercury appears to be the kidneys. Exposure to mercury in the soil can occur !hrough a number of routes. There is the potential for direct oral exposure via ingestion of soil, dust, and gorden produce grown in contaminated soil. Mercury can be absorbed into the body via dermal contact through activities associated with soil disturbances such as gardening; yard work, and play. There also exists the potential for inhalation of mercury particulates and mercury vapor

The elevated levels of mercury in soil are a public health concern. To minimize potential human exposure to these accessible chemical wastes, residents have been advised to avoid physical contact with their yard soils which contain the easily distinguishable white waste material. Vegetable gardening is not recommended. These temporary advisories should be followed by a limely permanent solution. However, Extraction Procedure Toxicity testing by the New York State Department

of Environmental Conservation's contract laboratory did not confirm the presence. of hazardous waster as legally defined by the State. Therefore, as I understand the process. State Superfund monies cannot be spent on any site-related activities that may be needed.

Consequently, the State should seek assistance from the United States Environmental Protection Agency (EPA) to expedite this matter for the long-term welfare of the concerned residents as well as for the protection of the environment. To that end, this Department is in the process of preparing a health consultation, which will be reviewed by the federal Agency for Toxic Substances and Disease Registry (ATSDR). We expect conditions at the site to meet the ATSDR's definition of a public health hazard. We will be forwarding a health consultation as soon as possible. In the meantime, the ATSDR and the EPA have been advised of the situation.

Should you wish to discuss this issue further, do not hesitate to contact me or Mr Steven Bates at (518) 458-6310.

to any incorporabilities of the Sinterely: the Charles agancy and

G. Anders Carlson, Ph.D.

s estimates and manufered to the content of Director Bureau of Environmental Exposure Commence of the control of the contr investigation investigation

3g/94252FRO0019

Dr. N. Kim

Mr. R. Tramontano/Mr. R. Svenson/Mr. F. Mrozek

Dr. E. Horn/Or. D. Luttinger/Ms. P. Fritz

Ms. N. KHEDD

Mr. S. Bates Mr. M. VanVelkenburg

Mr. M. Knudsen, MDG

ر به المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم ا المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظ Service of the world with the control of the contro The control transferry page concension :

Mr. M. Schleller - OCHO-

Mr. C. Goddard - DEC

Ms. S. McCormick Mr. C. Magee DEC

Mr. D. Esten - DEC.

Mr. A. Kleuss - DEC. Region 3

Mr. A. Block/Mr. S. Jones - ATSDR

Mr. W. McCabe - EPA. Region 2

ATTACHMENT B

- Author Information - -

Author: Steven Jones

User ID: SXJ6

Action Date: 05/22/95

Time: 08:00 AM

- Site Specific Information -

Name: PYRIDIUM MERCURY DISPOSAL

Address: ROUTE 17M

City: HARRIMAN

County: ORANGE

State: NY Zip Code:

CERCLIS #:

CRS #: 20EV

Region: 02 Congr. District: 00

- Site Status -

(1): NPL X Non-NPL

RCRA Non-Site Specific SACM

Federal*

(2):

Emergency Response

Remedial X Removal Other:

- Activities -

Public Meeting*

1 Health Consult* Health Referral

Site Visit* Info Provided

Incoming Call Outgoing Call Confrnce Call

1 Data Review

Written Respons

Training

Incoming Mail

Trip Report

1 Other Meeting

Worker Health

Tech Assist

Immed Removal

Other Activity:

- Requestor and Affiliation -

Requestor: ERIC WILSON

Affiliation: EPA, OSC-REGION 2

Work Phone: (908)906-6991

Other Phone: (

County:

Address:

Congressional District: 00

- Contacts and Affiliations -

KEN ORLOFF

MARK MADDALONI

PAT FRITZ

ATSDR, DHAC/EICB EPA, RISK ASSESSOR

STATE HEALTH, NYSDOH

Program Area: Public Health Consultation

Enclosures: N

CC: A. Block

M. Maddaloni, USEPA

D. Harper

P. Fritz, NYSDOH E. Wilson, USEPA

K. Orloff

PYRIDIUM MERCURY DISPOSAL

Action Date: 05/22/95

- Narrative Summary -


The USEPA Removal Program has requested that ATSDR evaluate the health implications of using a cleanup level of 25 mg/kg of mercury in residential soil at the Pyridium Mercury Disposal (#1) site, in Harriman, New York. The site formerly consisted of five trailer homes that were placed on an area where mercury waste had been buried. The highest concentration of mercury found in residential soil was 653 mg/kg. Speciation was performed and the mercury was found to be in an insoluble inorganic salt. The trailer homes have been relocated, and the USEPA is preparing to perform a removal of contaminated soil at the site.

- Action Required/Recommendations/Info Provided -

Based on a residential scenario, the 25 mg/kg contaminant level that will be left in place at the site would not represent a health concern to any future residents that may inhabit the area. ATSDR is available to review any new sampling data that may be generated at this site during the course of the removal, or afterward.

Signature: 5 Date: 7/20/95

ATTACHMENT C



APPENDIX C



Memorandum

Date August 29, 1995

From Arthur Block J. Sr. Regional Representative

SubjEinal Health Consultation for Pyridium Mercury Disposal Sites #1/CERCLIS NO. NYD0000856237 and #2/CERCLIS NO. NYD000162850, Harriman, Orange County, NY

To

SEE DISTRIBUTION BELOW

Attached are copies of the August 28, 1995, Health Consultation for the above sites prepared by the New York State Department of Health (NYSDOH) under cooperative agreement with the Agency for Toxic Substance and Disease Registry (ATSDR).

Comments on the draft documents previously sent to your office have been reviewed and incorporated, where applicable and indicated on the certification page contained within the health consultation, ATSDR has reviewed the consultation and concurs with its findings.

If you have any questions or comments regarding the content of this document, please contact my office at extensions 7-4305 or 7-4306.

. 42. do 17. do 18. do 18. do 19. do

Attachments

Distribution:

Kathleen Callahan, Director, EPA/ERRD
Richard Salkie, Associate Director, EPA/ERRD/REPP
Dennis Santella, EPA/ERRD/PSB
George Zachos, EPA/ERRD/RAB
Joseph Rotole, ERRD/RAB
Dan Harper, ATSDR/ORO
Bob Williams, ATSDR/DHAC
Greg Ulirsch, ATSDR/RPB
ATSDR/DHAC/PERIS
Lani Rafferty, NYSDOH

PYRIDIUM MERCURY DISPOSAL SITE #1 HARRIMAN, ORANGE COUNTY, NEW YORK CERCLIS NO. NY0000856237 August 28, 1995

Prepared by:

New York State Department of Health
Under a Cooperative Agreement with the
Agency for Toxic Substances and Disease Registry

TABLE OF CONTENTS

		PAGE
BACKGROUND AND STATEMENT OF ISSUE	ES	1
DISCUSSION		. · 3
CONCLUSIONS .		4
RECOMMENDATIONS -		5
HEALTH ACTIVITIES RECOMMENDATION (HARP) RECOMMENDATIONS	PANEL	5
PUBLIC HEALTH ACTIONS		6
PREPARERS OF THE REPORT	ktting of a management	8
REFERENCES		9
APPENDIX A. Figures		- 10
APPENDIX B. Tables		14
APPENDIX C. Public Health Hazard	Categories	16 00
APPENDIX D. Response to Public C	omments	22

BACKGROUND AND STATEMENT OF ISSUES

The New York State Department of Health (NYS DOH) through a cooperative agreement with the Agency for Toxic Substances and Disease Registry (ATSDR) has reviewed information and analytical data from the Pyridium Mercury Disposal Site #1 to determine if there is a public health threat associated with exposure to mercury. The Pyridium Mercury Disposal Site #1 (Figure 1, Appendix A) is in the Village of Harriman, Town of Monroe, Orange County, near the corner of Routes 17M (Ramapo Avenue) and 71 (Harriman Heights Road). . The area of concern (Figures 2A and 2B, Appendix A), which is about one acre in size, includes five, single-family trailer homes. The site, on record as the McGill Trailer Park, is under permit from the Orange County Realth Department as a regulated mobile home park. The property is bounded to the northwest by an auto transmission shop, to the southwest by a residential lawn, to the southeast by wetlands and to the northeast by Route 17M. The five trailers are occupied by sixteen residents, including an expectant (12/94) mother and her four year old son. Three of those sixteen residents, a mother and her two teenage sons, moved in with a current resident well after the wastes had been identified and residents warned. Of the nine parents and seven children living on-site, the children's ages are 4, 14, 16, 17, 20, 28 and 31. Young grandchildren are known to visit. According to a local resident, the waste materials, a mercuric or mercurous salt generated during the production of niacinamide. (vitamin B-3) by the former Pyridium Corporation, were allegedly dumped during the late 1940's (1947-1948).

On August 8, 1994, the NYS DOH was notified of the potential health concern by the New York State Department of Environmental Conservation (NYS DEC) The NYS DEC forwarded correspondence from the property owner's attorney describing a clay-like material (discovered behind the trailers) containing an elevated mercury level of 238 milligrams per kilogram (mg/kg). Mercury is typically found in soils at levels less than In response, NYS DOH staff inspected the property on 1 mg/kg. August 9, 1994. The suspected waste material was readily identified at the ground surface around trailers 3, 4 and 5. The easily distinguishable white waste material was observed in a sinkhole, between walkway steps, in a flower garden, beneath a trailer, in ant mounds, and underlying a few vegetable plants. Four surface (0-1 inch) soil/waste samples were collected and analyzed by the NYS DEC laboratory for total mercury. Mercury was detected at 110 mg/kg in a flower garden, 170 mg/kg in a sinkhole, 230 mg/kg behind a storage shed and 320 mg/kg between sidewalk steps. At the request of the NYS DOH and the ATSDR, the US Environmental Protection Agency (US EPA) later contracted for further laboratory analysis (i.e., speciation) of the wastes. The material was identified as inorganic mercury: a mercuric or mercurous salt.

Some of the residents interviewed by NYS DOH staff during the August 9 visit reportedly had contact with the waste material when gardening and digging fence post holes. One parent, who has lived on-site for about 25 years, said that while her children were growing up, they played with the clay-like waste as if it were modelling clay.

On August 11, 1994, NYS DEC staff collected additional environmental samples to determine if the waste materials could be classified as "hazardous waste" according to NYS DEC's legal definition. By NYS DEC's definition at that time, a mercury waste sample would be regarded as a "hazardous waste" if the Extraction Procedure Toxicity (EPTox) analysis of the sample detected a concentration of the metal at or above 200 micrograms per liter (mcg/L). The EPTox test is used to determine the likelihood that mercury will leach from the waste and contaminate groundwater. The EPTox test alone does not determine if a chemical concentration in soil or waste is a public health concern. Six soil/waste samples and one surface water sample were taken. EPTox results for mercury in the six soil/waste samples ranged from 0.1 mcg/L to 20.0 mcg/L, well below the NYS DEC action level. Total mercury analyses were also performed. Concentrations detected near the trailers were: 198 mg/kg in a sinkhole at 18 inches below grade; 230 mg/kg in the same sinkhole at 6 inches below grade; 396 mg/kg beneath trailer #3; and 653 mg/kg immediately next to trailer #3 beneath (1-4 inches) a three plant vegetable garden. Mercury was detected in the stone/soil driveway at 4.6 mg/kg and at 0.92 mg/kg in the bank of a stream running through the adjacent wetlands. Mercury was detected in a water sample from a culvert draining the wetlands at a level of 0.13 mcg/L.

On August 17 and 18, 1994, NYS DOH staff monitored indoor and outdoor air using a portable, instantaneous-reading mercury vapor analyzer (Jerome Model 411). Due to instrumentation problems, the data collected at that time are questionable and, therefore, could not be used to adequately evaluate air quality.

Residents rely on the Village of Harriman municipal water supply for drinking water. These wells are not close to this site. The village water is regularly monitored to ensure that it meets State drinking water standards for public supplies. The service connections from the watermain to the trailers likely pass through buried waste materials. Entry of contaminants into the buried water pipes is unlikely. Should there be a crack, break, breach, or compromise in the integrity of the waterline piping, positive pressure within the pipes would force water out rather than allow contaminants to seep in. A major break in a waterline would be readily noticed by residents through a loss of water at the tap and by discolored (i.e., dirty) water.

DISCUSSION

Mercury is present at higher than normal levels in surface soil and surface wastes at the Pyridium Mercury Disposal site. Exposure to mercury in surface soil and surface waste may occur by accidental eating of soil and dust, eating of garden fruits and vegetables grown in contaminated soils, skin contact or breathing of mercury contaminated dust or vapor. Children generally eat greater amounts of soil and dust than adults. This is especially true for preschoolers because they tend to put their hands or fingers in their mouths or for children with pica (an unreasonable craving), in this case, for soil. Those children who repeatedly handle the waste material would have a high likelihood of ingesting the mercury waste which could stick to their hands. Mercury contaminated soil can also be tracked into the home on shoes and left on floors and surfaces where people could come in contact with it. Indirect exposure for an infant can occur from eating contaminated breast milk if the mother were exposed to mercury.

Long-term exposure to mercury can damage the kidneys, nervous system and developing fetus (baby). The most sensitive target organ for low-level inorganic mercury exposure appears to be the kidneys.

Health comparison values are used to assess if further evaluation of the soil is needed. Several factors are considered in the evaluation including soil ingestion rate, the size and age of the exposed individual, length of exposure and the health effects data. A health comparison value for mercury in soil is the mercury concentration in soil which would provide, by ingestion, a dose of mercury equal to the daily exposure below which adverse health effects are unlikely to occur. A contaminant at concentrations exceeding a health comparison value does not mean that either exposure to the contaminant or adverse health effects have occurred or will occur since a margin of safety is built into the value.

Health comparison values are developed assuming worst case exposure, i.e., the greatest possible exposure. Using soil ingestion rates for children with pica will overestimate soil ingestion rates for the general public.

Soil mercury concentrations identified at the site range from 110 to 653 parts per million (ppm). Table 1 (Appendix B) contains soil health comparison values for inorganic mercury. The soil mercury concentrations at the site exceed some of the health comparison values. Therefore, the soil concentrations of mercury at the Pyridium Mercury Waste Disposal Site #1 warrant further characterization and evaluation of exposure pathways and the potential for adverse health effects in individuals who may have been exposed to the waste materials.

A child with pica has the highest exposure and, based on the highest soil mercury concentration (653 ppm), is at high risk of having adverse kidney effects. Children without pica and adults are at minimal risk of having adverse kidney effects. Fruits and vegetables grown in contaminated soil are an additional source of exposure. Mercury levels are higher in plants grown in contaminated soil than in those grown in soil which is not contaminated. Eating such plants could contribute additional mercury to the diet.

On October 26, 1994, as recommended by the ATSDR's Health Activities Recommendation Panel, the NYS DOH conducted urine mercury screening of the residents living in the five mobile homes. A total of 14 individuals participated in the testing which involved the collection of first catch (first thing in the morning) urine samples. Analyses were performed by the NYS DOH Wadsworth Center for Laboratories and Research. All 14 of these people had urine mercury levels within the normal range, below 20 mcg/L. Two residents were not included in the testing because they moved away on their own and could not be located.

The residents' urine mercury screening results indicate exposure has not caused an increase in mercury levels in the body to levels of concern for adverse health effects. The soil mercury concentrations at the site provide a source for exposure which could produce health effects in individuals whose activities lead to greater contact with the waste material.

On May 5, 1995, the NYS DOH sent copies of this health consultation to known interested parties requesting concerns and comments on the report by June 16, 1995. The NYS DOH received two comments which are responded to in Appendix D.

CONCLUSIONS

Based on the information reviewed, the NYS DOH in consultation with ATSDR concludes the following:

- 1. Based on ATSDR's present public health hazard category classification (Appendix C), the Pyridium Mercury Disposal Site #1 is a public health hazard because inorganic mercury occurs in soil at concentrations which may cause health effects. Residents, particularly preschool children who may eat or play with contaminated soil and residents eating plants grown in the contaminated soil, are at risk of kidney damage due to the mercury contamination at the Pyridium Mercury Disposal Site #1.
- 2. Based on interviews with residents, exposure to inorganic mercury has occurred by dermal contact.

- 3. The nature and extent of contamination at this site has not been completely characterized. Contamination other than inorganic mercury may be present within subsurface fill materials. Sampling should extend outward and downward and include groundwater.
- Based on the results of the recent urine mercury screening, follow-up testing does not appear necessary at this time. The NYS DOH does not plan, at this time, to track previous site residents to conduct urine/mercury analysis since the urine/mercury levels of the current site residents (those most likely at risk of exposure) were within the normal range. In addition; it is unlikely that mercury would be detected above the normal range in persons exposed several months before the urinary mercury testing because mercury leaves the body over time.

RECOMMENDATIONS

- Measures should be taken to prevent exposures to yard soils which contain the mercury wastes. Dissociate (i.e., remove) all the residents, especially the expectant mother and her young child, from the wastes to prevent exposures that could damage their kidneys or neurological systems.
- 2. To evaluate exposure to mercury in the homes, dust samples should be collected within the trailers.
- 3. Completely characterize the nature and extent of contamination at the site. A comprehensive analysis of the wastes should be performed. Sampling of soils, wastes, and groundwater should extend outward and downward to determine areas requiring future remedial actions. Subsurface investigations might potentially identify other types of chemical wastes used as fill, or find buried drums, or detect groundwater contamination.
- 4. The company or agency that performs the additional environmental sampling should work with the NYS DOH so that sampling design and detection levels are appropriate to base further public health decisions upon.
- 5. Impose deed restrictions on the property, in the absence of waste removal, to prevent possible disturbance and contact with buried wastes.

HEALTH ACTIVITIES RECOMMENDATION PANEL RECOMMENDATIONS

The data and information developed in the Health Consultation for the Pyridium Mercury Disposal Site #1, Harriman, New York, has been

reviewed by ATSDR's Health Activities Recommendation Panel (HARP) to determine appropriate follow-up health actions. Because of past and current exposure to mercury-contaminated residential soils, the panel recommended this site for follow-up health activities. Specifically, those persons exposed should have urine samples collected and analyzed for the presence of mercury. In addition, the HARP also determined that community health and health professions education are indicated. The NYS DOH is currently conducting site-specific education activities at the site. Other health activities may be needed as more information about actual exposures and the nature of the waste materials are determined.

PUBLIC HEALTH ACTIONS

Public Health Actions Taken

- 1. The NYS DOH has held two public meetings and a public availability session since August 1994 to provide information to the community about the site and to address health-related concerns.
- 2. The NYS DOH collected urine samples from the 14 residents currently living on-site. The samples were analyzed for mercury by the NYS DOH Wadsworth Center for Laboratories and Research. All 14 of these people had urine mercury levels within the normal range, below 20 mcg/L. All individuals and their physicians were provided with a copy and explanation of the urine sample results.
- 3. The site residents' physicians were provided with educational materials regarding the toxic effects associated with exposure to mercury.
- 4. NYS DOH physicians talked to several members of the community, on an individual basis, about health concerns related to the site.
- 5. The residents moved off-site by March 1995. Residents have been financially compensated for relocation expenses by Nepera, Inc. who currently occupies the former Pyridium pharmaceutical facility.

Public Health Actions Planned

- 1. The NYS DOH will review all site-related investigation reports and health-related information and, if necessary, hold additional public meetings.
- 2. The NYS DOH will continue to investigate reports of the existence of other similar sites in the community.

CERTIFICATION

The Health Consultation for the Pyridium Mercury Disposal Site #1 was prepared by the New York State Department of Health under a cooperative agreement with the Agency for Toxic Substances and Disease Registry (ATSDR). It is in accordance with approved methodology and procedures existing at the time the health consultation was initiated.

Gregory V. Ulirsch, M.S.

Technical Project Officer
Superfund Site Assessment Branch (SSAB)
Division of Health Assessment and Consultation (DHAC)
ATSDR

The Division of Health Assessment and Consultation, ATSDR, has reviewed this health consultation, and concurs with its findings.

Sharon Williams-Fleetwood, Ph.D. Chief, SSAB, DHAC, ATSDR

PREPARERS OF THE REPORT

Mark VanValkenburg
Environmental Health Specialist III
Bureau of Environmental Exposure Investigation
New York State Department of Health

and

Patricia Fritz
Assistant Research Scientist
Bureau of Toxic Substance Assessment
New York State Department of Health

REFERENCES

Agency for Toxic Substances and Disease Registry (ATSDR). March 1992. Case Studies in Environmental Medicine, Mercury Toxicity. Atlanta, GA. U.S. Department of Health and Human Services.

Agency for Toxic Substances and Disease Registry (ATSDR). March 1992. Public Health Assessment Guidance Manual. U.S. Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry, Atlanta, Georgia.

Agency for Toxic Substances and Disease Registry (ATSDR). 1993. Toxicological Profile for Mercury. Atlanta, GA. U.S. Department of Health and Human Services.

Conestoga-Rovers and Associates (CRA). 1992. Remedial Investigation Plant Site (Nepera, Inc.), Harriman, NY. Waterloo, Ontario, Canada.

World Health Organization (WHO). 1990. Environmental Health Criteria 101. Geneva, Switzerland. World Health Organization Distribution and Sales Service. International Programme on Chemical Safety.

July 13, 95 *** ATSDR Regional Information System 2.4 *** - RECORD OF ACTIVITY -

- Author Information -

Author: Steven Jones

User ID: SXJ6

Action Date: 05/22/95

Time: 08:00 AM

- Site Specific Information -

Name: PYRIDIUM MERCURY DISPOSAL

Address: ROUTE 17M

City: HARRIMAN

County: ORANGE

CERCLIS #:

State: NY Zip Code:

CRS #: 20EV Region: 02 Congr. District: 00

- Site Status -

(1):

NPL X Non-NPL RCRA Non-Site Specific SACM Federal*

(2):Emergency Response Remedial X Removal Other:

- Activities -

Incoming Call Public Meeting* 1 Health Consult*
Outgoing Call 1 Other Meeting Health Referral
Confrnce Call 1 Data Review Written Respons
Incoming Mail Trip Report Worker Health

Site villinfo Provided

Training Tech Assist

Immed Removal

Other Activity:

- Requestor and Affiliation -

Requestor: ERIC WILSON

Affiliation: EPA, OSC-REGION 2

Work Phone: (908)906-6991 Other Phone: (

Address: County:

Congressional District: 00

- Contacts and Affiliations -

KEN: ORLOFF

MARK MADDALONI

PAT FRITZ

ATSDR, DHAC/EICB EPA, RISK ASSESSOR STATE HEALTH, NYSDOH

Program Area: Public Health Consultation

Enclosures: N

CC: A. Block

M. Maddaloni, USEPA

D. Harper

P. Fritz, NYSDOH

K. Orloff

E. Wilson, USEPA

July 13, 95 03:31 PM

PYRIDIUM MERCURY DISPOSAL

Action Date: 05/22/95

- Narrative Summary -

The USEPA Removal Program has requested that ATSDR evaluate the health implications of using a cleanup level of 25 mg/kg of mercury in residential soil at the Pyridium Mercury Disposal (#1) site, in Harriman, New York. The site formerly consisted of five trailer homes that were placed on an area where mercury waste had been buried. The highest concentration of mercury found in residential soil was 653 mg/kg. Speciation was performed and the mercury was found to be in an insoluble inorganic salt. The trailer homes have been relocated, and the USEPA is preparing to perform a removal of contaminated soil at the site.

- Action Required/Recommendations/Info Provided -

Based on a residential scenario, the 25 mg/kg contaminant level that will be left in place at the site would not represent a health concern to any future residents that may inhabit the area. ATSDR is available to review any new sampling data that may be generated at this site during the course of the removal, or afterward.

Signature:

Concurrence:

Date: 7/20/95

S. Odl Ph.D. Date: 7/14/95

500002

Memorandum

TO:

The File

FROM:

Irmgard Huhn

DATE:

April 21, 1998

Incorporation by Reference of Prior Administrative Records into the Current Administrative Record.

During the process of selecting the activities to be taken in restarting the removal action at the Pyridium Superfund Site #1 authorized by the March 6, 1998, Action Memorandum, the Administrative Records created for the prior response activities at Pyridium #1 and Pyridium #2 Superfund sites were reviewed and are incorporated by reference in this Administrative Record. The Administrative Records for the prior response actions at the Pyridium #1 and Pyridium #2 Superfund sites are available at the U.S. EPA Region II, Removal Records Center, Building #205, Edison, NJ, and also in the Monroe Free Public Library, Mill Pond Parkway, Monroe, NY 10950.